



AIR FRYER

BEST SELLING

NDY-AF5002R

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:5.0L
- Digital control
- Timer:1-60minutes
- Temperature:80°C~200°C

Weight

- N.W.:3.6kg/G.W.:4.3kg

Product Size

- 337x255x284mm

Carton Size

- 392x312x340mm



NDY-AF802R

Description

- Power:1300W
- Voltage:220V-240V~
- Capacity:8L
- Digital control
- Timer:0~60minutes
- Temperature:80°C~200°C

NDY-AFX001R

Description

- Power:1700W
- Voltage:220V-240V~
- Capacity:10.0L
- Digital control
- Timer:1-60minutes
- Temperature:80°C~200°C

Weight

- N.W.:5.7kg/G.W.:6.7kg

Product Size

- 354x254x285mm

Carton Size

- 350x350x405mm



NDY-AF803RW

Description

- Power:1300W
- Voltage:220V-240V~
- Capacity:8.0L
- Digital control
- Timer:0~60minutes
- Temperature:80°C~200°C

NDY-AF5001M

Description

- Power:1500W
- Voltage:220V 50H~
- Capacity:5.0L
- Digital control
- Timer:0~60minutes
- Temperature:80°C~200°C



NDY-AF5001

Description

- Power:1500W
- Voltage:220V 50H~
- Capacity:5.0L
- Digital control
- Timer:0~60minutes
- Temperature:80°C~200°C





NDY-AF533

- Description

 - Power:1400W
 - Voltage:220V-240V~
 - Capacity:6.0L
 - Mechanical control
 - Timer:0~30minutes
 - Temperature:80°C~200°C
- Product Size

 - 388x296x302mm

Carton Size

 - 445x350x345mm



NDY-AF533R

- Description

 - Power:1400W
 - Voltage:220V-240V~
 - Capacity:6.0L
 - Electrical control
 - Timer:0~60minutes
 - Temperature:80°C~200°C
- Product Size

 - 388x296x302mm

Carton Size

 - 445x350x345mm



NDY-AF534

- Description

 - Power:1300W
 - Voltage:220V-240V~
 - Capacity:5.5L
 - Mechanical control
 - Timer:0~30minutes
 - Temperature:80°C~200°C



NDY-AF534R

- Description

 - Power:1300W
 - Voltage:220V-240V~
 - Capacity:5.5L
 - Digital control
 - Timer:0~60minutes
 - Temperature:80°C~200°C



NDY-AF532

- Description

 - Power:1400W
 - Voltage:220V-240V~
 - Capacity:6.0L
 - Mechanical control
 - Timer:0~30minutes
 - Temperature:80°C~200°C
- Product Size

 - 388x296x302mm

Carton Size

 - 430x340x375mm



NDY-AF532R

- Description

 - Power:1400W
 - Voltage:220V-240V~
 - Capacity:6.0L
 - Digital control
 - Timer:0~60minutes
 - Temperature:80°C~200°C
- Product Size

 - 388x296x302mm

Carton Size

 - 430x340x375mm



NDY-AF510

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.2L
- Mechanical control
- Timer:0~30minutes
- Temperature:0°C~200°C

Loading

- 20GP/40GP/40HQ:

Weight

- N.W.:3.8kg/G.W.:4.5kg

Product Size

- 260x317x328mm

Carton Size

- 356x318x374mm



NDY-AF510R

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.2L
- Digital control
- Timer:0~60minutes
- Temperature:0°C~200°C

Weight

- N.W.:3.8kg/G.W.:4.5kg

Product Size

- 260x317x328mm

Carton Size

- 356x318x374mm



NDY-AF511

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.7L
- Mechanical control
- Timer:0~30minutes
- Temperature:0°C~200°C

Weight

- N.W.:3.8kg/G.W.:4.5kg

Product Size

- 248x300x320mm

Carton Size

- 341x308x379mm



NDY-AF511R

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.7L
- Digital control
- Timer:0~60minutes
- Temperature:0°C~200°C

Weight

- N.W.:3.8kg/G.W.:4.5kg

Product Size

- 248x300x320mm

Carton Size

- 341x308x379mm



NDY-AF513

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.2L
- Mechanical control
- Timer:0~30minutes
- Temperature:0°C~200°C

Product Size

- 260x315x300mm

Carton Size

- 356x318x374mm



NDY-AF513R

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.2L
- Digital control
- Timer:0~60minutes
- Temperature:0°C~200°C

Product Size

- 260x315x300mm

Carton Size

- 356x318x374mm



NDY-AF514

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.2L
- Mechanical control
- Timer:0~30minutes
- Temperature:0°C~200°C

Product Size

- 301x245x312mm

Carton Size

- 341x308x379mm



NDY-AF514R

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.2L
- Digital control
- Timer:0~60minutes
- Temperature:0°C~200°C

Product Size

- 301x245x312mm

Carton Size

- 341x308x379mm



NDY-AF515

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:2.4L
- Mechanical control
- Timer:0~30minutes
- Temperature:0°C~200°C

Product Size

- 290x240x280mm

Carton Size

- 325x285x340mm



NDY-AF515R

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:2.4L
- Digital control
- Timer:0~60minutes
- Temperature:0°C~200°C

Product Size

- 290x240x280mm

Carton Size

- 325x285x340mm



NDY-AF516

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.7L
- Mechanical control
- Timer:0~30minutes
- Temperature:0°C~200°C
- Visualdisplay

Product Size

- 260x300x324mm

Carton Size

- 356x318x374mm



NDY-AF516R

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.7L
- Digital control
- Timer:0~60minutes
- Temperature:0°C~200°C
- Visualdisplay

Product Size

- 236x300x324mm

Carton Size

- 356x318x374mm



NDY-AF517R

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.5L
- Digital control
- Timer:0~60minutes
- Temperature:0°C~200°C

Product Size

- 236x300x296mm

Carton Size

- 356x318x354mm



NDY-AF517RW

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.5L
- Digital control
- Timer:0~60minutes
- Temperature:0°C~200°C
- With visible window

Product Size

- 236x300x296mm

Carton Size

- 356x318x354mm



NDY-AF517RS

Description

- Power:1300W
- Voltage:220V~
- Capacity:4.2L
- Digital control

Weight

- N.W.:5.0kg/G.W.:4.2kg

Product Size

- 236x300x296mm

Carton Size

- 356x318x354mm



NDY-AF801RW

Description

- Power:1200W
- Voltage:220V~
- Capacity:8.0L
- Digital control
- Timer:1~60minutes
- Temperature:80°C~200°C

Weight

- N.W.:8.7kg/G.W.:7.8kg

Product Size

- 392x349.3x278.5mm

Carton Size

- 447x400x334mm



NDY-AF522

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:4.5L
- Digital control
- Timer:0~60minutes
- Temperature:80°C~200°C

Product Size

- 272x311x279mm

Carton Size

- 385x320x345mm



NDY-AF522R

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:4.5L
- Digital control
- Timer:0~60minutes
- Temperature:80°C~200°C

Product Size

- 272x311x279mm

Carton Size

- 385x320x345mm



NDY-AF523

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:3.0L
- Mechanical control
- Timer:0~30minutes
- Temperature:80°C~200°C

Product Size

- 285x230x302mm

Carton Size

- 325x285x340mm



NDY-AF523R

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:3.0L
- Digital control
- Timer:0~60minutes
- Temperature:80°C~200°C

Product Size

- 285x230x302mm

Carton Size

- 325x285x340mm



NDY-AF519

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:5.5L
- Mechanical control
- Timer:0~30minutes
- Temperature:80°C~200°C

Product Size

- 345x333x253mm

Carton Size

- 370x370x318mm



NDY-AF519R

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:5.5L
- Digital control
- Timer:0~60minutes
- Temperature:80°C~200°C

Product Size

- 345x333x253mm

Carton Size

- 370x370x318mm



NDY-AF520

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:5.5L
- Mechanical control
- Timer:0~30minutes
- Temperature:80°C~200°C

Product Size

- 345x333x279mm

Carton Size

- 370x370x318mm



NDY-AF520R

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:5.5L
- Digital control
- Timer:0~60minutes
- Temperature:80°C~200°C

Product Size

- 345x333x279mm

Carton Size

- 370x370x318mm



NDY-AF531

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.2L
- Mechanical control
- Timer:0~30minutes
- Temperature:80°C~200°C

Product Size

- 240x245x299mm

Carton Size

- 341x308x379mm



NDY-AF531R

Description

- Power:1400W
- Voltage:220V-240V~
- Capacity:4.2L
- Digital control
- Timer:0~60minutes
- Temperature:80°C~200°C

Product Size

- 240x245x299mm

Carton Size

- 341x308x379mm



NDY-AF601

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:3.0L
- Mechanical control
- Timer:0~30minutes
- Temperature:0°C~200°C

Product Size

- 200x260x300mm

Carton Size

- 230x290x350mm



NDY-AF601R

Description

- Power:1200W
- Voltage:220V-240V~
- Capacity:3.0L
- Digital control
- Timer:0~60minutes
- Temperature:0°C~200°C

Product Size

- 200x260x300mm

Carton Size

- 230x290x350mm

INSTANT HOT WATER DISPENSER



NDY-WD159

Description

- Power:1800W
- Voltage:220V/50Hz
- Capacity:2.7L
- Digital control

AirFryer

Product brochure

Everything can be fried

Healthy without oil,
with beauty and ingredients,
the C-position in the kitchen is responsible.



- ① Intelligent air fryer
- ② Visible air fryer
- ③ Multi functional air fryer



KY-1037V

NEW

Description

visible window.Easy to clean for daily uses.
It is healthier not to fry. Air circulation
technology. Manual control.Adjustable
thermostat control. Non-stick cooking surface.
With light indicator. Overheat protection.
Optional: Single pot with grill plate;
Basket with pot220-240V 1300W/1500W

parameters

Pot capacity (L):	4.5L
GB size (cm):	30.6*30.6*33
QTY/CTN:	2PC
Carton size (cm):	62.7*32.1*34.2
40" HQ:	1880



KY-1037

NEW

Description

Easy to clean for daily uses. It is healthier not to
fry. Air circulation technology. Manual control.
Adjustable thermostat control. Non-stick
cooking surface. With light indicator. Overheat
protection.Optional: Single pot with grill plate;
Basket with pot220-240V 1300W/1500W

parameters

Pot capacity (L):	4.5L
GB size (cm):	30.6*30.6*33
QTY/CTN:	2PC
Carton size (cm):	62.7*32.1*34.2
40" HQ:	1880



KY-1036KX

NEW

Description

With temperature controller and timer for
set up,with 10L,with metal cavity230V
13500W,with 60mintues timer,up to
temperature 200degree.With window
with total 1.2m long cable , VDE plug

parameters

Pot capacity (L):	10L
GB size (cm):	37*33.2*38.4
QTY/CTN:	2PC
Carton size (cm):	67.9*38.3*40.1
40" HQ:	1268



Low-fat air frying,
golden crispy and healthy
deliciousness at the same time





KY-1019P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. Double pot. 220-240V 2800W

parameters

Pot capacity (L): 6/4L
GB size (cm): 46.6*40.1*35.8
QTY/CTN: 1PC
Carton size (cm): 48.1*41.6*37.5
40" HQ: 850



KY-1019PV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. Double pot. 220-240V 2800W

parameters

Pot capacity (L): 6/4L
GB size (cm): 46.6*40.1*35.8
QTY/CTN: 1PC
Carton size (cm): 82.3*49.2*37.5
40" HQ: 850



KY-1020PV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 1300W

parameters

Pot capacity (L): 3.5L
GB size (cm): 34.6*29.1*34.3
QTY/CTN: 1PC
Carton size (cm): 71.0*31.0*36.0
40" HQ: 1636



KY-1031PV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 2000W/2200W

parameters

Pot capacity (L): 7L
GB size (cm): 39.5*31.6*35.3
QTY/CTN: 2PC
Carton size (cm): 64.8*41.0*37.7
40" HQ: 1294



KY-1030P/KY-1030PV

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 2000W/2200W



with window

parameters

Pot capacity (L): 7L
GB size (cm): 39.5*31.6*35.3
QTY/CTN: 2PC
Carton size (cm): 81*33.5*37
40" HQ: 1320



KY-1030J/KV-1030JV

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection. 220-240V 2000W/2200W



with window

parameters

Pot capacity (L): 7L
GB size (cm): 39.5*31.6*35.3
QTY/CTN: 2PC
Carton size (cm): 64.8*41.0*37.0
40" HQ: 1320



KY-1025P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 1500W/1800W

parameters

Pot capacity (L): 6.5L
GB size (cm): 38.5*32.1*34.8
QTY/CTN: 2PC
Carton size (cm): 65.8*40.0*36.5
40" HQ: 1321



KY-1005JVD

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5L
GB size (cm): 38.3*29.8*36.8
QTY/CTN: 2PC
Carton size (cm): 64.3*41.4*33.8
40" HQ: 1380



KY-1025J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection. 220-240V 1500W/1800W

parameters

Pot capacity (L): 6.5L
GB size (cm): 38.5*32.1*34.8
QTY/CTN: 2PC
Carton size (cm): 65.8*40.0*36.5
40" HQ: 1321



KY-1021PV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 1300W

parameters

Pot capacity (L): 3.5L
GB size (cm): 37*27.8*34.2
QTY/CTN: 2PC
Carton size (cm): 57.2*38.5*36.5
40" HQ: 1637



KY-1005PVD

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5L
GB size (cm): 38.3*29.8*36.8
QTY/CTN: 2PC
Carton size (cm): 64.3*41.4*33.8
40" HQ: 1380



KY-1021JV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. Overheat protection. 220-240V 1300W

parameters

Pot capacity (L): 3.5L
GB size (cm): 37*27.8*34.2
QTY/CTN: 2PC
Carton size (cm): 57.2*38.5*36.5
40" HQ: 1637



KY-1011P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology, Digital control. Non-stick cooking surface. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1011J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1011PB

Description

Easy to clean for daily uses, It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Stainless steel body. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1011JB

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Stainless steel body. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1011PV

Description

Visible air fryer, Easy to clean for daily uses. It is healthier not to fry, Air circulation technology, Digital control. Non-stick cooking surface, Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1011JV

Description

Visible air fryer, Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1018P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control.Non-stick cooking surface. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1018PV

Description

Visible air fryer, Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control.Non-stick cooking surface.Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1018PB

Description

Easy to clean for dally uses.It is healthier not to fry.Air circulation technology. Digital control.Non-stick cooking surface. Stainless steel body. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1018JB

Description

Easy to clean for dally uses.It is healthler not to fry.Air circulation technoloey,Manual control,Adjustable thermostat control. Non-stick, cooking surface.With light indicator. Stainless steel body.Overheat protection, 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1018J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection.220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1018JV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry.Air circulation technology. Manual control.Adjustable thermostat control.Non-stick cooking surface. Overheat protection.220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1002P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control.Non-stick cooking surface. Overheat protection.Optional: Single pot with grill plate,Basket with pot 220-240V 1300W/1500W

parameters	
Pot capacity (L) :	5.5L
Basket capacity(L):	3.5L
GB size (cm) :	34.5*34.5*35.5
QTY/CTN :	2PC
Carton size (cm) :	70.4*36.0*37.0
40'' HQ :	1416



KY-1002J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection. Optional: Single pot with grill plate; Basket with pot220-240V 1300W/1500W

parameters	
Pot capacity (L) :	5.5L
Basket capacity(L):	3.5L
GB size (cm) :	34.5*34.5*35.5
QTY/CTN :	2PC
Carton size (cm) :	70.4*36.0*37.0
40'' HQ :	1416



KY-1008P

Description

Easy to clean for daily uses.It is healthier not to fry.Air circulation technology. Digital control.Non-stick cooking surface. Overheat protection.Optional:Single pot with grill plate;Basket with pot 220-240V 1300W/1500W

parameters	
Pot capacity (L) :	4.2L
Basket capacity(L):	3.5L
GB size (cm) :	30.6*30.6*33
QTY/CTN :	2PC
Carton size (cm) :	62.7*32.1*34.2
40'' HQ :	1880



KY-1008J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection.Optional: Single pot with grill plate; Basket with pot220-240V 1300W/1500W

parameters	
Pot capacity (L) :	4.2L
Basket capacity(L):	3.5L
GB size (cm) :	30.6*30.6*33
QTY/CTN :	2PC
Carton size (cm) :	62.7*32.1*34.2
40'' HQ :	1880



KY-1001P

Description

Easy to clean for daily uses.It is healthier not to fry. Air circulation technology. Digital control.Non-stick cooking surface. Overheat protection.Optional: Single pot with grill plate; Basket with pot. 220-240V 1000W/1300W

parameters	
Pot capacity (L) :	4.5L
GB size (cm) :	31.6*31.6*34
QTY/CTN :	2PC
Carton size (cm) :	64.7*33.2*35.5
40'' HQ :	1743



KY-1001J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection. Optional: Single pot with grill plate, Basketwith pot 220-240V 1000W/1300W

parameters	
Pot capacity (L) :	4.5L
GB size (cm) :	31.6*31.6*34
QTY/CTN :	2PC
Carton size (cm) :	64.7*33.2*35.5
40'' HQ :	1743



KY-1012P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology.Digital control.Non-stick cooking surface.

Overheat protection

220-240V 1000W/1300W

parameters

Pot capacity (L): 4.4L

GB size (cm): 33*33*34.5

QTY/CTN: 2PC

Carton size (cm): 67.7*34.6*36.4

40" HQ: 1559



KY-1016J

Description

Easy to clean for daily uses.It is healthier not to fry. Air circulation technology.

Manual control. Adjustable thermostat control. Non-stick cooking surface.

With light indicator. Overheat protection.

220-240V 1000W/1300W

parameters

Pot capacity (L): 4.4L

GB size (cm): 31.6*31.6*34

QTY/CTN: 2PC

Carton size (cm): 64.7*33.2*35.5

40" HQ: 1743



KY-1012J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology.

Manual control.Adjustable thermostat control. Non-stick cooking surface.

With light indicator. Overheat protection.

220-240V 1000W/1300W

parameters

Pot capacity (L): 4.4L

GB size (cm): 33*33*34.5

QTY/CTN: 2PC

Carton size (cm): 67.7*34.6*36.4

40" HQ: 1559



KY-1003P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology.

Digital control.Non-stick cooking surface.

Overheat protection.Optional: Single pot with grill plate, Basket with pot

220-240V 1000W/1300W

parameters

Pot capacity (L): 3.5L

Basket capacity(L): 2.6L

GB size (cm): 29*29*32

QTY/CTN: 2PC

Carton size (cm): 59.5*30.5*33.7

40" HQ: 2172



KY-1016P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface.

Overheat protection.

220-240V 1000W/1300W

parameters

Pot capacity (L): 4.4L

GB size (cm): 31.6*31.6*34

QTY/CTN: 2PC

Carton size (cm): 64.7*33.2*35.5

40" HQ: 1743



KY-1003J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control.

Non-stick cooking surface.With light indicator. Overheat protection.Optional: Single pot with grill plate;

Basket with pot 220-240V 1000W/1300W

parameters

Pot capacity (L): 3.5L

Basket capacity(L): 2.6L

GB size (cm): 29*29*32

QTY/CTN: 2PC

Carton size (cm): 59.5*30.5*33.7

40" HQ: 2172



KY-1013P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection.Optional: Single pot with grill plate;Basket with pot. 220-240V 1000W/1300W

parameters	
Pot capacity (L) :	3.5L
Basket capacity(L):	2.6L
GB size (cm) :	29.8*29.8*32.5
QTY/CTN :	2PC
Carton size (cm) :	59.5*30.5*34.0
40'' HQ :	2042



KY-1013J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control.Non-stick cooking surface. With light indicator.Sverheat protection. Optional:Single pot with grill plate, Basket with pot 220-240V 1000W/1300W

parameters	
Pot capacity (L) :	3.5L
Basket capacity(L):	2.6L
GB size (cm) :	29.8*29.8*32.5
QTY/CTN :	2PC
Carton size (cm) :	59.5*30.5*34.0
40'' HQ :	2042



KY-1009P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control.Non-stick cooking surface. Overheat protection. Optional: Single pot with grill plate; Basket with pot 220-240V 1000W/1300W

parameters	
Pot capacity (L) :	3.5L
Basket capacity(L):	2.6L
GB size (cm) :	29.1*29.1*31.8
QTY/CTN :	2PC
Carton size (cm) :	82.3*49.2*37.5
40'' HQ :	2165



KY-1009J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control.Non-stick cooking surface. With light indicator.Overheat protection. Optional:Single pot with grill plate; Basket with pot 220-240V 1000W/1300W

parameters	
Pot capacity (L) :	3.5L
Basket capacity(L):	2.6L
GB size (cm) :	29.1*29.1*31.8
QTY/CTN :	2PC
Carton size (cm) :	82.3*49.2*37.5
40'' HQ :	2165



KY-1006J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection.Optional: Single pot with grill plate, Basket with pot 220-240V 1000W/1300W

parameters	
Pot capacity (L) :	3.5 L
Basket capacity (L) :	2.6 L
GB size (cm) :	29*29*32
QTY/CTN :	2PC
Carton size (cm) :	59.5*30.5*33.7
40''HQ :	2172



KY-1010J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection.220-240V 1000W

parameters	
Pot capacity (L) :	2.5L
GB size (cm) :	27.9*27.9*29
QTY/CTN :	2PC
Carton size (cm) :	57.3*29.4*30.7
40'' HQ :	2625