

USB 3.2 / USB 4 Cable

CA137 C-C

USB 4 Dual-Color Braided Cable



E-mark Chip 5A
Charging Power : 240W Max
Data Transfer Speed : 40Gbps
Diameter : Φ 5.2mm
Length : 1M/1.5M

40Gbps Data Transfer	8K UHD Video
240W Fast Charging	10000+ Plug Cycles

CA105 C-C

240W USB-C 40Gbps Braided Cable



E-mark Chip 5A
Charging Power : 240W Max
Data Transfer Speed : 40Gbps
Diameter : Φ 5.2mm
Length : 1M/1.5M

 40Gbps SuperSpeed	 5A 48V Fast Charging
 8K@60Hz HD Display	 E-marker Chip

60W Soft Cable



CA144 C-C

60W Soft PVC Cable

Charging Power : 3A, 60W Max
Data Transfer Speed : 480Mbps
Cable Material : PVC
Diameter : $\Phi 4.2\text{mm}$
Length : 1M/2M



CA134 C-C

60W Crystal Soft Woven Cable

Charging Power : 60W Max
Data Transfer Speed : 480Mbps
Cable Material : Crystal Woven
Diameter : $\Phi 3.8\text{mm}$
Length : 1M/2M



CA96 C-C

USB-C Ultra Soft+Rugged Cable

Charging Power : 60W Max
Data Transfer Speed : 480Mbps
Cable Material : PP Braided
Diameter : $\Phi 3.8\text{mm}$
Length : 1M/2M



CA129 C-C

60W Super Soft Silicone Cable

Charging Power : 60W Max
Data Transfer Speed : 480Mbps
Cable Material : Silicone
Diameter : $\Phi 3.8\text{mm}$
Length : 1M/2M

100W / 240W USB Cable



CA56 C-C

100W/240W Braided Cable

E-mark Chip 5A

Charging Power : 100W/240W Max

Data Transfer Speed : 480Mbps

Diameter : Φ 4.0mm

Length : 1M



CA87 C-C

100W/240W Silicone Cable

E-mark Chip 5A

Charging Power : 100W/240W Max

Data Transfer Speed : 480Mbps

Diameter : Φ 3.8mm

Length : 1M



CA114-CA85-1

240W 2 in 1 TPE Cable

E-mark Chip 5A


Charging Power : 240W Max

Data Transfer Speed : 480Mbps

Material : TPE

Diameter : Φ 4.0mm

Length : 1M/2M



CA123 C-C

100W Smart Digital Display Cable

E-mark Chip 5A

Charging Power : 100W Max

Data Transfer Speed : 480Mbps

Diameter : Φ 4.0mm

Length : 1M

GaN Wall Charger



GaN 35W--T095

Retractable Wall Charger

Input : 100V-240V~50/60Hz

Output USB-C : 35W

Built-in Cable : 35W

Total Output Cable + USB-C : 15W



GaN 65W--T095

Retractable Wall Charger

Input : 100V-240V~50/60Hz

Output USB-C : 65W

Built-in Cable : 65W

USB-A : 18W

Total Output USB-A+C + Cable : 15W



GaN 20W / 30W--T094

Roman Column Texture Charger

Input : 100V-240V~50/60Hz

Output : 20W or 30W



GaN A+C 20W / 30W--T094

Roman Column Texture Charger

Input : 100V-240V~50/60Hz

Output USB-C : 20W or 30W

USB-A : 18W

Total Output USB-A+C : 15W

GaN Wall Charger



GaN 20W--T090-2

Wall Charger with built-in Cable

Input : 100V-240V~50/60Hz

Output USB-C : 20W

Output Built-in Cable : 20W

Total Output Cable + USB-C : 15W



GaN 1A+2C 65W--T089

Premium Wall Charger

Input : 100V-240V~50/60Hz

Output USB-C1/C2 : 65W

USB-A : 18W

Output C1+C2 : 63W(45W+18W)

C1+A : 63W (45W+18W)

C2+A : 15W

Total Output C1+(C2+A) : 60W(45W+15W)



GaN A+C 20W / 30W--T077-1

Classic Wall Charger

Input : 100V-240V~50/60Hz

Output USB-C : 20W or 30W

USB-A : 18W

Total Output A+C : 15W



GaN A+C 20W / 30W--T090

Foldable Wall Charger

Input : 100V-240V~50/60Hz

Output USB-C : 20W or 30W

USB-A : 18W

Total Output A+C : 15W

15W Magnetic Wireless Charger



CYD-W07-3 in 1

Novel Design with Superior Safety

Input : 5V=3A, 9V=2A, 12V=1.67A (20W)

Output : Phone 5W / 7.5W / 10W / 15W Max

Headset 5W Max

Watch 2.5W

Support NTC and FOD Function



CYD-W07

Metallic Cover with Braided Cable

Input : 5V=3A, 9V=2A, 12V=1.67A (20W)

Output : 5W / 7.5W / 10W / 15W Max

Support NTC and FOD Function



CYD-W06

Nano Cover with Multiple Protection

Input : 5V=3A, 9V=2A, 12V=1.67A (20W)

Output : 5W / 7.5W / 10W / 15W Max

Support NTC and FOD Function



CYD-W06--RGB Light

Rubber Surface with Colorful LEDs

Input : 5V=3A, 9V=2A, 12V=1.67A (20W)

Output : 5W / 7.5W / 10W / 15W Max

Support NTC and FOD Function

Wireless Watch Charger



W08-USB-A

Wireless Watch Charger

Input : 5V=1A

Output : 5V=0.5A Max

Connector : USB-A

Material : TPE

Cable Length : 1M



W08-USB-C

Wireless Watch Charger

Input : 5V=1A

Output : 5V=0.5A Max

Connector : Type C

Material : TPE

Cable Length : 1M



W12-USB-C

Wireless Watch Charger

Input : 5V=1A


Output : 5V=0.5A Max

Connector : Type C

Cover : Aluminum Alloy

Cable Material : Nylon Braided

Cable Length : 1M



W12-2 in 1 60W

Simultaneous Charge for Watch & USB-C Devices

Output : USB C to C 60W Max

Watch 2.5W Max

Total Output : 60W for USB C + Watch

Data Transfer : USB2.0 480Mbps

Cover Material : Aluminum Alloy

Cable Material : Nylon Braided

Cable Length : 1.2M

Ultra High Speed

8K HDMI PVC CABLE

8K@60Hz / 4K@120Hz

Exclusive 3D Video Out & eARC Surround Sound



8K USB-C to HDMI Braided Cable

Ultra-Clear, Stable, and Durable



8K@60Hz



4K@120Hz



Dolby Vision



Dynamic HDR



48Gbps



Plug Cycles

Ultra High Speed

8K HDMI Braided CABLE

8K@60Hz / 4K@120Hz

Exclusive 3D Video Out & eARC Surround Sound



8K USB-C to HDMI PVC Cable

Ultimate Clarity, Peak Performance



8K@60Hz



4K@120Hz



Dolby Vision



Dynamic HDR



48Gbps



Plug Cycles