



CP0771

USB-A:5V3A
 USB-A:QC3.0 30W
 TYPE-C:PD3.0 30W
 INPUT:DC24V/DC12V
 OUTPUT:220V/200W 110V/100W



Ci-102

2 USB-A:QC3.0 30W
 2 TYPE-C:PD3.0 30W
 INPUT:DC24V/DC12V
 OUTPUT:220V/200W 110V/100W



UCC-12V Cigarette Lighter

16AWG WIRE
 OUTPUT:120W



UCC-107CP 5V3.1A

USB-A:5V2.1A 10.5W
 USB-A:5V1A 5W
 INPUT:DC12-24V



UCC-108CP QC+PD

USB-A:QC3.0 18W
 TYPE-C:PD3.0 30W
 INPUT:DC12-24V



UCC-305 2QC+PD+DATA

2 USB-A:QC3.0 36W
 TYPE-C:PD3.0 30W
 INPUT:DC12-24V



UCC-305 2PD+LD

TYPE-C:PD3.0 30W
 TYPE-C:PD3.0 30W
 INPUT:DC12-24V



UCC-305 2QC+LD

USB-A:QC3.0 36W
 USB-A:QC3.0 36W
 INPUT:DC12-24V



UCC-305 2QC+PD

TYPE-C:PD3.0 30W
 USB-A:QC3.0 36W
 USB-A:QC3.0 36W
 INPUT:DC12-24V



UCC-305 2QC+PD+LD

TYPE-C:PD3.0 30W
 USB-A:QC3.0 36W
 USB-A:QC3.0 36W
 INPUT:DC12-24V



UCC-305 QC+2.1A+1A

USB-A:QC3.0 36W
 USB-A:5V2.1A 10.5W
 USB-A:5V1A 5W
 INPUT:DC12-24V



UCC-305 QC+2PD

TYPE-C:PD3.0 30W
 TYPE-C:PD3.0 30W
 USB-A:QC3.0 36W
 INPUT:DC12-24V



UCC-305 QC+PD+LD

USB-A:QC3.0 36W
 TYPE-C:PD3.0 30W
 INPUT:DC12-24V



UCC-313 QC+PD

USB-A:QC3.0 36W
 TYPE-C:PD3.0 30W
 INPUT:DC12-24V



UCC-313H QC+PD

USB-A:QC3.0 36W
 TYPE-C:PD3.0 45W
 INPUT:DC12-24V



UCC-313E QC+PD

TYPE-C:PD3.0 18W
 USB-A:QC3.0 30W
 INPUT:DC16-90V



UCC-313E QC+PD

TYPE-C:PD3.0 18W
 USB-A:QC3.0 100W
 INPUT:DC12-24V



UCC-526 2PD

TYPE-C:PD3.0 30W
 TYPE-C:PD3.0 30W
 INPUT:DC12-24V



UCC-526 QC+PD

TYPE-C:PD3.0 30W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-526 3.1A

USB-A:5V1A 5W
USB-A:5V2.1A 10.5W
INPUT:DC12-24V



UCC-316 2C 2PD

TYPE-C:PD65W
TYPE-C:PD65W
INPUT:DC12-24V



UCC-316SW-2A2C-QC+PD

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-316SW-2A2C-DC5V 3.1A

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



**UCC-316SW-2A2C-QC+PD
SMART USB**

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V



**UCC-316SW-2A2C-DC5V 3.1A
SMART USB**

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



UCC-316VT 2A2C QC+PD

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-316VT-2A2C-DC5V 3.1A

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



UCC-316VT 2A2C QC+PD SMART USB

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V




UCC-316VT-2A2C-DC5V 3.1A SMART USB

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



UCC-316 2A2C QC+PD

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-316-2A2C-DC5V 3.1A

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



UCC-316 2A2C QC+PD SMART USB

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-316-2A2C-DC5V 3.1A SMART USB

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



UCC-316 2C 2PD

TYPE-C:PD65W
TYPE-C:PD65W
INPUT:DC12-24V



UCC-316SW-2A2C-QC+PD

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-316SW-2A2C-DC5V 3.1A

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



**UCC-316SW-2A2C-QC+PD
SMART USB**

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V



**UCC-316SW-2A2C-DC5V 3.1A
SMART USB**

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



UCC-316VT 2A2C QC+PD

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-316VT-2A2C-DC5V 3.1A

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



**UCC-316VT 2A2C QC+PD
SMART USB**

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V



**UCC-316VT-2A2C-DC5V 3.1A
SMART USB**

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



**UCC-316 2A2C QC+PD
SMART USB**

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-316-2A2C-DC5V 3.1A

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



**UCC-316-2A2C-DC5V 3.1A
SMART USB**

2 TYPE-C:5V3.1A 15.5W
2 USB-A:5V3.1A 15.5W
INPUT:DC12-24V



UCC-316 2A2C QC+PD SMART USB

2 TYPE-C:PD3.0 20W
2 USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-305 2U1C Aluminum DIGITAL VOL TMETER

USB-A:QC3.0 36W
USB-A:QC3.0 36W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-305 2U QC Aluminum DIGITAL VOL TMETER

USB-A:QC3.0 36W
USB-A:QC3.0 36W
INPUT:DC12-24V



UCC-305 2C1U Aluminum

USB-A:QC3.0 36W
TYPE-C:PD3.0 30W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-305 2C Aluminum DIGITAL VOL TMETER

TYPE-C:PD3.0 30W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-305 3U Aluminum

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-305 AC Aluminum DIGITAL VOL TMETER

USB-A:QC3.0 36W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-305 2U1C Aluminum

USB-A:QC3.0 36W
USB-A:QC3.0 36W
TYPE-C:DC12-24V



UCC-701 1C PD

TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-701 AC QC+PD SMART USB

TYPE-C:PD3.0 30W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-701 2C 4.8A

TYPE-C:5V2.4A 12W
TYPE-C:5V2.4A 12W
INPUT:DC12-24V



UCC-701 2C 2PD

TYPE-C:PD3.0 30W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-701 2U 2QC SMART USB

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-701 1U QC SMART USB

USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-701 1C PD

TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-701 AC QC+PD SMART USB

TYPE-C:PD3.0 30W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-701 2C 2PD

TYPE-C:PD3.0 30W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-701 2U 2QC SMART USB

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-701 2C 4.8A

TYPE-C:5V2.4A 12W
 TYPE-C:5V2.4A 12W
 INPUT:DC12-24V



UCC-701 1U QC

USB-A:QC3.0 18W
 INPUT:DC12-24V





UCC-308 5V2.4A Voltmeter

USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-301 5V 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-301 5V 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-301 5V 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-301 2QC SMART USB

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-302 5V3.1A SMART USB

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-302 5V4.8A SMART USB

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-302 3.1A+LD

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-302 QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-302 QC+PD+LD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-306 1U 2.4A

USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-306 1U QC SMART USB

USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-306 2U 5V3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-306 2U 5V4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-306 2U AC 5V4.8A

USB-A:5V2.4A 12W
TYPE-C:5V2.4A 12W
INPUT:DC12-24V



UCC-306 QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V




UCC-306 2U AC 5V4.8A

USB-A:5V2.4A 12W
TYPE-C:5V2.4A 12W
INPUT:DC12-24V



UCC-306 QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-312 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-312 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V




UCC-312 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-312 AC QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-312 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-318 AC QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-318 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-318 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-315 QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-315 1U 2.4A

USB-A:5V2.4A 12W
INPUT:DC12-24V




UCC-316A 2C 2PD

TYPE-C:PD3.0 30W
TYPE-C:PD3.0 30W
INPUT:DC12-24V




UCC-316 3U 2.1A+1A+PD

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-316 3U 2.1A+1A+PD SMART USB

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-316 3U 2.4A+QC+PD

USB-A:5V2.4A 12W
USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-316A 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-316A 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-316A AC 4.8A

USB-A:5V2.4A 12W
TYPE-C:5V2.4A 12W
INPUT:DC12-24V



UCC-316 AC 4.8A

USB-A:5V2.4A 12W
TYPE-C:5V2.4A 12W
INPUT:DC12-24V



UCC-316 QC+PD SMART USB

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-316A 2C 4.8A

TYPE-C:5V2.4A 12W
TYPE-C:5V2.4A 12W
INPUT:DC12-24V



UCC-520 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-520 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-525 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-525 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-525 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-108E 1U 2.4A

USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-108 2C 2PD

TYPE-C:PD3.0 30W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-108 1U QC

USB-A:PD3.0 30W
INPUT:DC12-24V



UCC-108 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-108 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-108 AC 3.1A

TYPE-C:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-108 AC QC+PD

TYPE-C:PD3.0 30W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-108 1C PD

TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-304 2U 2QC

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-304 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-304 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-304 AC QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-304 2U 4.8A

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-304 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V




UCC-304 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-304 AC QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



Ports and colors can be customized


Ports : QC3.0+PD3.0 ; 2QC ; 2PD
5V 3.1A ; 5V 4.8A ; 5V 2.4A

Colors : Contact customer service.

Lighting color can be customized

Red light ; Blue light ; Green light ; White light

Tail plug-in terminal: silver connected to positive electrode, gold connected to negative electrode.



Red light




Green light



Blue light



White light



Bus



Car



Train



UCC-350 1U 5V2.4A

USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-350 2U 5V3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-350 2U 5V4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-350 AC 5V3.1A

USB-A:5V1A 5W
TYPE-C:5V2.1A 10.5W
INPUT:DC12-24V



UCC-350 QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-309 1U 2.4A

USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-309 1U QC

USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-309 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-309 AC 3.1A

TYPE-C:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-309 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-309 2U 2QC

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-309 AC QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-310 1U 2.4A

USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-310 1U QC

USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-310 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-310 AC 3.1A

TYPE-C:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-310 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-310 2U QC+QC

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-311 1U 2.4A

USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-311 1U QC

USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-311 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-311 AC 3.1A

TYPE-C:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-311 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-311 2U 2QC

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-311 AC QC+PD

TYPE-C:PD3.0 30W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-328 2U 3.1A

USB-A:5V1A 5W
TYPE-C:5V2.1A 10.5W
INPUT:DC12-24V



UCC-328 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-328 AC QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-338 2U 3.1A TOUCH

USB-A:5V1A 5W
TYPE-C:5V2.1V 10.5W
INPUT:DC12-24V



UCC-338 2U 2QC TOUCH

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-338 AC QC+PD TOUCH

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-338 2U 3.1A SWITCH

USB-A:5V1A 5W
USB-A:5V2.1A 10.5W
INPUT:DC12-24V



UCC-338 2U 2QC SWITCH

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-338 AC QC+PD SWITCH

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-319 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-319 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-319 2U 2QC

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-319 AC 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-319 AC QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-319 2C 2PD

TYPE-C:PD3.0 30W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-320 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-320 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-320 2U 2QC

TYPE-C:QC3.0 18W
TYPE-C:QC3.0 18W
INPUT:DC12-24V



UCC-320 AC 4.8A

TYPE-C:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-320 AC QC+PD

TYPE-C:PD3.0 30W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-320 2C PD+PD

TYPE-C:PD3.0 30W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-303 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-303 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-303 2U 2QC

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-303 AC QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-303 2U 3.1A

USB-A:5V2.1A 10.5W
USB-A:5V1A 5W
INPUT:DC12-24V



UCC-303 2U 4.8A

USB-A:5V2.4A 12W
USB-A:5V2.4A 12W
INPUT:DC12-24V



UCC-303 2U 2QC

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-303 AC QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-601 2U 2QC

USB-A:QC3.0 18W
 USB-A:QC3.0 18W
 INPUT:DC12-24V



UCC-601 2U+C PD+QC+QC

USB-A:QC3.0 18W
 USB-A:QC3.0 18W
 TYPE-C:PD3.0 30W
 INPUT:DC12-24V



UCC-601 2U+C 3*2.1A

USB-A:5V2.1A 10.5W
 USB-A:5V2.1A 10.5W
 TYPE-C:5V2.1A 10.5W
 INPUT:DC12-24V



UCC-601 AC QC+PD

USB-A:QC3.0 18W
 TYPE-C:PD3.0 30W
 INPUT:DC12-24V




Ports and colors can be customized

Ports : QC3.0+PD3.0 ; 2QC ; 2PD
5V 3.1A ; 5V 4.8A ; 5V 2.4A

Colors : Contact customer service.

Lighting color can be customized

Red light ; Blue light ; Green light ; White light



Flat back, easy to install
and no need to drill large holes.



Green light




Blue light



Red light



White light



Bus



Car



Train



UCC-602 AC QC+PD

USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V



UCC-602 2U 2QC

USB-A:QC3.0 18W
USB-A:QC3.0 18W
INPUT:DC12-24V



UCC-602 2U+C PD+QC+QC

USB-A:QC3.0 18W
USB-A:QC3.0 18W
TYPE-C:PD3.0 30W
INPUT:DC12-24V




UCC-602 2U+C 3*2.1A

USB-A:5V2.1A 10.5W
USB-A:5V2.1A 10.5W
TYPE-C:5V2.1A 10.5W





The product can be connected to an adapter, adapted to different national sockets



Press to raise or lower



PD3.0 30W



QC3.0 18W



15W WIRELESS

W-0101



W-0102





15W WIRELESS

CL-001(Grayness)


INPUT:DC12V

OUTPUT:1W


LED Color:WHITE(6000-6500K)



White




Grey




Metal



Occasion applicable



Installation Instruction




Product mix



SW-602 Stop button
Touch Switch



SW-602 Stop button
Push-button Switch



Vibration Alert



Pushbutton switch



Touch Switch



Audible Prompt



Lighting Display



Logo Customising



VT-803 Red light

INPUT:DC12-24V




VT-803 Blu-ray


INPUT:DC12-24V




Connection method:
Blade terminals



Material:Nylon and fiber



PT1-01



PT1-01A



PT-01



PT-02



PT-03



PT-04



PT-05



UCC-108
waterproof cover



CP-01