



Enjoy Your  
Favorite  
Hot Water.

# Double Wall Kettle

Cool touch with double wall construction, allows for a cool touch and prevents your hands from scalding.

- Double wall structure anti-scalding, safe to use.
- Seamless stainless steel interior, easy to clean.
- Open the lid by one button
- Boil dry & overheat protection
- All parts contact the water in the steel tank is SUS304





HB-K221A Digital kettle

Capacity: 1.7L  
Power: 1500W  
Voltage: 120V 60Hz  
Product Size: 210x158x265 mm  
20'GP/40'GP/40'HQ: 1920/3984/4668 Pcs

- Equipped multi-colored stainless steel shell
- Multi function menu with full touch screen
- Adjustable temperature (104°F~212°F)  
Infant -- 104°F Green -- 175°F White -- 185°F,  
Oolong -- 190°F Coffee -- 200°F Boil -- 212°F



HB-K221B Digital kettle

Capacity: 1.7L  
Power: 1850-2200W  
Voltage: 220-240V 50-60Hz  
Product Size: 210x158x265 mm  
20'GP/40'GP/40'HQ: 1920/3984/4668 Pcs

- Equipped multi-colored stainless steel shell
- Multi function menu with 2 touch button control
- Adjustable temperature (40°C~100°C)  
Milk -- 40°C Honey -- 60°C Green -- 80°C  
Oolong -- 90°C Coffee -- 95°C Boil -- 100°C



HB-K256

Capacity: 1.7L  
Power: 1850-2200W  
Voltage: 220-240V 50-60Hz  
Product Size: 210x158x265 mm  
20'GP/40'GP/40'HQ: 2080/4480/5280 Pcs



HB-K258

Capacity: 1.7L  
Power: 1850-2200W  
Voltage: 220-240V 50-60Hz  
Product Size: 210x158x265 mm  
20'GP/40'GP/40'HQ: 2400/5160/6084 Pcs



## Double Wall Kettle



**HB-K208** Capacity: 1.7L

Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 216.5x164x242 mm  
20'GP/40'GP/40'HQ: 2316/4674/5682 Pcs



**HB-K180A** Capacity: 1.7L

Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 223.7x158.6x265.6 mm  
20'GP/40'GP/40'HQ: 1782/3594/4374 Pcs



**HB-K183B** Capacity: 1.7L

Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 216.5x164x242 mm  
20'GP/40'GP/40'HQ: 2316/4674/5682 Pcs



**HB-K156A** Capacity: 1.7L

Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 210x158x265 mm  
20'GP/40'GP/40'HQ: 1920/3984/4668 Pcs

## www.hengbin.com



**HB-K180C** Capacity: 1.7L

Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 223.7x158.6x265.6 mm  
20'GP/40'GP/40'HQ: 1782/3594/4374 Pcs



**HB-K271** Capacity: 1.7L

Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size:  
20'GP/40'GP/40'HQ:



**HB-K057B** Capacity: 1.7L

Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 215x160x265 mm  
20'GP/40'GP/40'HQ: 2214/4518/5340 Pcs



**HB-K185B** Capacity: 1.0L

Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 228.5x146.5x225.5 mm  
20'GP/40'GP/40'HQ: 2226/4794/5652 Pcs





HB-K253A Digital kettle

Capacity: 1.6L  
Power: 1500-1800W  
Voltage: 220~ 240V 50-60Hz  
Product Size: 244x186x248 mm  
20'GP/40'GP/40'HQ: 1434 / 2970 / 3486 Pcs

- Real-time temperature LED display.
- Multi function menu with 2 touch button control
- Adjustable temperature (40°C~100°C)



## Double Wall Kettle



www.hengbin.com

HB-K132C •



HB-K132D •



HB-K132A •



HB-K132E •



HB-K132F •



Double wall  
construction



SUS  
304

Food-grade  
SUS 304



Boil-dry  
protection



Overheat  
protection



360°  
Rotational Base

www.hengbin.com

HB-K181C •



HB-K200C •



HB-K181B •



HB-K200B •



HB-K181A •



HB-K200A •



## Double Wall Kettle

Model	Capacity	Power	Voltage	Product Size	20'GP/40'GP/40'HQ	Features
HB-K132C	1.5L	1250-1500 W	220~240 V 50-60 Hz	216.5x164x242mm	2456 / 4952 / 6024 PCS	<ul style="list-style-type: none"> <li>Real-time temperature LED display.</li> <li>Two touch button design for quick start(on/off) and adjust temperature.</li> </ul>
HB-K132D	1.5L	1250-1500 W	220~240 V 50-60 Hz	216.5x164x248mm	1824 / 3688 / 4488 PCS	<ul style="list-style-type: none"> <li>Real-time temperature LED display.</li> <li>Two touch button design for quick start(on/off) and adjust temperature.</li> </ul>
HB-K132E	1.7L	1250-1500 W	220~240 V 50-60 Hz	216.5x164x242mm	2456 / 4952 / 6024 PCS	<ul style="list-style-type: none"> <li>PTC keep warm, the temperature control range is 80°C</li> </ul>
HB-K132F	1.7L	1250-1500 W	220~240 V 50-60 Hz	216.5x164x248mm	1824 / 3688 / 4488 PCS	<ul style="list-style-type: none"> <li>PTC keep warm, the temperature control range is 80°C</li> </ul>
HB-K132A	1.7L	1250-1500 W	220~240 V 50-60 Hz	216.5x164x242mm	2456 / 4952 / 6024 PCS	<ul style="list-style-type: none"> <li>Pop-up lid</li> </ul>
HB-K132B	1.7L	1250-1500 W	220~240 V 50-60 Hz	216.5x164x248mm	1824 / 3688 / 4488 PCS	<ul style="list-style-type: none"> <li>Removable lid for take in water easily.</li> </ul>
HB-K181A	1.7L	1250-1500 W	220~240 V 50-60 Hz	216.8x164x262.8mm	2214 / 4518 / 5340 PCS	<ul style="list-style-type: none"> <li>Double wall for Anti-scald.</li> <li>All parts contact the water in the steel tank is SUS304.</li> <li>Pop-up lid</li> </ul>
HB-K181B	1.7L	1250-1500 W	220~240 V 50-60 Hz	216.8x164x262.8mm	2214 / 4518 / 5340 PCS	<ul style="list-style-type: none"> <li>PTC keep warm, the temperature control range is 80°C</li> </ul>
HB-K181C	1.7L	1250-1500 W	220~240 V 50-60 Hz	216.8x164x262.8mm	2214 / 4518 / 5340 PCS	<ul style="list-style-type: none"> <li>Real-time temperature LED display.</li> <li>Two touch button design for quick start(on/off) and adjust temperature.</li> </ul>
HB-K200A	2.5L	1850-2200 W	220~240 V 50-60 Hz	223x173x268mm	1470 / 3108 / 3654 PCS	<ul style="list-style-type: none"> <li>Double wall for Anti-scald</li> <li>All parts contact the water in the steel tank is SUS304.</li> <li>Removable lid for take in water easily.</li> </ul>
HB-K200B	2.5L	1850-2200 W	220~240 V 50-60 Hz	223x173x268mm	1470 / 3108 / 3654 PCS	<ul style="list-style-type: none"> <li>PTC keep warm, the temperature control range is 80°C</li> </ul>
HB-K200C	2.5L	1850-2200 W	220~240 V 50-60 Hz	223x173x268mm	1470 / 3108 / 3654 PCS	<ul style="list-style-type: none"> <li>Real-time temperature LED display.</li> <li>Two touch button design for quick start(on/off) and adjust temperature.</li> </ul>



## Double Wall Kettle

### Keep warm function

PTC keep warm, the temperature control range is 80°C



**HB-K062E**

Capacity: 1.5L Power: 1250-1500W  
Voltage: 220~240V 50-60Hz  
Product Size: 221x152x246 mm  
20'GP/40'GP/40'HQ: 1880/4040/4760 Pcs

Stainless Steel 316 inner shell, corrosion resistant and more healthy.

[www.hengbin.com](http://www.hengbin.com)



**HB-K160B** Capacity: 2.0L

Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 223x156x294 mm  
20'GP/40'GP/40'HQ: 1864/3868/4532 Pcs



**HB-K046C** Capacity: 1.7L

Power: 1250-1500W  
Voltage: 220~240V 50-60Hz  
Product Size: 219x158x265 mm  
20'GP/40'GP/40'HQ: 2080/4480/5280 Pcs



**HB-K069B** Capacity: 1.5L

Power: 1250-1500W  
Voltage: 220~240V 50-60Hz  
Product Size: 213x155x245 mm  
20'GP/40'GP/40'HQ: 2748/5928/6984 Pcs



**HB-K160**

Capacity: 1.8L / 2L  
Power: 1850-2200W / 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 222.8x155.7x294 mm  
20'GP/40'GP/40'HQ: 1864/3868/4532 Pcs

Equipped multi-colored stainless steel shell



**HB-K100A**

Capacity: 1.5L

Power: 1250-1500W

Voltage: 220~240V 50-60Hz

Product Size: 227x158x247 mm

20'GP/40'GP/40'HQ: 2016/4336/5112 Pcs

Stainless Steel 316 inner shell, corrosion resistant and more healthy.

Equipped multi-colored stainless steel shell

**HB-K102A**

Capacity: 1.7L

Power: 1500-1800W

Voltage: 220~240V 50-60Hz

Product Size: 227x158x266 mm


20'GP/40'GP/40'HQ: 1904/4096/4832 Pcs

Stainless Steel 316 inner shell, corrosion resistant and more healthy.


Equipped multi-colored stainless steel shell




## Functional Features



Double wall  
construction



Food grade



All-steel  
seamless



Pop-up lid



Auto shut-off



Boil dry & overheat  
protection

**HB-K186**

Capacity: 1.7L

Power: 1500-1800W

Voltage: 220~240V 50-60Hz

Product Size: 219x155.6x265 mm

20'GP/40'GP/40'HQ: 1746/3522/4290 Pcs



Colorful lighting base

**HB-K076**

Capacity: 1.7L

Power: 1500-1800W

Voltage: 220~240V 50-60Hz

Product Size: 210x158x265 mm

20'GP/40'GP/40'HQ: 2080/4480/5280 Pcs

**HB-K046**

Capacity: 1.7L

Power: 1500-1800W

Voltage: 220~240V 50-60Hz

Product Size: 210x158x265 mm

20'GP/40'GP/40'HQ: 2080/4480/5280 Pcs



HB-3250A

Capacity: 1.7L Power: 1500-1800W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 245x158x265 mm  
 20'GP/40'GP/40'HQ: 2196/4728/5574 Pcs



HB-3251A

Capacity: 1.7L Power: 1500-1800W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 225x158x270 mm  
 20'GP/40'GP/40'HQ: 1770/3816/4500 Pcs



HB-3252A

Capacity: 1.5L Power: 1250-1500W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 225x158x250 mm  
 20'GP/40'GP/40'HQ: 1950/4200/4950 Pcs



HB-K005B

Capacity: 1.7L Power: 1500-1800W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 245x158x265 mm  
 20'GP/40'GP/40'HQ: 1728/3732/4398 Pcs



HB-K005E

Capacity: 1.7L Power: 1500-1800W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 223x151.6x248 mm  
 20'GP/40'GP/40'HQ: 2250/4842/5712 Pcs

Design of knob temperature regulation



HB-K068A

Capacity: 1.0L Power: 800-1000W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 200x148x220 mm  
 20'GP/40'GP/40'HQ: 2688/5568/6192 Pcs

## Double Wall Kettle



**HB-K168** Capacity: 2L  
Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 221x155.5x291 mm  
20'GP/40'GP/40'HQ: 1470/3108/3654 Pcs



www.hengbin.com



**HB-K158** Capacity: 2L  
Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 225x159x260 mm  
20'GP/40'GP/40'HQ: 1920/3984/4668 Pcs



**HB-K155** Capacity: 1.8L / 2L  
Power: 1850-2200W / 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 226x156x294 mm  
20'GP/40'GP/40'HQ: 1864/3868/4532 Pcs

www.hengbin.com



## HB-K180B

Capacity: 1.7L Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 223.7x158.6x265.6 mm  
20'GP/40'GP/40'HQ: 1782/3594/4374 Pcs



## HB-K156B

Capacity: 1.7L Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 210x158x265 mm  
20'GP/40'GP/40'HQ: 1920/3984/4668 Pcs



## HB-K057A

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 215x160x265 mm  
20'GP/40'GP/40'HQ: 2214/4518/5340 Pcs



## Double Wall Kettle



[www.hengbin.com](http://www.hengbin.com)



**HB-K133** Capacity: 1.7L

Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 222x159x264 mm  
20'GP/40'GP/40'HQ: 2460/5280/6228 Pcs

 NEW

[www.hengbin.com](http://www.hengbin.com)



**HB-K080** Capacity: 1.7L

Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 210x158x265 mm  
20'GP/40'GP/40'HQ: 2400/5160/6084 Pcs



**HB-K106** Capacity: 1.7L

Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 222x165x263 mm  
20'GP/40'GP/40'HQ: 1866/3864/4530 Pcs



**HB-K062A** Capacity: 1.7L

Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 220x161x258 mm  
20'GP/40'GP/40'HQ: 1880/4040/4760 Pcs



**HB-3250B** Capacity: 1.7L

Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 245x158x265 mm  
20'GP/40'GP/40'HQ: 2196/4728/5574 Pcs



**HB-K025C** Capacity: 1.7L

Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 221x158.5x266 mm  
20'GP/40'GP/40'HQ: 1864/3864/4530 Pcs



**HB-3252E** Capacity: 1.5L

Power: 1250-1500W  
Voltage: 220~240V 50-60Hz  
Product Size: 225.5x158.5x251 mm  
20'GP/40'GP/40'HQ: 1888/4072/4800 Pcs

## Double Wall Kettle



Large caliber opening  
Removable lid



Quickly boiling



Food grade material  
stainless steel 304

[www.hengbin.com](http://www.hengbin.com)

[www.hengbin.com](http://www.hengbin.com)

## Double Wall Kettle



**HB-K069** Capacity: 1.5L  
Power: 1250-1500W  
Voltage: 220-240V 50-60Hz  
Product Size: 213x155x245 mm  
20'GP/40'GP/40'HQ: 2748/5928/6984 Pcs



**HB-K085A** Capacity: 1.5L  
Power: 1250-1500W  
Voltage: 220-240V 50-60Hz  
Product Size: 245x158x265 mm  
20'GP/40'GP/40'HQ: 1728/3732/4398 Pcs



**HB-K072** Capacity: 1.0L  
Power: 1550-1850W  
Voltage: 220-240V 50-60Hz  
Product Size: 228x146x225 mm  
20'GP/40'GP/40'HQ: 2226/4794/5652 Pcs



**HB-K089**

Capacity: 1.5L Power: 1250-1500W  
Voltage: 220-240V 50-60Hz  
Product Size: 204.5x154.5x256.5 mm  
20'GP/40'GP/40'HQ: 2010/4056/4938 Pcs



**HB-K012** Capacity: 1.0L  
Power: 800-1000W  
Voltage: 220-240V 50-60Hz  
Product Size: 205x145x210 mm  
20'GP/40'GP/40'HQ: 3120/6720/7920 Pcs



**HB-K067** Capacity: 0.7L  
Power: 1000-1200W  
Voltage: 220-240V 50-60Hz  
Product Size: 170x107x225 mm  
20'GP/40'GP/40'HQ: 1950/4200/4950 Pcs



**HB-K090A** Capacity: 0.6L  
Power: 800W  
Voltage: 220-240V 50-60Hz  
Product Size: 245x196x252 mm  
20'GP/40'GP/40'HQ: 2112/4224/5280 Pcs



# Vacuum Insulated Kettle

Double-layer vacuum insulation inner chamber,  
minimizing heat loss



## 【KEEP WARM 6 HOURS】

Temperature testing: For reference, The room temperature around 25°C and then filling 1.5L Water and boiled and test the temperature. After 6 hours, the temperature still keep in about 60°C.



Utility Model Patent No.:  
ZL 2024 2 0466468.9

## 【ANTI-DUMPING LID DESIGN】

The sealed temperature-locking lid features a triple venting structure to prevent burns from tipping, ensuring safety.



**5-Layer** Advanced Heat Lock Technology for Energy-Free Hot Water Freedom.  
6-Hour Vacuum Insulation Maintains Temperature Above 52°C.



- ① Electrolytic wear-resistant layer
- ② 316L stainless steel layer,
- ③ Tailless vacuum extraction
- ④ 304 stainless steel
- ⑤ Color steel spray coating surface



**01** Detachable top

Makes water collection easier and inner wall is easy to clean.



**02** Electrolytic technology inner liner

Good chemical stability and resistant to rust.



**03** Keep warm 6 hours

Temperature testing:  
Room temperature around 25°C, 1.5L water and boiled.  
After 6 hours, the temperature still keep in about 60°C



**04** Sensitive mechanical manual switch

One-touch water boiling, fast and convenient.



Capacity  
1.5L

**HB-K193A** Capacity: 1.5L

Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 211x157x271 mm  
20'GP/40'GP/40'HQ: 2100/3912/4596 Pcs



Capacity  
1.5L

**HB-K193B** Capacity: 1.5L

Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 214x156x270 mm  
20'GP/40'GP/40'HQ: 1624/3500/4024 Pcs



Capacity  
1.5L

**HB-K193E** Capacity: 1.5L

Power: 1500-1800W  
Voltage: 220~240V 50-60Hz  
Product Size: 214x156x270 mm  
20'GP/40'GP/40'HQ: 1624/3500/4024 Pcs



Capacity  
1.0L

**HB-K193F** Capacity: 1.0L

Power: 800-950W  
Voltage: 220~240V 50-60Hz  
Product Size: 216x157x229 mm  
20'GP/40'GP/40'HQ: 1836/3882/4566 Pcs

## Portable Electric Kettle



Its compact and lightweight design makes it perfect for travel, office use, and hotels,  
Enjoy safe and healthy drinking water wherever you go.

## www.hengbin.com



HB-K232

Capacity: 1.0L

Power: 800-1000W  
Voltage: 220~240V 50-60Hz  
Product Size: 135x122x248mm  
20'GP/40'GP/40'HQ: 3000/6330/7440 Pcs



HB-K233

Capacity: 1.0L

Power: 800-1000W  
Voltage: 220~240V 50-60Hz  
Product Size: 122x122x248mm  
20'GP/40'GP/40'HQ: 3000/6330/7440 Pcs



01  
Detachable and washable lid  
making internal cleaning easy  
and hassle-free.



02  
One-touch smart control  
simple operation,  
4 preset temperature adjustment.



03  
Portable handle  
easy to carry without gripping  
the cup body.



04  
Concealed socket  
Convenient storage and  
space-saving.

## Portable Electric Kettle



# Portable & Lightweight

HB-K265



HB-K236

Capacity: 350ml

Power: 350W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 82x82x213mm

HB-K265

Capacity: 350ml

Power: 350W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 80.5x80.5x218.5mm



Vacuum Insulated Cup

The 3-layer precision structure of the thermal cup locks in safety and warmth.





# Glass Kettle

## THE PUREST WATER FOR YOU

Made from borosilicate glass and equipped with a stainless steel heating plate, this electric kettle is built to serve you for years into the future.



## 【FAST BOILING WATER】

Fast boil water in a few minutes. It may quickly prepare tea, coffee, oatmeal, instant soup, or any other hot beverage.



## 【HIGH BOROSILICATE GLASS BODY】

Made from high borosilicate glass which is durable and stain resistant. All the parts contact with water are made of food-grade materials.



## 【SAFE PROTECTION】

One-touch switch with LED indicator light during boiling. Boil dry & overheat protection. Automatically turns off when water boils.



HB-K002A

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220-240V 50-60Hz  
Product Size: 221x211x249 mm  
20'GP/40'GP/40'HQ: 1300/2800/3300 Pcs



Multi-function Electronic Base  
(Boil, Milk, Flower Tea, Fruit Tea, Keep Warm )



Keep Warm



24 hours  
Reservation



Child Lock  
Safety Feature



HB-K002B

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220-240V 50-60Hz  
Product Size: 221x211x249 mm  
20'GP/40'GP/40'HQ: 1040/2240/2640 Pcs



HB-K002C

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220-240V 50-60Hz  
Product Size: 221x211x249 mm  
20'GP/40'GP/40'HQ: 1068/2300/2712 Pcs

Multi-function electronic base,6 Function:

(Boil, Milk, Soup, Flower Tea, Fruit Tea,Keep Warm )

60 Mins Keep Warm ; 24 hours Reservation;  
Child Lock Safety Feature



HB-K002D

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220-240V 50-60Hz  
Product Size: 216x197x252 mm  
20'GP/40'GP/40'HQ: 1068/2300/2712 Pcs

Multi-function electronic base, temperature control (40-100°C) with keep warm function



HB-K002E

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220-240V 50-60Hz  
Product Size: 210x148x240 mm  
20'GP/40'GP/40'HQ: 1704/3672/4324 Pcs

Multi-function electronic base, temperature control (40-100°C) with Keep Warm function

**HB-K229**

Capacity: 1.7L Power: 1850-2200W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 223x144x255mm  
 20'GP/40'GP/40'HQ: 1890/3808/4630 Pcs

Digital control in the handle, temperature control (40~100°C)

**HB-K051**

Capacity: 1.7L Power: 1850-2200W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 215x156x247 mm  
 20'GP/40'GP/40'HQ: 1824/3928/4628 Pcs

Digital control in the handle, temperature control (40~100°C)  
 Removable water filter for easy cleaning

**HB-K047**

Capacity: 1.7L Power: 1850-2200W  
 Voltage: 220-240V 50-60Hz  
 Product Size: 215x145x250 mm  
 20'GP/40'GP/40'HQ: 1856/4000/4712 Pcs

Digital control in the handle, temperature control (40~100°C)

**HB-K227A**

Capacity: 2.0L Power: 1850-2200W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 221x151x260mm  
 20'GP/40'GP/40'HQ: 2240/4640/5440 Pcs

**HB-K227B**

Capacity: 2.0L Power: 1850-2200W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 221x151x260mm  
 20'GP/40'GP/40'HQ: 2240/4640/5440 Pcs

**HB-K190**

Capacity: 1.7L Power: 1850-2200W  
 Voltage: 220-240V 50-60Hz  
 Product Size: 214.5x151.3x240 mm  
 20'GP/40'GP/40'HQ: 1926/3858/4686 Pcs



HB-K261A

Capacity: 1.7L  
 Power: 1850-2200W  
 Voltage: 220~ 240V 50-60Hz  
 Product Size: 221x115x230 mm  
 20'GP/40'GP/40'HQ: 1728/3724/4388 Pcs



HB-K261B

Capacity: 1.7L  
 Power: 1850-2200W  
 Voltage: 220~ 240V 50-60Hz  
 Product Size: 221x115x230 mm  
 20'GP/40'GP/40'HQ: 1728/3724/4388 Pcs





HB-K006

Capacity: 1.7L Power: 1250-1500W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 217.9x156x246 mm  
 20'GP/40'GP/40'HQ: 1728/3732/4398 Pcs



HB-K001

Capacity: 1.7L Power: 1250-1500W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 215x151.5x249 mm  
 20'GP/40'GP/40'HQ: 1692/3644/4296 Pcs

Stainless steel filter



HB-K008

Capacity: 1.7L Power: 1850-2200W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 220.5x146.5x254.6 mm  
 20'GP/40'GP/40'HQ: 1728/3732/4398 Pcs

Stainless steel filter



HB-3301C

Capacity: 1.7L Power: 1850-2200W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 203x147x245 mm  
 20'GP/40'GP/40'HQ: 1638/3534/4164 Pcs

Removable water filter for easy cleaning



HB-K078

Capacity: 1.7L Power: 1850-2200W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 210x152x239 mm  
 20'GP/40'GP/40'HQ: 1728/3724/4388 Pcs



HB-K083

Capacity: 1.0L Power: 1850-2200W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 206x151.5x210 mm  
 20'GP/40'GP/40'HQ: 1980/4260/5022 Pcs



## Multi-use Electric Kettle Health Pot



Soup

Homemade yogurt

Fruit tea

Warm milk

Eggs



HB-K050

Capacity: 1.5L

Power: 800-1000W

Voltage: 220~240V 50-60Hz

Product Size: 213x222x252 mm

20'GP/40'GP/40'HQ: 1768/3800/4472 Pcs



HB-K066

Capacity: 1.5L

Power: 800-1000W

Voltage: 220~240V 50-60Hz

Product Size: 212x220x251 mm

20'GP/40'GP/40'HQ: 1720/3704/4368 Pcs



HB-K049

Capacity: 1.5L

Power: 800-1000W

Voltage: 220~240V 50-60Hz

Product Size: 230x212x259 mm

20'GP/40'GP/40'HQ: 1600/3440/4056 Pcs



HB-K201B

Capacity: 1.5L

Power: 800W

Voltage: 220~240V 50-60Hz

Product Size: 216x226x247 mm

20'GP/40'GP/40'HQ: 1458/2916/3438 Pcs

12 preset temperature for different function



HB-K218

Capacity: 1.5L

Power: 1000W

Voltage: 220~240V 50-60Hz

Product Size: 236.4x179.4x244.3 mm

20'GP/40'GP/40'HQ: 1680/3360/3960 Pcs

High heating efficiency, heating area has increased by 53.6%.



HB-K216

Capacity: 1.5L

Power: 1000W

Voltage: 220~240V 50-60Hz

Product Size: 245x202x245 mm

20'GP/40'GP/40'HQ: 1782/3510/4212 Pcs

8 preset temperature for different function.



### HB-K018C

Capacity: 0.9L Power: 550W  
Voltage: 220~240V 50-60Hz  
Product Size: 190x165x200 mm  
20'GP/40'GP/40'HQ: 2304/4976/5864 Pcs

Automatic and manual tea cooking function knob  
Filter screen separation design, easy to clean



### HB-K021

Capacity: 1.2L Power: 550W  
Voltage: 220~240V 50-60Hz  
Product Size: 239x155x215.3 mm  
20'GP/40'GP/40'HQ: 2264/4872/5744 Pcs

Automatic and manual tea cooking function knob  
Filter screen separation design, easy to clean



### HB-K116B


Capacity: 1.0L Power: 700W  
Voltage: 220~240V 50-60Hz  
Product Size: 190.3x148.2x204.6 mm  
20'GP/40'GP/40'HQ: 2400/5160/6084 Pcs

Automatic and manual tea cooking function knob  
Filter screen separation design, easy to clean



# Gooseneck Kettle

Looks Good, Boils Great, Pours Even Better



## 【PRECISE POURING WITHOUT SPILLS】

The slender, curved spout with gooseneck nozzle allows precise and steady pour, giving you total control over the speed and direction of the stream.



## 【SUS 304 FOOD-GRADE】

High quality stainless steel interior ensuring pure taste. Crafted from stainless steel(304 food-grade), tough and durable that can hold up to daily use.



## 【BOIL DRY & OVERHEAT PROTECTION】

Extra safe design - Anti overheating coupled with auto-shutoff protection keep this pour over kettle from boiling dry. The large, counterbalanced handle always stays cool without scalding your hands.



Looks good ✨ Boils great ✨ Pour even better

www.hengbin.com



Customized color:

Gooseneck Kettle



**HB-K135** Digital kettle

Capacity: 1.0L

Power: 1250-1500W

Voltage: 220~240V 50-60Hz

Product Size: 285x198.5x204 mm

20'GP/40'GP/40'HQ: 1428/3078/3630 Pcs

**NEW**

- Gooseneck spout for precise pour control
- Multi-function electronic base, temperature control (40~100°C) with Keep Warm function
- All parts in contact with water are made of SUS 304
- The counterbalanced nonslip handle design
- 360 Degree Rotational Base
- Boil dry & overheat protection
- Automatically turns off when water boils

# Everyone Can Be a Barista


Practical Preset  
AND  
Keep Warm

Multi-function electronic base, temperature control  
(40~100°C) with Keep Warm function



**HB-3166C** Digital kettle

Capacity: 0.8L Power: 800-1000W  
Voltage: 220~240V 50-60Hz  
Product Size: 275x198x225 mm  
20'GP/40'GP/40'HQ: 1960/4072/4800 Pcs



**HB-3166C06**

Capacity: 0.8L Power: 800-1000W  
Voltage: 220~240V 50-60Hz  
Product Size: 275x198x225 mm  
20'GP/40'GP/40'HQ: 1888/4072/4800 Pcs



**HB-3166K**

Capacity: 0.8L Power: 1000-1200W  
Voltage: 220~240V 50-60Hz  
Product Size: 293x203x210 mm  
20'GP/40'GP/40'HQ: 1732/3732/4400 Pcs



## Gooseneck Kettle



www.hengbin.com



**HB-3166B**

Capacity: 0.8L Power: 800-1000W  
Voltage: 220~240V 50-60Hz  
Product Size: 290x150x190 mm  
20'GP/40'GP/40'HQ: 2400/4890/5676 Pcs



**HB-3166L**

Capacity: 0.8L Power: 800-1000W  
Voltage: 220~240V 50-60Hz  
Product Size: 293x166x186 mm  
20'GP/40'GP/40'HQ: 2400/4890/5676 Pcs



www.hengbin.com



**HB-3166W**

Capacity: 0.8L Power: 800-1000W  
Voltage: 220-240V 50-60Hz  
Product Size: 290x150x190 mm  
20'GP/40'GP/40'HQ: 2400/4890/5676 Pcs



**HB-3166E**

Capacity: 0.8L Power: 800-1000W  
Voltage: 220-240V 50-60Hz  
Product Size: 280x150x205 mm  
20'GP/40'GP/40'HQ: 2400/4890/5676 Pcs



**HB-3166G**

Capacity: 0.8L Power: 800-1000W  
Voltage: 220-240V 50-60Hz  
Product Size: 277.7x156.7x203.9 mm  
20'GP/40'GP/40'HQ: 2400/4890/5676 Pcs

Customized color:



## Gooseneck Kettle



## HB-K023B

Capacity: 0.8L Power: 800-1000W

Voltage: 220~240V 50-60Hz

Product Size: 240x145x188 mm

20'GP/40'GP/40'HQ: 2562/5514/6498 Pcs

- Double wall structure anti-scalding, safe to use.



## HB-K023C

Capacity: 0.8L

Power: 800-1000W

Voltage: 220~240V 50-60Hz

Product Size: 250x145x188 mm

20'GP/40'GP/40'HQ: 2562/5514/6498 Pcs

- Double wall structure anti-scalding, safe to use.



## HB-K023E

Capacity: 0.8L

Power: 800-1000W

Voltage: 220~240V 50-60Hz

Product Size: 250x145x187 mm

20'GP/40'GP/40'HQ: 2466/5310/6258 Pcs

- Double wall structure anti-scalding, safe to use.



## HB-K003C

Capacity: 0.8L

Power: 800-1000W

Voltage: 220~240V 50-60Hz

Product Size: 226x146x182 mm

20'GP/40'GP/40'HQ: 2616/5616/6624 Pcs

Customized color:





# Stainless steel kettle

Start your day with a cup of instant tea, coffee or milk.



## 【SUS 304 FOOD-GRADE】

Premium stainless steel 304 food-grade inner pot and bottom brings you healthier water.



## 【BOIL DRY & OVERHEAT PROTECTION】

Precise & safe, boil dry & overheat protection. Automatically turns off when water boils.

**Stainless steel kettle can be customized with Painting color**



## Suits Your Preferences

WiFi connected smart kettle allows you to control remotely with TUYA App

### App features:

- Heat water to set temperature
- Boil and keep warm to set temperature
- Set keep warm time and temperature (2H Keep Warm)
- Set timer



**HB-K105**

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 222x211x242 mm  
20'GP/40'GP/40'HQ: 1404/2828/3440 Pcs

Multi-function electronic base, temperature control (40~100°C) with Keep Warm function, Keep warm temperature: 40-93°C  
Easy view water level



**HB-3138A**

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 220x145x239 mm  
20'GP/40'GP/40'HQ: 2736/5892/6942 Pcs

Removable water filter for easy cleaning



**HB-K153A** Capacity: 1.7L  
Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 222x152x237 mm  
20'GP/40'GP/40'HQ: 2106/4536/5346 Pcs



**HB-K153B** Capacity: 1.7L  
Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 222x152x237 mm  
20'GP/40'GP/40'HQ: 2106/4536/5346 Pcs



**HB-K270** Capacity: 1.0L  
Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 222x152x193 mm  
20'GP/40'GP/40'HQ: 3360/7026/8250 Pcs

**HB-3169**

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 215x148x235 mm  
20'GP/40'GP/40'HQ: 3120/6720/7920 Pcs

Removable water filter for easy cleaning  
Double-sided water level gauge

**HB-3161A**

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 210x145x245 mm  
20'GP/40'GP/40'HQ: 3120/6720/7920 Pcs

Removable water filter for easy cleaning  
Double-sided water level gauge

**HB-3162**

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 210x145x245 mm  
20'GP/40'GP/40'HQ: 3120/6720/7920 Pcs

Removable water filter for easy cleaning  
Double-sided water level gauge

## Stainless Steel Kettle



www.hengbin.com



**HB-K159**

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 226x151.5x234.5 mm  
20'GP/40'GP/40'HQ: 2310/4500/5496 Pcs

Side water window, easy for filling water



**HB-K226**

Capacity: 1.7L Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 210x145x245 mm  
20'GP/40'GP/40'HQ: 2400/4968/5826 Pcs

Side water window, easy for filling water



www.hengbin.com



**HB-K055**

Capacity: 4.0L  
Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 332.5x217x317 mm  
20'GP/40'GP/40'HQ: 972/2020/2368 Pcs



**HB-K061**

Capacity: 1.7L  
Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 220x150x240 mm  
20'GP/40'GP/40'HQ: 1888/4072/4800 Pcs  
Safety locking lid



**HB-3161C**

Capacity: 1.7L  
Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 210x145x240 mm  
20'GP/40'GP/40'HQ: 3120/6720/7920 Pcs  
Side water window, easy for filling water



**HB-3172**

Capacity: 1.7L  
Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 210x145x245 mm  
20'GP/40'GP/40'HQ: 3120/6720/7920 Pcs  
Side water window, easy for filling water

## Stainless Steel Kettle

## Stainless Steel Kettle



<b>HB-3157A</b>	Capacity: 1.7L
Power: 1850-2200W	
Voltage: 220~240V 50-60Hz	
Product Size: 212x159x248 mm	
20'GP/40'GP/40'HQ: 2226/4800/5652 Pcs	



<b>HB-3157D</b>	Capacity: 1.7L
Power: 1850-2200W	
Voltage: 220~240V 50-60Hz	
Product Size: 212x159x248 mm	
20'GP/40'GP/40'HQ: 2226/4800/5652 Pcs	
Safety locking lid	



<b>HB-3127C</b>	Capacity: 1.2L
Power: 1250-1500W	
Voltage: 220~240V 50-60Hz	
Product Size: 210x158x215 mm	
20'GP/40'GP/40'HQ: 3120/6720/7920 Pcs	



<b>HB-3128A</b>	Capacity: 1.2L
Power: 1250-1500W	
Voltage: 220~240V 50-60Hz	
Product Size: 210x158x210 mm	
20'GP/40'GP/40'HQ: 2598/5598/6600 Pcs	



<b>HB-3118A</b>	Capacity: 1.7L
Power: 1850-2200W	
Voltage: 220~240V 50-60Hz	
Product Size: 210x155x235 mm	
20'GP/40'GP/40'HQ: 2598/5598/6600 Pcs	
Side water window, easy for filling water	



<b>HB-3118C</b>	Capacity: 1.7L
Power: 1850-2200W	
Voltage: 220~240V 50-60Hz	
Product Size: 210x145x245 mm	
20'GP/40'GP/40'HQ: 3120/6720/7920 Pcs	



<b>HB-3171A</b>	Capacity: 1.0L
Power: 1850-2200W	
Voltage: 220~240V 50-60Hz	
Product Size: 210x145x240 mm	
20'GP/40'GP/40'HQ: 3464/7464/8800 Pcs	



<b>HB-K209</b>	Capacity: 0.7L
Power: 1000-1200W	
Voltage: 220~240V 50-60Hz	
Product Size: 190x116x205 mm	
20'GP/40'GP/40'HQ: 3732/7464/9064 Pcs	

# Plastic kettle

You'll be sure that what you'll get is a clean drinking water that's safe for you and your family.



HB-K172

Capacity: 1.0L Power: 1000-1200W  
Voltage: 220~240V 50-60Hz  
Product Size: 220x149.2x203 mm  
20'GP/40'GP/40'HQ: 2226/4794/5652 Pcs

Anti-dust lid, water window



HB-K012C

Capacity: 1.0L Power: 800-1000W  
Voltage: 220~240V 50-60Hz  
Product Size: 220x150x210 mm  
20'GP/40'GP/40'HQ: 3552/7164/8712 Pcs



HB-3225

Capacity: 1.0L Power: 1850-2200W  
Voltage: 220~240V 50-60Hz  
Product Size: 222x145x197 mm  
20'GP/40'GP/40'HQ: 3464/7464/8800 Pcs



HB-K225

Capacity: 1.0L Power: 1000-1200W  
Voltage: 220~240V 50-60Hz  
Product Size: 222x145x197 mm  
20'GP/40'GP/40'HQ: 3464/7464/8800 Pcs



Features excellent sealing  
leak-proof even tilted or  
inverted.



Food-grade  
SUS 304  
heating plate



Boil-dry  
protection



Overheat  
protection



360°  
Rotational Base

# Tea-bar/Water Dispenser



Safety Controller Tech  
intelligent temperature control



SUS304 Stainless Steel  
the purest water for you



Toughened Glass  
strong&durable



Children Protection Lock+Lifting Kettle Protection+  
Energy-saving Protection



9 Sections Intelligent  
Temperature



HB-T601A



HB-T169



HB-T313



HB-T508



HB-T509



HB-T809



HB-T308B plus



HB-T401A





Product Model: HB-T169

220~240V 50-60Hz 1200W

Capacity: Tea pot 0.9L / Kettle 1.5L

Size: 395x395x845 mm

G.W: 11.5 kgs N.W: 9 kgs

**Functional features**

- Color screen display real time temperature, independently control glass kettle and health pot.
- Keep warm function.
- Adjustable temperature, multi function (Milk, Honey, Lemon, Green tea, Black tea, Rock tea).
- Toughened glass panel, safety children lock.
- Food grade SUS304 heating element.
- High borosilicate glass.
- Boil dry & overheat protection.
- Automatically turns off when water boils.
- Connect the food grade silicon water pipe from the glass kettle bottom.



Product Model: HB-T809

Capacity: Glass health kettle :1.5L  
Kettle:1.8LPower: Glass health kettle:600W  
Kettle:1450W

Voltage: 220~240V 50-60Hz

Product Size: 420x396x1270 mm

20'GP/40'GP/40'HQ: 124/267/315 Pcs



Product Model: HB-T509

Capacity: Glass health kettle :1.2L  
Kettle:1.0LPower: Glass health kettle:600W  
Kettle:1450W

Voltage: 220~240V 50-60Hz

Product Size: 405x386x1244 mm

20'GP/40'GP/40'HQ: 132/285/335 Pcs



Product Model: HB-T508

Capacity: Glass health kettle :1.5L  
Kettle:1.5LPower: Glass health kettle:600W  
Kettle:1450W

Voltage: 220~240V 50-60Hz

Product Size: 405x386x1272 mm

20'GP/40'GP/40'HQ: 132/285/335 Pcs

- LED real-time display, partitioned control for glass health kettle and kettle.
- Double-wall kettle and high borosilicate glass health kettle as standard.
- 8hrs Intelligent constant temperature, 9 sections intelligent temperature.
- Boil dry & overheat protection, automatic control.
- Multifunction health kettle with 12hrs advance reservation and timer setting selection.

- Toughened glass panel, safety children protection lock.
- Skateboard structure design easy for install the bottled water.
- Lifting kettle protection function, prevent accidental collision.
- Food grade silicone water-filling tube.



Product Model: HB-T308A plus

Capacity: Tea pot :1.5L / Kettle:1.0L  
Power: Tea pot:15W / Kettle:1450W  
Voltage: 220~240V 50-60Hz  
Product Size: 405x386x1185 mm  
20'GP/40'GP/40'HQ: 133/286/337 Pcs



Product Model: HB-T608A

Capacity: Tea pot :1.5L / Kettle:1.0L  
Power: Tea pot:15W / Kettle:1450W  
Voltage: 220~240V 50-60Hz  
Product Size: 405x386x1210 mm  
20'GP/40'GP/40'HQ: 133/286/337 Pcs

Product Model: HB-T308B plus

Capacity: Tea pot :1.5L / Kettle:1.0L  
Power: Tea pot:15W / Kettle:1450W  
Voltage: 220~240V 50-60Hz  
Product Size: 405x386x1185 mm  
20'GP/40'GP/40'HQ: 133/286/337 Pcs

Electronic control cooling system:  
500ml,12V-68W,10-17°C



Product Model: HB-T401

Capacity: Tea pot :0.9L / Kettle:0.8L  
Power: Tea pot:15W / Kettle:1450W  
Voltage: 220~240V 50-60Hz  
Product Size: 353x353x953 mm  
20'GP/40'GP/40'HQ: 215/435/529 Pcs



Product Model: HB-T313

Capacity: Tea pot :1.5L / Kettle:1.0L  
Power: Tea pot:15W / Kettle:1450W  
Voltage: 220~240V 50-60Hz  
Product Size: 405x399x1198 mm  
20'GP/40'GP/40'HQ: 141/284/345 Pcs



Product Model: HB-T601

Capacity: Tea pot :1.5L / Kettle:1.0L  
Power: Tea pot:8W / Kettle:1450W  
Voltage: 220~240V 50-60Hz  
Product Size: 405x386x1210 mm  
20'GP/40'GP/40'HQ: 141/284/345 Pcs

- Automatic control, LED real-time display
- Food-grade silicone water-filling tube
- Intelligent constant temperature, 9 sections intelligent temperature
- Toughened glass panel, safety children protection lock
- Lifting kettle protection function, prevent accidental collision
- Boil dry & overheat protection
- Automatically turns off when water boils



HB-K152B

Capacity: 3.0L Power: 1200W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 188x280x327 mm  
 20'GP/40'GP/40'HQ: 1000/2000/2356 Pcs

## Functional Features

- 👉 Function: keep warm, select volume, set temperature(40~100°C), dechlorinate, child lock
- 👉 Setting/Real time temperature display
- 👉 LED Glass water compartment,visible water window,blue LED light
- 👉 Boil dry & overheat protection
- 👉 Automatically turn off when water boils



HB-K191

Capacity: 5.0L Power: 1000-1200W  
 Voltage: 220~240V 50-60Hz  
 Product Size: 190x240x330 mm  
 20'GP/40'GP/40'HQ: 980/1994/2344 Pcs

## Functional Features

- 👉 Function : Keep warm , select cups, set temperature(40~100°C), dechlorination, childlock
- 👉 Setting/Real time temperature display
- 👉 SUS 304 Food grade SUS304 Inner pot
- 👉 Boil dry & overheat protection
- 👉 Automatically turn off when water boils



# Tea Tray

Enjoy a nice cup of tea



## HB-T001A

Capacity: 0.8L Power: 1450W  
Voltage: 220~240V 50-60Hz  
Product Size: 370x200x230 mm  
20'GP/40'GP/40'HQ: 810/1630/1935 Pcs

## HB-T002A

Capacity: 0.8L Power: 1450W  
Voltage: 220~240V 50-60Hz  
Product Size: 275x210.5x230 mm  
20'GP/40'GP/40'HQ: 1000/2100/2400 Pcs

## HB-T002FT

Capacity: 0.8L Power: 1450W  
Voltage: 220~240V 50-60Hz  
Product Size: 275x210.5x230 mm  
20'GP/40'GP/40'HQ: 1000/2100/2400 Pcs

### Functional Features



Automatic rotary water filling



Adjustable temperature base design, smart segment temperature control



NTC automatic water filling



Rotating water column, patent dust leakage water inlet design



Automatically turns off when water boils



Boil dry & overheat protection

# Toaster

'M  
TIME  
NING'

● Toaster



● Double Wall Kettle



## HB-D002 Toaster

Power: 770-920W Voltage: 220~240V 50-60Hz

Product Size: 240x153x185 mm

20'GP/40'GP/40'HQ: 1868/4020/4736 Pcs

NEW

- Three function button (DEFROST, STOP, REHEAT), easy to operate.
- Increase the heating area, suitable for a variety of sizes of bread.
- 7-speed temperature adjustment, you can bake different taste bread according to your personal preference.
- Detachable breadcrumb tray, automatic breadcrumb concentration, easy and quick cleaning



# Cooking Pot

Easy and Fast way to cook



www.hengbin.com

Cooking Pot



**HB-K039A** Cooking Pot

Capacity: 1.5L Power: 600W  
Voltage: 220~240V 50-60Hz  
Product Size: 240x205x215 mm  
20'GP/40'GP/40'HQ: 3120/6720/7920 Pcs



**HB-K039F** Cooking Pot

Capacity: 1.5L Power: 600W  
Voltage: 220~240V 50-60Hz  
Product Size: 245x199x244 mm



## Functional Features

- Food grade SUS304 inner body.
- Adjustable heat go from warm to boil with settings in between.
- Wide heat resistant handle.
- Boil dry and overheat protection.
- Temperature adjustment(300W&600W).
- Uniform heating.
- Upper and bottom cooking, separate design.
- Easy washing, mini and portable.