

Garment Care Products

Product brochure

Product ranges: Steam

Station

Steam Brush

Steam Iron & Dry Iron



KY-6020

Description

Steam station, 230V 2200-2700W,
With 800ml big watertank,
With heating boiler,
With ironing re-heating,
With big steam rate,
with 5 ironing modes available, Easy Handle

NEW





Steam Iron
KY-281

NEW

Description

Dry,Steam on/off,Burst of Steam,
vertical Steam,self-cleaning,
Saftey cut off.
Optional: Anticalc,antidrip,auto shutoff,
230V 2200W-3000W

parameters

Product size (cm):	33.0*12.2*15.0
Water tank capacity (ml):	480ml
QTY/CTN:	8pcs
G.W (kg):	11.3
N.W (kg):	9.6
G.B size (cm):	35*13.5*16
Carton size (cm):	56*36.5*33.5
20":	3152
40":	6304
40"HQ:	7704



Steam Iron
KY-282

NEW

Description

Dry,Steam on/off,Burst of Steam,
vertical Steam,self-cleaning,
Saftey cut off.
Optional: Anticalc,antidrip,
autoshutoff,
230V 2200W-3000W

parameters

Product size (cm):	31.0*12.2*15.0
water tank:	450ml
QTY/CTN:	8pcs
G.W (kg):	11.3
N.W (kg):	9.6
G.B size (cm):	33*13.5*16
Carton size (cm):	56*34.5*33.5
20":	3336
40":	6672
40"HQ:	8152



STEAM BRUSH
KY-6501

NEW

Description

Dry,steam,vertical steam.With Pump
systemand offering continuous
steam.Fashional design.Safety cut off
Easy to carry,home travel good helper.
220-240V,50~60HZ/1500W

parameters

Product size (cm):	17.2*10.8*27.3
QTY/CTN:	6pcs
G.W (kg):	6.5
N.W (kg):	5.3
G.B size (cm):	18.5*15.3*30
Carton size (cm):	47.5*38.5*31.7
20":	2850
40":	5700
40"HQ:	6828



KY-6018BP



KY-6018P
Digital Panel

STEAM BRUSH

NEW

Description

Dry,steam,vertical steam.With Pump
systemand offering continuous steam.
Fashional design.
Safety cut off Easy to carry,
home travel good helper.

parameters

Water tank capacity (ml):	140
QTY/CTN:	16pcs
G.W (kg):	11.2
N.W (kg):	14.9
G.B size (cm):	23.3*13.3*13.5
Carton size (cm):	55.2*48.2*29.0
20":	5816
40":	11632
40"HQ:	13712



STEAM BRUSH
KY-6017

NEW

Description

Dry,Steam on/Off ,with continious
steam function,Easy use for home
and travel,With adjustable ironing
position for conviences
230V 900W

parameters

Product size (cm):	33.0*4.7*5.0
Water tank capacity (ml):	53ml
QTY/CTN:	TBA
G.W (kg):	TBA
N.W (kg):	TBA
G.B size (cm):	TBA
Carton size (cm):	TBA
20":	TBA
40":	TBA
40"HQ:	TBA



STEAM BRUSH
KY-6019P

NEW

Description

Dry,steam,vertical steam.With Pump
systemand offering continuous steam.
Fashional design.
Safety cut off Easy to carry,
home travel good helper.

parameters

Water tank capacity (ml):	140
QTY/CTN:	16pcs
G.W (kg):	11.2
N.W (kg):	14.9
G.B size (cm):	22.8*12.8*13.0
Carton size (cm):	52.8*47.2*28.0
20":	6112
40":	13024
40"HQ:	15184



STEAM BRUSH

KY-6013

Description

Dry,steam,vertical steam.With Pump systemand offering continuous steam.Fashional design.Safety cut off Easy to carry,home travel good helper. 220-240V,50~60HZ/1500W

parameters

QTY/CTN:	16pcs
G.W (kg):	15.4
N.W (kg):	14.4
G.B size (cm):	33*16.2*11.7
Carton size (cm):	68.1*49.6*34.4
20":	3840
40":	8000
40"HQ:	9376



STEAM BRUSH

KY-6002J

Description

Dry,steam,vertical steam. With Pump systemand offering continuous steam.Fashional design. Safety cut off Easy to carry, home travelgood helper. 220-240V,50~60HZ/1200W

parameters

Water tank capacity (ml):	120
QTY/CTN:	16pcs
G.W (kg):	14.8
N.W (kg):	15.3
G.B size (cm):	22.8*12.8*13.0
Carton size (cm):	52.7*47.1*28.0
20":	6112
40":	13024
40"HQ:	15184



STEAM BRUSH

KY-6002B

Description

Dry,steam,vertical steam.WWith Pump systemand offering continuous steam. Fashionaldesign.Safety cut off Easy to carry,home travelgood helper. 220-240V,50~60HZ/1200W

parameters

Water tank capacity (ml):	120
QTY/CTN:	16pcs
G.W (kg):	14.8
N.W (kg):	15.3
G.B size (cm):	22.8*12.8*13.0
Carton size (cm):	52.7*47.1*28.0
20":	6112
40":	13024
40"HQ:	15184



STEAM BRUSH

KY-6016J

Description

Dry,steam,vertical steam. continuous steam.Fashional design. Safety cut off Easy to carry, home travelgood helper. 220-240V,50~60HZ/1200W

parameters

Water tank capacity (ml):	120
QTY/CTN:	16pcs
G.W (kg):	14.8
N.W (kg):	15.3
G.B size (cm):	22.8*12.8*13.0
Carton size (cm):	52.7*47.1*28.0
20":	6112
40":	13024
40"HQ:	15184



STEAM BRUSH

KY-6016B

Description

Dry,steam,vertical steam. With Pump systemand offering continuous steam.Fashional design. Safety cut off Easy to carry, home travelgood helper. 220-240V,50~60HZ/1200W

parameters

Water tank capacity (ml):	120
QTY/CTN:	16pcs
G.W (kg):	14.8
N.W (kg):	15.3
G.B size (cm):	22.8*12.8*13.0
Carton size (cm):	52.7*47.1*28.0
20":	6112
40":	13024
40"HQ:	15184



Steam Iron

KY-278A

Description

Dry, Spray, steam, steam on/off, vertical steam,burst of steam, adjustable temperature controller, Safety cut off, self cleaning. 220-240V, 1200W/1400W/1600W

parameters

Product size (cm):	25.6*11.2*13.0
Plate Size:	20.1*11.2
QTY/CTN:	12pcs
G.B size (cm):	26.7*11.4*14.8
Carton size (cm):	47.5*28.0*46.4
20":	5436
40":	10872
40"HQ:	12828



Steam Iron
KY-278B

Description

Dry, steam, steam on/off,
adjustable temperature controller,
Safety cut off, self cleaning.
220-240V,1200W/1400W/1600W

parameters	
Product size (cm):	25.6*11.2*13.0
Plate Size:	20.1*11.2
QTY/CTN:	12pcs
G.B size (cm):	26.7*11.4*14.8
Carton size (cm):	47.5*28.0*46.4
20":	5436
40":	10872
40"HQ:	12828



Steam Iron
KY-277A

Description

Dry, Spray, steam, steam on/off,
vertical steam,burst of steam,
adjustable temperature controller
Safety cut off, self cleaning.
220- 240V, 1200W/1400W/1600W

parameters	
Product size (cm):	25.5*11.2*12.5
Plate Size:	20.1*11.2
QTY/CTN:	12pcs
G.B size (cm):	25.8*11.4*14.5
Carton size (cm):	47.5*28.2*45.5
20":	5508
40":	11016
40"HQ:	12960



Steam Iron
KY-278D

Description

Dry, Spray, steam, steam on/off,
adjustable temperature controller,
Safety cut off, self cleaning
220-240V,1200W/ 1400W/1600W

parameters	
Product size (cm):	25.6*11.2*13.0
Plate Size:	20.1*11.2
QTY/CTN:	12pcs
G.B size (cm):	26.7*11.4*14.8
Carton size (cm):	47.5*28.0*46.4
20":	5436
40":	10872
40"HQ:	12828



Steam Iron
KY-277B

Description

Dry,steam,steam on/off,
adiustable temperature controller,
Safety cut off, self cleaning.
220-240V 1200W/ 1400W/1600W

parameters	
Product size (cm):	25.5*11.2*12.5
Plate Size:	20.1*11.2
QTY/CTN:	12pcs
G.B size (cm):	25.8*11.4*14.5
Carton size (cm):	47.5*28.2*45.5
20":	5508
40":	11016
40"HQ:	12960



Steam Iron
KY-279

Description

Dry, Spray, steam, adjustable steam,
vertical steam,burst of steam,
adjustable temperature
Safety cut off,self-cleaning.
Optional function: Auto-shut off,
Anti-calc,Anti-drip.
220-240V, 2000W/ 2200W

parameters	
Product size (cm):	27.7*11.4*14.3
Plate Size:	21.4*11.4
QTY/CTN:	10pcs
G.B size (cm):	30.4*12.2*15.5
Carton size (cm):	62.5*31.9*33.0
20":	4250
40":	8500
40"HQ:	10030



Dry Iron
KY-277C

Description

Dry, adjustable temperature controller,
Safety cut off.
220-240V,1000W

parameters	
Product size (cm):	25.5*11.2*12.5
Plate Size:	20.1*11.2
QTY/CTN:	12pcs
G.B size (cm):	25.8*11.4*14.5
Carton size (cm):	47.5*28.2*45.5
20":	5508
40":	11016
40"HQ:	12960



Steam Iron

KY-277D

Description

Dry, Spray,steam, steam on/off,
adjustable temperature controller,
Safety cut off, self cleaning
220-240V, 1200W/ 1400W/1600W

parameters

Product size (cm):	25.5*11.2*12.5
Plate Size:	20.1*11.2
QTY/CTN:	12pcs
G.B size (cm):	258*114*145
Carton size (cm):	475*282*455
20":	5508
40":	11016
40"HQ:	12960



Steam Iron

KY-588

Description

Dry, Spray, steam, adjustable steam,
vertical steam, burst of steam,adjustable
temperature controller,Safety cut off,
self-cleaning.Optional function:
Auto-shut off Anti-drip, Anti-calc.
220-240V,1400W/ 1600W/
1800W/ 2000W/2200W

parameters

Product size (cm):	27*11.4*13.5
Water tank capacity (ml):	290
QTY/CTN:	10 PCS
G.W (kg):	10.96
N.W (kg):	10.45
G.B size (cm):	29.3*12*15
Carton size (cm):	61.5*30.8*31.7
20":	4580
40":	9200
40"HQ:	10610



Steam Iron

KY-268

Description

Dry, Spray, steam, adjustable steam,
vertical steam, burst of steam,
adjustable temperature. Safety cut off,
self-cleaning.Optional function:
Auto-shut off,Anti-calc, Anti-drip.
220-240V,2000W/2200W/
2400W/2600W/2800W

parameters

Product size (cm):	31.2*12.2*14.6
Water tank capacity (ml):	380
QTY/CTN:	6pcs
G.W (kg):	10
N.W (kg):	7.2
G.B size (cm):	33*13.4*16.5
Carton size (cm):	41.7*34.5*34.7
20":	3400
40":	6800
40"HQ:	8000



Steam Iron

KY-275

Description

Dry, Spray, steam,
adjustable steam,
vertical steam, burst of steam,
adjustable temperature,
retractable power cord.
Safety cut off, self-cleaning.
110-127V 1100-1200W

parameters

Product size (cm):	29.2*11.5*14.5
Plate Size:	TBA
QTY/CTN:	4PCS
G.W (kg):	5
N.W (kg):	4
G.B size (cm):	30.3*12.2*15.2
Carton size (cm):	31.5*25.9*31.9
20":	4304
40":	8608
40"HQ:	10152



Steam Iron

KY-268B

Description

Dry, Spray, steam, adjustable steam,
vertical steam, burst of steam,
adjustable temperature. Safety cut off,
self-cleaning Optional function:
Auto-shut off,Anti-calc, Anti-drip,
220-240V,2000W/ 2200W/
2400W/ 2600W/2800W

parameters

watertank	320ml
Product size (cm):	31.4*13.7*15.5
QTY/CTN:	8pcs
G.B size (cm):	33.6*14.1*16.3
Carton size (cm):	58.2*34.9*34.3
20":	3024
40":	6048
40"HQ:	7536



Steam Iron

KY-270

Description

Dry, Spray, steam, adjustable steam,
vertical steam, burst of steam,
adjustable temperature. Safety cut off,
self-cleaning.Optional function:
Auto-shut off Anti-calc,Anti-drip
220-240V,2000W/2200W/
2400W/2600W/2800W

parameters

Product size (cm):	31.2*12.2*14.6
Water tank capacity (ml):	360
QTY/CTN:	8PCS
G.W (kg):	12.3
N.W (kg):	10.2
G.B size (cm):	33*13.4*16.5
Carton size (cm):	55.1*34.5*34.7
20":	3400
40":	6800
40"HQ:	8000



Steam Iron
KY-269

Description

Dry, Spray, steam, adjustable steam, vertical steam, burst of steam, adjustable temperature. Safety cu toff, self-cleaning.Optional function: Auto-shut offAnti-calc, Anti-drip. 220-240V, 2000W/ 2200W/2400W/2600W

parameters

Product size (cm):	31.2*12.2*14.6
Water tank capacity (ml):	400
QTY/CTN:	8PCS
G.W (kg):	14.1
N.W (kg):	12
G.B size (cm):	33*13.4*16.5
Carton size (cm):	55.1*34.5*34.7
20":	3400
40":	6800
40"HQ:	8000



Steam Iron
KY-255

Description

Dry, spray, steam on/off, vertical steam, burst of steam, adjustable temperature controller, safety cutoff, self-cleaning. Optional function: Auto-shut off,Anti-calc. 220-240V, 1400W/ 1600W/1800W/ 2000W

parameters

Product size (cm):	27*11.5*13.5
Plate Size:	21.6*11.5
QTY/CTN:	10PCS
G.W (kg):	10.83
N.W (kg):	8.49
G.B size (cm):	29.3*12*15.8
Carton size (cm):	61.5*30.8*33.3
20":	4280
40":	9040
40"HQ:	10630



Steam Iron
KY-262

Description

Dry, spray, steam on/off, verticalsteam, adjustable temperaturecontroller, safety cut off, self-cleaning. Optional function: Auto-shut off, Anti-calc, Anti-drip 220-240V, 2000W/ 2200W/ 2400W/2600W/2800W/ 3000W

parameters

Product size (cm):	31.5*12.8*14
Plate Size:	24.9*12.5
QTY/CTN:	8PCS
G.W (kg):	12
N.W (kg):	11.5
G.B size (cm):	33*13.4*16.5
Carton size (cm):	55.1*34.5*34.7
20":	3272
40":	6904
40"HQ:	8120



Steam Iron
KY-266A

Description

Dry, Spray, steam, steam on/off vertical steam, burst of steam, adjustable temperature controller, Safety cut off, self-cleaning. Optional function: Anti-calc. 220-240V,1200W/ 1400W/1600W

parameters

Product size (cm):	25.7*11.1*12.5
Plate Size:	20.1*11.1
QTY/CTN:	12PCS
G.W (kg):	11.3
N.W (kg):	10.8
G.B size (cm):	26.5*11.2*14.5
Carton size (cm):	46.3*28*45.2
20":	5496
40":	11592
40"HQ:	13632



Steam Iron
KY-259

Description

Dry, spray, steam on/off, vertical steam, burst of steam, adjustable temperature controller, safety cutoff, self-cleaning Optional function: Auto-shut off Anti-calc, Anti-drip 220-240V, 2000W/2200W/ 2400W/ 2600W/2800W/3000W

parameters

Product size (cm):	30.8*12.8*15
Plate Size:	24.9*12.5
QTY/CTN:	8 PCS
G.W (kg):	12.18
N.W (kg):	11.68
G.B size (cm):	33*13.4*16.5
Carton size (cm):	55.1*34.5*34.7
20":	3272
40":	6904
40"HQ:	8120



Steam Iron
KY-266B

Description

Dry, steam on/off, adjustable temperature controller, Self-cleaning. Optional function: Anti-calc. 220-240V, 1200W/ 1400W/1600W

parameters

Product size (cm):	25.7*11.1*12.5
Plate Size:	20.1*11.1
QTY/CTN:	12PCS
G.W (kg):	10.82
N.W (kg):	10.32
G.B size (cm):	26.5*11.2*14.5
Carton size (cm):	46.3*28*45.2
20":	5496
40":	11592
40"HQ:	13632



Steam Iron
KY-266D

Description

Dry, steam on/off, spray, adjustable temperature controller, Self-cleaning
Optional function: Anti-calc

220-240V, 1200W/
1400W/1600W

parameters

Product size (cm):	25.7*11.1*12.5
Plate Size:	20.1*11.1
QTY/CTN:	12PCS
G.W (kg):	11.06
N.W (kg):	10.56
G.B size (cm):	26.5*11.2*14.5
Carton size (cm):	46.3*28*45.2
20":	5496
40"	11592
40"HQ:	13632



Steam Iron
KY-246

Description

Dry, spray, steam, vertical steam, burst of steam, adjustable steam, adjustable temperature, safety cut off self-cleaning
Optional function: Auto-shut off Anti-calc, Anti-drip.
220-240V. 2000W/2200W/
2400W/ 2600W/2800W

parameters

Product size (cm):	29.4*12.8*15.4
Plate Size:	23.5*12.6
QTY/CTN:	8PCS
G.W (kg):	11
N.W (kg):	10.5
G.B size (cm):	30.8*13.4*17
Carton size (cm):	55.1*32.3*35.7
20":	3400
40"	7176
40"HQ:	8440



Steam Iron
KY-249

Description

Dry, spray, steam, vertical steam, burst of steam, adjustable steam, adjustable temperature, safety cut off self-cleaning.
Optional function: Auto-shut off, Anti-calc, Anti-drip.
220-240V, 2000W/2200W/
2400W/ 2600W/2800W

parameters

Product size (cm):	28.9*12.3*14.4
Plate Size:	24.6*12.2
QTY/CTN:	10PCS
G.W (kg):	12.3
N.W (kg):	10.5
G.B size (cm):	28.7*12.6*16.3
Carton size (cm):	64.5*30.2*34.3
20":	4040
40"	8530
40"HQ:	10020



Steam Iron
KY-252

Description

Dry, spray, steam, vertical steam. burst of steam. adjustable temperature, safety cut off self cleaning.
Optional function: Auto-shut off Anti-calc, Anti-drip.
220-240V, 2000W/
2200W/2400W/ 2600W

parameters

Product size (cm):	28.6*12.2*14.4
Plate Size:	23*12.2
QTY/CTN:	8PCS
G.W (kg):	9.08
N.W (kg):	8.76
G.B size (cm):	30.3*12.7*16
Carton size (cm):	52.3*31.8*33.7
20":	3856
40"	8136
40"HQ:	9568



Steam Iron
KY-248

Description

Dry, Spray, steam, adjustable steam, vertical steam, burst of steam, adjustable temperature. Safety cut off, self-cleaning
Optional function: Auto-shut off Anti-drip, Anti-calc.
220-240V, 2000W/ 2200W/
2400W/ 2600W/2800W

parameters

Product size (cm):	30.6*13.2*15.1
Plate Size:	23.8*13.2
QTY/CTN:	8PCS
G.W (kg):	11.54
N.W (kg):	11.04
G.B size (cm):	31.5*13.4*16.4
Carton size (cm):	55.1*33*34.5
20":	3440
40"	7272
40"HQ:	8544



Steam Iron
KY-251

Description

Dry, Spray, steam, steam on/off, vertical steam, burst of steam, adjustable temperature controller
Safety cut off, self-cleaning.
Optional function: Auto-shut off. Anti-drip, Anti-calc.
220-240V, 2000W/2200W

parameters

Product size (cm):	27.7*11.8*14.2
Plate Size:	22.5*11.8
QTY/CTN:	8PCS
G.W (kg):	10.1
N.W (kg):	8.24
G.B size (cm):	28*12.5*16.5
Carton size (cm):	51.5*29.5*34.7
20":	4096
40"	8648
40"HQ:	10168



Steam Iron
KY-245

Description

Dry, spray, steam, vertical steam, burst of steam, adjustable steam, adjustable temperature, safety cut off, self-cleaning.Optional function: Auto-shut off,Anti-calc, Anti-drip. 220-240V,2000W/2200W /2400W/2600W

parameters

Product size (cm):	28.9*12.4*15
Plate Size:	23*12.4
QTY/CTN:	10PCS
G.W (kg):	11.51
N.W (kg):	11.01
G.B size (cm):	30.7*13*17.5
Carton size (cm):	66.5*32.2*36.7
20":	3430
40"	7250
40"HQ:	8520



Steam Iron
KY-240

Description

Dry, spray, steam, vertical steam, burst of steam, adjustable steam, adjustable temperature, safety cut off, self-cleaning.Optional function: Auto-shut off,Anti-calc, Anti-drip. 220-240V, 2000W/2200W/ 2400W/2600W

parameters

Product size (cm):	29.4*12.3*14.6
Plate Size:	23.6*12.3
QTY/CTN:	8PCS
G.W (kg):	7.6
N.W (kg):	6.9
G.B size (cm):	30.5*13.4*16.4
Carton size (cm):	55.1*32*34.5
20":	3552
40"	7496
40"HQ:	8808



Steam Iron
KY-243

Description

Dry, spray, steam, vertical steam, burst of steam, adjustable steam, adjustable temperature, safety cut off, self-cleaning.Optional function: Auto-shut off,Anti-calc, Anti-drip. 220-240V,2000W/ 2200W/ 2400W/ 2600W/

parameters

Product size (cm):	28.8*12.4*15
Plate Size:	23*12.4
QTY/CTN:	10PCS
G.W (kg):	15.7
N.W (kg):	14.39
G.B size (cm):	30*13*16.7
Carton size (cm):	66.5*31.5*35.1
20":	3670
40"	7750
40"HQ:	9110



Steam Iron
KY-237A

Description

Dry, spray, steam on/off, vertica steam, burst of steam, adjustable steam, adjustable temperature controller, safety cut off, self-cleaning Optional function: Auto shut off, Anti-salc. 220-240V, 1200W/ 1400W/1600W

parameters

Product size (cm):	25.2*10.8*12.6
Plate Size:	19.3*10.5
QTY/CTN:	12PCS
G.W (kg):	8.4
N.W (kg):	7.8
G.B size (cm):	26.5*11.5*14.2
Carton size (cm):	47.5*28*45.2
20":	5400
40"	11400
40"HQ:	13392



Steam Iron
KY-242

Description

Dry, spray, steam, vertical steam, burst of steam, adjustable steam, adjustable temperature, safety cut off self-cleaning.Optional function: Auto-shut off,Anti-calc, Anti-drip. 220-240V, 2000W/2200W/ 2400W/2600W

parameters

Product size (cm):	28.9*12.4*15
Plate Size:	23*12.4
QTY/CTN:	10PCS
G.W (kg):	11.51
N.W (kg):	11.01
G.B size (cm):	30.7*13*17.5
Carton size (cm):	66.5*32.2*36.7
20":	3430
40"	7250
40"HQ:	8520



Steam Iron
KY-237B

Description

Dry, steam on/off, adjustable temperature controller, self-cleaning Optional function: Auto shut off,Anti-calc. 220-240V, 1400W/1600W

parameters

Product size (cm):	25.3*10.8*12.6
Plate Size:	19.3*10.5
QTY/CTN:	12PCS
G.W (kg):	8.4
N.W (kg):	7.8
G.B size (cm):	26.5*11.5*14.2
Carton size (cm):	47.5*28*45.2
20":	5400
40"	11400
40"HQ:	13392



Dry iron

KY-237C

Description

Dry, adjustable temperature controller, self-cleaning.
Optional function: Auto shut off

220-240V, 1000W

parameters

Product size (cm):	25.3*10.8*12.6
Plate Size:	19.3*10.5
QTY/CTN:	12PCS
G.W (kg):	8.4
N.W (kg):	7.8
G.B size (cm):	26.5*11.5*14.2
Carton size (cm):	47.5*28*45.2
20":	5400
40":	11400
40"HQ:	13392



Steam Iron

KY-228A

Description

Dry, spray, steam, vertical steam, burst of steam, adjustable steam controller, adjustable temperature controller, safety cut off, self-cleaning

220-240V, 1200W/1600W/2000W

parameters

Product size (cm):	24.8*10.1*12.3
Plate Size:	18.5*10.1
QTY/CTN:	12 PCS
G.W (kg):	9.2
N.W (kg):	8.5
G.B size (cm):	25.8*10.8*13.8
Carton size (cm):	44.7*27.3*43.1
20":	6156
40":	12996
40"HQ:	15276



Steam Iron

KY-237D

Description

Dry, spray, steam on/off, adjustable temperature controller, self-cleaning
Optional function: Auto-shut off, Anti.calc.

220-240V, 1400W/1600W

parameters

Product size (cm):	25.3*10.8*12.6
Plate Size:	19.3*10.5
QTY/CTN:	12PCS
G.W (kg):	8.4
N.W (kg):	7.8
G.B size (cm):	26.5*11.5*14.2
Carton size (cm):	47.5*28*45.2
20":	5400
40":	11400
40"HQ:	13392



Steam Iron

KY-228B

Description

Dry,steam on/off, adjustable temperature controller, self-cleaning.

220-240V, 1400W/1600W

parameters

Product size (cm):	24.8*10.1*12.3
Plate Size:	18.5*10.1
QTY/CTN:	12 PCS
G.W (kg):	9.2
N.W (kg):	8.5
G.B size (cm):	25.8*10.8*13.8
Carton size (cm):	44.7*27.3*43.1
20":	6156
40":	12996
40"HQ:	15276



Steam Iron

KY-225

Description

Dry, spray, steam, vertical steam, burst of steam, adjustable steam, adjustable temperature, safety cut off, self-cleaning.Optional function: Auto-shut off,Anti-calc, Anti-drip.
220-240V,1800W/ 2000W/ 2200W/ 2400W

parameters

Product size (cm):	29*12*14
Plate Size:	23.4*12
QTY/CTN:	10PCS
G.W (kg):	12.2
N.W (kg):	9.75
G.B size (cm):	29.5*12.2*15
Carton size (cm):	62.5*31*33.7
20":	4130
40":	8720
40"HQ:	10260



Steam Iron

KY-228D

Description

Dry, steam on/off, spray, adjustable temperature controller, self-cleaning

220-240V,1400W/1600W

parameters

Product size (cm):	24.8*10.1*12.3
Plate Size:	18.5*10.1
QTY/CTN:	12 PCS
G.W (kg):	9.1
N.W (kg):	8.4
G.B size (cm):	25.8*10.8*13.8
Carton size (cm):	44.7*27.3*43.1
20":	6156
40":	12996
40"HQ:	15276



Dry iron

KY-207A

Description

Dry, adjustable temperature controller, safety cut off.

220-240V,1000W

parameters

Product size (cm):	24.5*10.2*11.2
Plate Size:	20.3*9.9
QTY/CTN:	12PCS
G.W (kg):	9.5
N.W (kg):	8.3
G.B size (cm):	25*10.5*12
Carton size (cm):	43.5*26.5*37.7
20":	7440
40":	15720
40"HQ:	18480



Steam Iron

KY-250A

Description

Dry, sbray, steam, vertical steam, burst of steam, adjustable steam, adjustable temperature, safety cut off. self-cleaning.

Optional function: Auto-shut off

Anti-salc.

220-240V, 1200W/ 1400W/1600W

parameters

Product size (cm):	25.2*11.1*12.7
Plate Size:	20.1*11.1
QTY/CTN:	12 PCS
G.W (kg):	8.4
N.W (kg):	7.8
G.B size (cm):	25.6*11.4*13.7
Carton size (cm):	47.1*27.1*42.8
20":	5928
40":	12516
40"HQ:	14724



Dry iron

KY-207B

Description

Dry, spray, adjustable temperature controller, safety cut off

220-240V, 1000W

parameters

Product size (cm):	24.5*10.2*11.2
Plate Size:	20.3*9.9
QTY/CTN:	12PCS
G.W (kg):	9.5
N.W (kg):	8.3
G.B size (cm):	25*10.5*12
Carton size (cm):	43.5*26.5*37.7
20":	7440
40":	15720
40"HQ:	18480



Steam Iron

KY-250B

Description

Dry, steam on/off, adjustable temperature controller, self-cleaning

Optional function:

Auto-shut off,Anti-calc.

220-240V,1200W/1400W/1600W

parameters

Product size (cm):	25.2*11.1*12.7
Plate Size:	20.1*11.1
QTY/CTN:	12 PCS
G.W (kg):	8.4
N.W (kg):	7.8
G.B size (cm):	25.6*11.4*13.7
Carton size (cm):	47.1*27.1*42.8
20":	5928
40":	12516
40"HQ:	14724



Dry iron

KY-228C

Description

Dry, adjustable temperature controller, safety cut off.

220-240V,1000W

parameters

Product size (cm):	24.8*10.1*12.3
Plate Size:	18.5*10.1
QTY/CTN:	12 PCS
G.W (kg):	9
N.W (kg):	8.2
G.B size (cm):	25.8*10.8*13.8
Carton size (cm):	44.7*27.3*43.1
20":	6156
40":	12996
40"HQ:	15276



Steam Iron

KY-250D

Description

Dry, spray, steam on/off, adjustable temperature controller, self-cleaning

Optional function: Auto-shut off.

Anti-calc.

220-240V, 1200W/ 1400W/1600W

parameters

Product size (cm):	25.2*11.1*12.7
Plate Size:	20.1*11.1
QTY/CTN:	12PCS
G.W (kg):	8.4
N.W (kg):	7.8
G.B size (cm):	25.6*11.4*13.7
Carton size (cm):	47.1*27.1*42.8
20":	5928
40":	12516
40"HQ:	14724



Steam Iron

KY-3188A

Description

Dry, spray, steam on/off, burst of steam, adjustable temperature controller.

220-240V, 1400W/2000W

parameters

Product size (cm):	24.7*10.3*11.3
Plate Size:	19.8*10.3
QTY/CTN:	12PCS
G.W (kg):	9.8
N.W (kg):	9.2
G.B size (cm):	25.5*10.5*12
Carton size (cm):	43.5*27*37.7
20":	7308
40":	15432
40"HQ:	18144



Steam Iron

KY-3188D

Description

Dry, spray, steam on/off, adjustable temperature, safety cut off.

220-240V, 1400W/2000W

parameters

Product size (cm):	24.7*10.3*11.3
Plate Size:	19.8*10.3
QTY/CTN:	12PCS
G.W (kg):	9.6
N.W (kg):	8.9
G.B size (cm):	25.5*10.5*12
Carton size (cm):	43.5*27*37.7
20":	7308
40":	15432
40"HQ:	18144



Steam Iron

KY-3188B

Description

Dry, steam on/off, adjustable temperature controller, safety cut of

220-240V, 1400W/2000W

parameters

Product size (cm):	24.7*10.3*11.3
Plate Size:	19.8*10.3
QTY/CTN:	12PCS
G.W (kg):	9.2
N.W (kg):	8.4
G.B size (cm):	25.5*10.5*12
Carton size (cm):	43.5*27*37.7
20":	7308
40":	15432
40"HQ:	18144



Dry iron

KY-3188C

Description

Dry, adjustable temperature controller, safety cut off.

220-240V, 1000W

parameters

Product size (cm):	24.7*10.3*11.3
Plate Size:	19.8*10.3
QTY/CTN:	12PCS
G.W (kg):	9
N.W (kg):	8.2
G.B size (cm):	25.5*10.5*12
Carton size (cm):	43.5*27*37.7
20":	7308
40":	15432
40"HQ:	18144

AirFryer

Product brochure

Everything can be fried
Healthy without oil,
with beauty and ingredients,
the C-position in the kitchen is responsible.



- ① Intelligent air fryer
- ② Visible air fryer
- ③ Multi functional air fryer



KY-1037V

NEW

Description

visible window.Easy to clean for daily uses.
It is healthier not to fry. Air circulation
technology. Manual control.Adjustable
thermostat control. Non-stick cooking surface.
With light indicator. Overheat protection.
Optional: Single pot with grill plate;
Basket with pot220-240V 1300W/1500W

parameters

Pot capacity (L):	4.5L
GB size (cm):	30.6*30.6*33
QTY/CTN:	2PC
Carton size (cm):	62.7*32.1*34.2
40" HQ:	1880



KY-1037

NEW

Description

Easy to clean for daily uses. It is healthier not to
fry. Air circulation technology. Manual control.
Adjustable thermostat control. Non-stick
cooking surface. With light indicator. Overheat
protection.Optional: Single pot with grill plate;
Basket with pot220-240V 1300W/1500W

parameters

Pot capacity (L):	4.5L
GB size (cm):	30.6*30.6*33
QTY/CTN:	2PC
Carton size (cm):	62.7*32.1*34.2
40" HQ:	1880



KY-1036KX

NEW

Description

With temperature controller and timer for
set up,with 10L,with metal cavity230V
13500W,with 60mintues timer,up to
temperature 200degree.With window
with total 1.2m long cable , VDE plug

parameters

Pot capacity (L):	10L
GB size (cm):	37*33.2*38.4
QTY/CTN:	2PC
Carton size (cm):	67.9*38.3*40.1
40" HQ:	1268



Low-fat air frying,
golden crispy and healthy
deliciousness at the same time





KY-1019P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. Double pot. 220-240V 2800W

parameters

Pot capacity (L): 6/4L
GB size (cm): 46.6*40.1*35.8
QTY/CTN: 1PC
Carton size (cm): 48.1*41.6*37.5
40" HQ: 850



KY-1019PV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. Double pot. 220-240V 2800W

parameters

Pot capacity (L): 6/4L
GB size (cm): 46.6*40.1*35.8
QTY/CTN: 1PC
Carton size (cm): 82.3*49.2*37.5
40" HQ: 850



KY-1020PV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 1300W

parameters

Pot capacity (L): 3.5L
GB size (cm): 34.6*29.1*34.3
QTY/CTN: 1PC
Carton size (cm): 71.0*31.0*36.0
40" HQ: 1636



KY-1031PV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 2000W/2200W

parameters

Pot capacity (L): 7L
GB size (cm): 39.5*31.6*35.3
QTY/CTN: 2PC
Carton size (cm): 64.8*41.0*37.7
40" HQ: 1294



KY-1030P/KY-1030PV

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 2000W/2200W



with window

parameters

Pot capacity (L): 7L
GB size (cm): 39.5*31.6*35.3
QTY/CTN: 2PC
Carton size (cm): 81*33.5*37
40" HQ: 1320



KY-1030J/KV-1030JV

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection. 220-240V 2000W/2200W



with window

parameters

Pot capacity (L): 7L
GB size (cm): 39.5*31.6*35.3
QTY/CTN: 2PC
Carton size (cm): 64.8*41.0*37.0
40" HQ: 1320



KY-1025P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 1500W/1800W

parameters

Pot capacity (L): 6.5L
GB size (cm): 38.5*32.1*34.8
QTY/CTN: 2PC
Carton size (cm): 65.8*40.0*36.5
40" HQ: 1321



KY-1025J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection. 220-240V 1500W/1800W

parameters

Pot capacity (L): 6.5L
GB size (cm): 38.5*32.1*34.8
QTY/CTN: 2PC
Carton size (cm): 65.8*40.0*36.5
40" HQ: 1321



KY-1005PVD

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5L
GB size (cm): 38.3*29.8*36.8
QTY/CTN: 2PC
Carton size (cm): 64.3*41.4*33.8
40" HQ: 1380



KY-1005JVD

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5L
GB size (cm): 38.3*29.8*36.8
QTY/CTN: 2PC
Carton size (cm): 64.3*41.4*33.8
40" HQ: 1380



KY-1021PV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection. 220-240V 1300W

parameters

Pot capacity (L): 3.5L
GB size (cm): 37*27.8*34.2
QTY/CTN: 2PC
Carton size (cm): 57.2*38.5*36.5
40" HQ: 1637



KY-1021JV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. Overheat protection. 220-240V 1300W

parameters

Pot capacity (L): 3.5L
GB size (cm): 37*27.8*34.2
QTY/CTN: 2PC
Carton size (cm): 57.2*38.5*36.5
40" HQ: 1637



KY-1011P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology, Digital control. Non-stick cooking surface. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1011J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1011PB

Description

Easy to clean for daily uses, It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Stainless steel body. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1011JB

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Stainless steel body. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1011PV

Description

Visible air fryer, Easy to clean for daily uses. It is healthier not to fry, Air circulation technology, Digital control. Non-stick cooking surface, Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1011JV

Description

Visible air fryer, Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 38.6*31.1*35.3
QTY/CTN: 2PC
Carton size (cm): 66.7*41.7*37.7
40" HQ: 1386



KY-1018P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control.Non-stick cooking surface. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1018PV

Description

Visible air fryer, Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control.Non-stick cooking surface.Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1018PB

Description

Easy to clean for dally uses.It is healthier not to fry.Air circulation technology. Digital control.Non-stick cooking surface. Stainless steel body. Overheat protection. 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1018JB

Description

Easy to clean for dally uses.It is healthler not to fry.Air circulation technoloey,Manual control,Adjustable thermostat control. Non-stick, cooking surface.With light indicator. Stainless steel body.Overheat protection, 220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1018J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection.220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1018JV

Description

Visible air fryer. Easy to clean for daily uses. It is healthier not to fry.Air circulation technology. Manual control.Adjustable thermostat control.Non-stick cooking surface. Overheat protection.220-240V 1300W/1500W

parameters

Pot capacity (L): 5.5L
GB size (cm): 40*32.5*36.7
QTY/CTN: 2PC
Carton size (cm): 66.5*41.5*38.5
40" HQ: 1230



KY-1002P

Description
Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control.Non-stick cooking surface. Overheat protection.Optional: Single pot with grill plate,Basket with pot
220-240V 1300W/1500W

parameters	
Pot capacity (L) :	5.5L
Basket capacity(L):	3.5L
GB size (cm) :	34.5*34.5*35.5
QTY/CTN :	2PC
Carton size (cm) :	70.4*36.0*37.0
40" HQ :	1416



KY-1008P

Description
Easy to clean for daily uses.It is healthier not to fry.Air circulation technology. Digital control.Non-stick cooking surface. Overheat protection.Optional:Single pot with grill plate;Basket with pot
220-240V 1300W/1500W

parameters	
Pot capacity (L):	4.2L
Basket capacity(L):	3.5L
GB size (cm):	30.6*30.6*33
QTY/CTN:	2PC
Carton size (cm):	62.7*32.1*34.2
40" HQ:	1880



KY-1001P

Description
Easy to clean for daily uses.It is healthier not to fry. Air circulation technology. Digital control.Non-stick cooking surface. Overheat protection.Optional: Single pot with grill plate; Basket with pot.
220-240V 1000W/1300W

parameters	
Pot capacity (L):	4.5L
GB size (cm):	31.6*31.6*34
QTY/CTN:	2PC
Carton size (cm):	64.7*33.2*35.5
40" HQ:	1743



KY-1002J

Description
Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection. Optional: Single pot with grill plate; Basket with pot
220-240V 1300W/1500W

parameters	
Pot capacity (L):	5.5L
Basket capacity(L):	3.5L
GB size (cm):	34.5*34.5*35.5
QTY/CTN:	2PC
Carton size (cm):	70.4*36.0*37.0
40" HQ:	1416



KY-1008J

Description
Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection.Optional: Single pot with grill plate; Basket with pot
220-240V 1300W/1500W

parameters	
Pot capacity (L) :	4.2L
Basket capacity(L) :	3.5L
GB size (cm) :	30.6*30.6*33
QTY/CTN :	2PC
Carton size (cm) :	62.7*32.1*34.2
40" HQ :	1880



KY-1001J

Description
Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection. Optional: Single pot with grill plate, Basketwith pot
220-240V 1000W/1300W

parameters

Pot capacity (L):	4.5L
GB size (cm):	31.6*31.6*34
QTY/CTN:	2PC
Carton size (cm):	64.7*33.2*35.5
40" HQ:	1743



KY-1012P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology.Digital control.Non-stick cooking surface.

Overheat protection

220-240V 1000W/1300W

parameters

Pot capacity (L): 4.4L

GB size (cm): 33*33*34.5

QTY/CTN: 2PC

Carton size (cm): 67.7*34.6*36.4

40" HQ: 1559



KY-1016J

Description

Easy to clean for daily uses.It is healthier not to fry. Air circulation technology.

Manual control. Adjustable thermostat control. Non-stick cooking surface.

With light indicator. Overheat protection.

220-240V 1000W/1300W

parameters

Pot capacity (L): 4.4L

GB size (cm): 31.6*31.6*34

QTY/CTN: 2PC

Carton size (cm): 64.7*33.2*35.5

40" HQ: 1743



KY-1012J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology.

Manual control.Adjustable thermostat control. Non-stick cooking surface.

With light indicator. Overheat protection.

220-240V 1000W/1300W

parameters

Pot capacity (L): 4.4L

GB size (cm): 33*33*34.5

QTY/CTN: 2PC

Carton size (cm): 67.7*34.6*36.4

40" HQ: 1559



KY-1003P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology.

Digital control.Non-stick cooking surface.

Overheat protection.Optional: Single pot with grill plate, Basket with pot

220-240V 1000W/1300W

parameters

Pot capacity (L): 3.5L

Basket capacity(L): 2.6L

GB size (cm): 29*29*32

QTY/CTN: 2PC

Carton size (cm): 59.5*30.5*33.7

40" HQ: 2172



KY-1016P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface.

Overheat protection.

220-240V 1000W/1300W

parameters

Pot capacity (L): 4.4L

GB size (cm): 31.6*31.6*34

QTY/CTN: 2PC

Carton size (cm): 64.7*33.2*35.5

40" HQ: 1743



KY-1003J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control.

Non-stick cooking surface.With light indicator. Overheat protection.Optional: Single pot with grill plate;

Basket with pot 220-240V 1000W/1300W

parameters

Pot capacity (L): 3.5L

Basket capacity(L): 2.6L

GB size (cm): 29*29*32

QTY/CTN: 2PC

Carton size (cm): 59.5*30.5*33.7

40" HQ: 2172



KY-1013P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control. Non-stick cooking surface. Overheat protection.Optional: Single pot with grill plate;Basket with pot. 220-240V 1000W/1300W

parameters

Pot capacity (L) : 3.5L
Basket capacity(L): 2.6L
GB size (cm) : 29.8*29.8*32.5
QTY/CTN : 2PC
Carton size (cm) : 59.5*30.5*34.0
40'' HQ : 2042



KY-1013J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control.Non-stick cooking surface. With light indicator.Sverheat protection. Optional:Single pot with grill plate, Basket with pot 220-240V 1000W/1300W

parameters

Pot capacity (L) : 3.5L
Basket capacity(L): 2.6L
GB size (cm) : 29.8*29.8*32.5
QTY/CTN : 2PC
Carton size (cm) : 59.5*30.5*34.0
40'' HQ : 2042



KY-1009P

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Digital control.Non-stick cooking surface. Overheat protection. Optional: Single pot with grill plate; Basket with pot 220-240V 1000W/1300W

parameters

Pot capacity (L) : 3.5L
Basket capacity(L): 2.6L
GB size (cm) : 29.1*29.1*31.8
QTY/CTN : 2PC
Carton size (cm) : 82.3*49.2*37.5
40'' HQ : 2165



KY-1009J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control.Non-stick cooking surface. With light indicator.Overheat protection. Optional:Single pot with grill plate; Basket with pot 220-240V 1000W/1300W

parameters

Pot capacity (L) : 3.5L
Basket capacity(L): 2.6L
GB size (cm) : 29.1*29.1*31.8
QTY/CTN : 2PC
Carton size (cm) : 82.3*49.2*37.5
40'' HQ : 2165



KY-1006J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control. Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection.Optional: Single pot with grill plate, Basket with pot 220-240V 1000W/1300W

parameters

Pot capacity (L) : 3.5 L
Basket capacity (L) : 2.6 L
GB size (cm) : 29*29*32
QTY/CTN : 2PC
Carton size (cm) : 59.5*30.5*33.7
40''HQ : 2172



KY-1010J

Description

Easy to clean for daily uses. It is healthier not to fry. Air circulation technology. Manual control.Adjustable thermostat control. Non-stick cooking surface. With light indicator. Overheat protection.220-240V 1000W

parameters

Pot capacity (L) : 2.5L
GB size (cm) : 27.9*27.9*29
QTY/CTN : 2PC
Carton size (cm) : 57.3*29.4*30.7
40'' HQ : 2625

Vacuum cleaner

Product brochure

KY-8052P


Description

Elaborate appearance. Multi-function. New intelligent control panel, easy to operate. Antislip bottom pad for stable standing.

Noise reduction design. Autoclean with a click.

Reservation function. 220-240V 2000W.

Dust bag capacity :5L



- ① Easy to operate
- ② Anti slip barrier pad

Soy Milk Maker

Product brochure

Cooking Appliances



- ① Grains soybean milk
- ② Rice paste complementary food

KY-5001

Description

Elaborate appearance. Multi-function.New intelligent control panel, easy to operate. Antislip botlom pad for stable standing. Noise reduction design. Autoclean with a click. Reservation function.220-240V 400W.

parameters

Capacity:	600 ML
GB size (cm):	31*17.5*17.5
QTY/CTN:	4 PCS
Carton size (cm):	71.5*32.5*19
20":	2544
40":	5272
40"HQ:	6180



KY-5002-12

Description

Elaborate appearance. Multi-function.New intelligent control panel,
easy to operate. Antislip botlom pad for stable standing.
Noise reduction design. Autoclean with a click.
Reservation function.220-240V 800W.with capcity by 1.2L



Sandwich Maker

Cooking Appliances

Product brochure



- ① Fixed Plate Sandwich Maker
- ② Changable Plate Sandwich Maker
- ③ Electric Grill Panini





Fixed plate
Sandwich Maker
KY-53

Description

Non-stick coating cooking. Plate/ easy open handle/ with light indicator function. Type of cooking plate for choosing: Triangle/grill/waffle.Technic parameter: 220-240V 650W/750W/850W 50Hz

parameters	
Product size (cm):	24*22.7*8.4
Plate Size:	21.6* 12.5
QTY/CTN:	6 PCS
G.W (kg):	8.4
N.W (kg):	7.9
G.B size (cm):	24.5*26.3*10.3
Carton size (cm):	53.8*25.7*32.1
20":	3720
40"	7440
40"HQ:	9114



Fixed Plate
Sandwich Maker
KY-29S

Description

Non-stick coating cooking. Plate/ easy open handle/with light indicator function. Types of cooking plate for choosing: Triangle/grill/waffle Specifcation:220-240V 650W~900W

parameters	
Product size (cm):	23.9*22*9.5
Plate Size:	21.6*12.5
QTY/CTN:	6 PCS
G.W (kg):	8.8
N.W (kg):	8.3
G.B size (cm):	24.8*11.2*26.5
Carton size (cm):	54.5*26.3*35.3
20":	3198
40"	6756
40"HQ:	7944



Fixed plate
Sandwich Maker
KY-54

Description

Non-stick coating cooking. Plate/ easy open handle/ with light indicator function. Type of cooking plate for choosing: Triangle/grill/waffle.Technic parameter: 220-240V 650W/750W/850W 50Hz

parameters	
Product size (cm):	24*22.7*8.4
Plate Size:	21.6* 12.5
QTY/CTN:	6 PCS
G.W (kg):	8.4
N.W (kg):	7.9
G.B size (cm):	24.5*26.3*10.3
Carton size (cm):	53.8*25.7*32.1
20":	3720
40"	7440
40"HQ:	9114



Fixed plate
Sandwich Maker
KY-28S

Description

Non-stick coating cooking. Plate/easy open handle/with light indicator function. Types of cooking plate for choosing:Triangle/grill/waffle Specifcation: 220-240V 650W/ 700W/750W/ 850W 50 HZ

parameters	
Product size (cm):	23.9*22.4*9
Plate Size:	21.6*12.5
QTY/CTN:	6 PCS
G.W (kg):	8.6
N.W (kg):	8.1
G.B size (cm):	24.5*10.3*26.3
Carton size (cm):	53.8*25.7*32.6
20":	3588
40"	7578
40"HQ:	8910



Changable Plate
Sandwich Maker
KY-29A

Description

Non-stick coating cooking. Plate/easy open handle/with light indicator function. Types of cooking plate forchoosing: Triangle/grill/waffle Specifcation:220-240V 650W~900W

parameters	
Product size (cm):	23.9*22*9.5
Plate Size:	21.6*12.5
QTY/CTN:	6 PCS
G.W (kg):	8.8
N.W (kg):	8.3
G.B size (cm):	24.8*11.2*26.5
Carton size (cm):	54.5*26.3*35.3
20":	3198
40"	6756
40"HQ:	7944



Changable Plate
Sandwich Maker
KY-31A

Description

Non-stick coating cooking. Plate/ easy open handle/with light indicator function. Types of cooking plate for choosing: Triangle/grill Specifcation: 220-240V,1200W/1400W

parameters	
Product size (cm):	33.4*24.8*9.9
Plate Size:	24.3*21.8
QTY/CTN:	4PCS
G.W (kg):	9.56
N.W (kg):	9.01
G.B size (cm):	26.5*13.5*37
Carton size (cm):	54.5*28.5*38.7
20":	1796
40"	3792
40"HQ:	4456



Fixed Plate
Sandwich Maker
KY-31S

Description

Non-stick coating cooking. Plate/easy open handle/with light indicator function.Types of cooking plate for choosing: Triangle/grill Specifcation: 220-240V.1200W/1400W

parameters

Product size (cm):	33.4*24.8*9.9
Plate Size:	24.3*21.8
QTY/CTN:	4 PCS
G.W (kg):	9.56
N.W (kg):	9.01
G.B size (cm):	26.5*13.5*37
Carton size (cm):	54.5*28.5*38.7
20":	1796
40":	3792
40"HQ:	4456



Fixed Plate
Sandwich Maker
KY-21S

Description

Non-stick coating cooking. Plate/easy open handle/with light indicator function. Types of cooking plate for choosing: Triangle/grill/waffle Specifcation: 220-240V 650W/750W/850W 50 HZ

parameters

Product size (cm):	23.3*22.2*8.4
Plate Size:	21.6*12.5
QTY/CTN:	6 PCS
G.W (kg):	7.3
N.W (kg):	6.8
G.B size (cm):	24.8*10.5*26
Carton size (cm):	49.5*27.5*33.2
20":	3582
40":	7566
40"HQ:	8892



Fixed plate
Sandwich Maker
KY-30S

Description

Non-stick coating cooking.mPlate/easy open handle/with light indicator function. Types of cooking plate for choosing: Triangle/grill Specifcation: 220-240V, 1200W/1400W

parameters

Product size (cm):	33.4*24.8*9.9
Plate Size:	24.3*21.8
QTY/CTN:	4 PCS
G.W (kg):	9.56
N.W (kg):	9.01
G.B size (cm):	26.5*13.5*37
Carton size (cm):	54.5*28.5*38.7
20":	1796
40":	3792
40"HQ:	4456



Fixed plate
Sandwich Maker
KY-20S

Description

Non-stick coating cooking. Plate/easy open handle/with light indicator function. Types of cooking plate for choosing: Triangle/grill/waffle Specifcation:220-240V 650W/750W/850W 50HZ

parameters

Product size (cm):	24*22.7*8.4
Plate Size:	21.6*12.5
QTY/CTN:	6 PCS
G.W (kg):	8.4
N.W (kg):	7.9
G.B size (cm):	24.5*26.3*10.3
Carton size (cm):	53.8*25.7*32.1
20":	3720
40":	7440
40"HQ:	9114



Fixed plate
Sandwich Maker
KY-2001S

Description

Non-stick coating cooking. Plate/easy open handle,with light indicator function, Types of cooking plate for choosing: Triangle/grill/ waffe Specifcation: 220-240V 650W/750W/850W 50HZ

parameters

Product size (cm):	24*22.7*8.4
Plate Size:	21.6*12.5
QTY/CTN:	6 PCS
G.W (kg):	8.4
N.W (kg):	7.9
G.B size (cm):	24.5*26.3*10.3
Carton size (cm):	53.8*25.7*32.1
20":	3720
40":	7440
40"HQ:	9114



Fixed plate
Sandwich Maker
KY-22S

Description

Non-stick coating cooking. Plate/easy open handle/with light indicator function. Types of cooking plate for choosing: Triangle/grill/wafne Specifcation: 220-240V 650W/ 750W/850W 50 HZ

parameters

Product size (cm):	23.9*22.7*8.8
Plate Size:	21.6*12.5
QTY/CTN:	6 PCS
G.W (kg):	8.4
N.W (kg):	7.9
G.B size (cm):	25.1*11.4*26.5
Carton size (cm):	54.5*26.3*35.9
20":	3114
40":	6576
40"HQ:	7728



Fixed plate

Electric Grill Panini

KY-2205ST

KY-2205S

Description

Non-stick coating plate for easy cleaning.Overheat Protection.

Thermostatically controlled lamp.

Specifcation: 230V/2000W CE

parameters	
Product size (cm):	34.2*35.7*14
Plate Size:	29.5*24
QTY/CTN:	3 PCS
G.W (kg):	10.94
N.W (kg):	10.44
G.B size (cm):	39*17.5*38.5
Carton size (cm):	54*40.5*40.2
20":	921
40":	1944
40"HQ:	2286



Fixed plate

Electric Grill Panini

KY-2202S

Description

Non-stick coating cooking. Plate/easy handle/with light indicator function.

Types of cooking plate for choosing:Fixed plate: grill

Specifcation: 230V 800W

parameters	
Product size (cm):	26.6*22.5*9.6
Plate Size:	23*14.5
QTY/CTN:	4 PCS
G.W (kg):	7.74
N.W (kg):	7.24
G.B size (cm):	30.8*13*26
Carton size (cm):	53.5*32.3*27.7
20":	2252
40":	4756
40"HQ:	5592