

TOTEALLY IS READY FOR THE FUTURE



DESIGNED BY MEEKO SMART

KL000701

LED Source
SMD LED

Luemens
200lm

Battery Type
3.7V 2000mAh Li-ion Battery

Material
Plastic



KH000901

IPX4 1M SHOCKPROOF

LED Source
1PC OSRAM LED

Luemens
300lm

Distance
30M

Run Time
1h

Battery Type
3.7V 500mAh Li-ion Battery

Size
40(L)x30(W)x40(H)mm



KH001321

IPX6

LED Source
2PCS XTE LED

Luemens
600lm

Size
70(L)x70(W)x95(H)mm

Material
Plastic +TPR

Battery Type
3.7V 1400 mAh li-ion & 3*AAA Battery



KF901411


LED Source
1PC CREE LED

Luemens
45lm

Size
70(L)x70(W)x95(H)mm

Material
Plastic



Battery Type
2AA Battery



ULTRATHIN & BRIGHTNESS EDC

NEVER GO BACK TO THE DARKNESS
ILLUMINATING LIFE

Uni-Body & ultrathin & ultra-light Body Design
600LM \ IPX4 \ Magnet \ Clip \ Hands Free
AN EDC LIGHT \ WORKING LIGHT \ HEADLAMP \ POCKET LIGHT



IGN
HEADLIGHT
WORKINGLIGHT
FLASHLIGHT
LANTERN

KF901601

LED Source
CREE LED +COB

Luemens
600lm

Battery Type
3.7V 450mAh Li-ion Battery

Material
Aluminum





Double Side Flood Light

Double Side \ IPX4 \ Hands free \ Stand & Handle \ M6 Screw \ Magnet \ Battery Removable




IGN

HEADLIGHT

WORKINGLIGHT

FLASHLIGHT

LANTERN



DESIGN BY MEEKO SMART Ultra-thin COB Floodlight


Wide Beam \ IPX4 \ Hands free \ Stand & Handle \ M6 Screw

KW001201

IPX4 6M SHOCKPROOF

LED Sourec
COB LED
Luemens
3000lm

Battery Type
3.7V 5000mAh Li-ion Battery
Material
Plastic+TPR + Aluminium



DESIGN BY MEEKO SMART


M1009701

LED Sourec
88PCS LED
Luemens
75lm
Run Time
8h

Battery Type
3.7V 1500mAh Li-ion Battery
Distance
5M
Size
200.3(L)x40(W)x13.6(H)mm



Battery Removable



DESIGN BY MEEKO SMART

KH001321

LED Source
1PC CREE LED+SMD LED
Luemens
700lm
Battery Type
3.7V 1000mAh&3AAA Battery
Material
Plastic



**IPX4
Voice Control**

KH001424

LED Source
1PC CREE LED+SMD LED
Luemens
700lm
Battery Type
3.7V 1000mAh&3AAA Battery
Material
Plastic




HYBRIDPOWER



Dual LED Source 230° Wide Beam Headlight


230°Wide Beam \ IPX7 \ Dual Led source \ Hands free \ Motion Sensor \ Safety
LED Source:Oaram LED +COB Max output:1000LM Battery: 3.7V 1000mAh (14500) Material:Plastic+TPR+Silicone



Sensor



230°





DESIGN BY MEEKO SMART

KL000801

LED Source
88PCS LED

Luemens
75lm

Run Time
8h

Battery Type
3.7V 1500mAh Li-ion Battery

Distance
5M

Size
200.3(L)x40(W)x13.6(H)mm

Modular Camping Light



Rotating Snap-Fit for Enhanced Security

*Rotating Snap-Fit refers to a design feature where a component can be rotated into place and securely locked, ensuring a firm and stable connection.
*Enhanced Security highlights the improved reliability and durability of the connection achieved through this design.

Modular Camping Light



Spotlight



Dual-Mode Battery Compatibility

LED Source
1PC CREE LED+1PC COB LED

Luemens
5000lm

Battery Type
3.7V 5000mAh (21700)
&3AAA Battery

Material
Plastic+TPR+Aluminium



RECHARGEABLE 1000lm



KH000401



1M SHOCKPROOF

LED Source
CREE LED + SMD LED

Luemens
1000lm

Run Time
2h

Battery Type

3.7V 2000mAh Li-ion Battery

Distance
110M

Size
80(L)x40(W)x28(H)mm



1000lm

KH000512



1M SHOCKPROOF

LED Source
OSRAM P8 LED+SMD LED

Luemens
500lm

Run Time
2h

Battery Type

3AAA Battery

Distance
120M

Size
65(L)x44(W)x34(H)mm



KH000602



1M SHOCKPROOF

LED Source
OSRAM P8 LED+SMD LED

Luemens
750lm

Run Time
2.5h+

Battery Type

3.7V 1500mAh Li-ion Battery

Distance
150M

Size
65(L)x44(W)x34(H)mm



KH000322



1M SHOCKPROOF

LED Source
OSRAM P8 LED+SMD LED

Luemens
500lm

Run Time
2.5h

Battery Type

3.7V 1000mAh Li-ion Battery&3AAA Battery

Distance
120M

Size
65(L)x44(W)x34(H)mm



Hybrid Power



RECHARGEABLE 700LM HEADLIGHT

KH000101



1M SHOCKPROOF

LED Source
CREE LED + SMD LED

Luemens
700lm

Run Time
2h

Battery Type

3.7V 700mAh Li-ion Battery

Distance
150M

Size
60(L)x33(W)x40(H)mm



Charging Indicator

**60°
Adjustable
Angle**



TYPE-C Input



**800LM
HIGH LUMEN HEADLIGHT
ADJUSTABLE FOCUS**



**HYBRID POWER
HEADLIGHT**



KH000201 IPX4 1M SHOCKPROOF

LED Source
Seoul LED + SMD LED

Battery Type
3AAA or 3.7V 1000mAh Li-ion Battery

Lumens
800lm


Distance
200M

Run Time
3h

Size
60(L)x33(W)x40(H)mm



Hybrid Power



**60°
Adjustable
Angle**



KH000721 Hybrid Power Warning

LED Source
COB LED + RED LED

Battery Type
3AAA Battery&3.7V 1000mAh Li-ion Battery

Lumens
500lm

Size
114(L)x44(W)x18(H)mm

Run Time
2.5h

Material
Aluminium+Plastic



MH006701 Hybrid Power RESPONSE

LED Source
5PCS LED+2PCS SMD LED

Battery Type
3AAA Battery&3.7V 1000mAh Li-ion Battery

Lumens
600lm

Distance
85M

Run Time
3h

Size
65(L)x30(W)x40(H)mm



MH006601 Hybrid Power RESPONSE

LED Source
3PCS LED+2PCS SMD LED

Battery Type
3AAA Battery&3.7V 1000mAh Li-ion Battery

Lumens
340lm

Distance
80M

Run Time
3h

Size
65(L)x30(W)x40(H)mm



MH007101 Hybrid Power RESPONSE

LED Source
2PCS LED+1 PC RED SMD LED

Battery Type
3AA Battery&3.7V 1100mAh Li-ion Battery

Lumens
400lm

Distance
90M

Run Time
3h

Size
117(L)x50(W)x29(H)mm





MH022701 Hybrid Power RESPONSE

LED Source
CREE +Luminus LED 2pcs Red SMD

Battery Type
3.7V 1000mAh Li-ion Battery or 3AAA Battery

Luemens
500lm

Run Time
2h

Material
ABS+PC

Size
60(L)x45(W)x41(H)mm



MH022801 Hybrid Power RESPONSE

LED Source
COB LED+Luminus LED

Battery Type
3.7V 1000mAh Li-ion Battery or 3AAA Battery

Luemens
500lm

Run Time
3h

Material
ABS+PC

Size
60(L)x45(W)x46(H)mm



MH015901

LED Source
2PCS LED+RED SMD LED


Battery Type
3.7V 500mAh Li-ion Battery

Luemens
250lm

Run Time
2.5h

Distance
50M

Size
50(L)x28(H)x30(W)mm



KH000901 IPX4 1M SHOCKPROOF

LED Source
1PC OSRAM LED

Battery Type
3.7V 600mAh Li-ion Battery

Luemens
300lm

Run Time
1h

Distance
30M

Size
40(L)x30(W)x40(H)mm



KH000811 IPX4 1M SHOCKPROOF

LED Source
1PC OSRAM +1PC RED SMD LED

Battery Type
1AA Battery

Luemens
100lm

Run Time
1h

Distance
160M

Size
64(L)x34(W)x40(H)mm



KH000911 IPX4 1M SHOCKPROOF

LED Source
OSRAM P8 LED+SMD LED

Battery Type
2AAA Battery

Luemens
200lm

Run Time
2h

Distance
160M

Size
64(L)x34(W)x40(H)mm



KH000901 IPX4 1M SHOCKPROOF

LED Source
3W COB LED+RED COB LED

Battery Type
3.7V 400mAh Li-ion Battery

Luemens
150lm

Run Time
1h

Distance
10M

Size
64(L)x30(W)x29(H)mm





5 Lighting Modes



MH001001 RESPONSE 1M SHOCKPROOF

LED Source
5W COB LED+TPC LED


Luemens
350lm

Run Time
2h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
45M

Size
260(L)X35(W)X20(W)mm



Full visual humanized design

A wave induction - side wave induction switch, in line with the outdoor work easy behavior, does not need too obvious movement.

B long range lighting - in addition to large-scale lighting, it also has long-distance lighting.

C safety lighting - outdoor work should ensure the safety of your life, illuminate yourself and the ground to avoid accidental injury.

D wide range light - 270 degrees wide range front floodlight, let your front not dead angle.



MH017701 RESPONSE

LED Source
2PCS 3W LED+SMD LED

Luemens
400lm

Run Time
3h

Battery Type
3.7V 1000mAh Li-ion Battery

Distance
40M

Size
51(L)x51(H)x30(H)mm



MH017801 RESPONSE

LED Source
2PCS 3W LED+SMD LED

Luemens
700lm

Run Time
3h

Battery Type
3.7V 1000mAh Li-ion Battery

Distance
50M

Size
55(L)x52(H)x37(H)mm



MH014101 RESPONSE

LED Source
2PCS 3W LED+SMD LED

Luemens
900lm

Run Time
3h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
50M

Size
55(L)x55(H)x40(H)mm





MH020701 IPX4 1M SHOCKPROOF

LED Source
2PCS 10W LED

Luemens
1000lm

Run Time
3h

Battery Type
3.7V 2000mAh Li-ion Battery

Distance
50M

Size
95(L)x50(W)x27(H)mm



MH020801 IPX4 1M SHOCKPROOF

LED Source
2PCS 10W LED

Luemens
1000lm

Run Time
3h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
50M

Size
86(L)x30(W)x30(H)mm



MH021801 IPX4 1M SHOCKPROOF

LED Source
1PC OSRAM LED

Luemens
900lm

Run Time
4h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
135M

Size
82(L)x44(W)x33(H)mm



MH06001 IPX4 1M SHOCKPROOF

LED Source
2PCS CREE LED

Luemens
1000lm

Material
Aluminium

Battery Type
3.7V 2000mAh Li-ion Battery

Size
95(L)x70(W)x50(H)mm



MH013701 IPX4 1M SHOCKPROOF

LED Source
CREE LED+5W COB LED

Luemens
400lm

Run Time
3h

Battery Type
3.7V 2000mAh Li-ion Battery

Distance
110M

Size
90(L)x50(W)x90(H)mm



MH008601 RESPONSE

LED Source
1PC OSRAM P8 LED

Luemens
550lm

Run Time
2h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
40M

Size
65(L)x50(W)x40(H)mm



MH021701 IPX6 RESPONSE

LED Source
1PC LED+1PC COB LED

Luemens
1200lm

Run Time
3h

Battery Type
3.7V 2000mAh Li-ion Battery

Distance
100M

Size
90(L)x50(W)x49(H)mm



MH014801 RESPONSE

LED Source
3W LED+1W COB LED+RED SMD LED

Luemens
250lm

Run Time
6h

Battery Type
3.7V 1800mAh Li-ion Battery

Distance
90M

Size
65(L)x45(W)x40(H)mm



MH007901 IPX4 1M SHOCKPROOF

LED Source
1PC COB LED+3W LED

Luemens
500lm

Run Time
2h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
80M

Size
70(L)x45(W)x35(H)mm



MH008001 IPX4 1M SHOCKPROOF

LED Source
5W COB LED

Luemens
500lm

Run Time
2h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
30M

Size
70(L)x45(W)x35(H)mm





IGN
HEADLIGHT
WORKINGLIGHT
FLASHLIGHT
LANTERN

MH013201 RESPONSE

LED Source
5W LED+5W COB LED+RED COB LED

Luemens
400lm

Run Time
2.5h

Battery Type
3AAA Battery

Size
65(L)x40(W)x50(H)mm



MH013301 RESPONSE

LED Source
2PCS LED

Luemens
400lm

Run Time
3.5h

Battery Type
3AAA Battery

Distance
80M

Size
65(L)x40(W)x50(H)mm



MH021901 IPX4 1M SHOCKPROOF

LED Source
3W COB LED+2PCS RED SMD LED
+2PCS BLUE SMD LED

Luemens
250lm

Run Time
3h

Battery Type
3.7V 500mAh Li-ion Battery

Distance
20M

Size
52(L)x52(W)x30(H)mm



MH022201 IPX4 1M SHOCKPROOF

LED Source
3W COB LED+2PCS RED SMD LED
+2PCS BLUE SMD LED

Luemens
250lm

Run Time
3h

Battery Type
3.7V 500mAh Li-ion Battery

Distance
15M

Size
50(L)x50(W)x35(H)mm



MH022101 IPX4 1M SHOCKPROOF

LED Source
1PC LED+9PCS SMD LED+2PCS RED
SMD LED+2PCS BLUE SMD LED

Luemens
100lm

Run Time
4h

Battery Type
3.7V 500mAh Li-ion Battery

Distance
100M

Size
52(L)x52(W)x30(H)mm



MH022401 IPX4 1M SHOCKPROOF

LED Source
1PC LED+6PCS SMD LED+2PCS RED
SMD LED+2PCS BLUE SMD LED

Luemens
100lm

Run Time
4h

Battery Type
3.7V 500mAh Li-ion Battery

Distance
100M

Size
50(L)x50(W)x35(H)mm





WORKLIGHT

TYPE-C INPUT&OUTPUT
1000LM

180 DEGREE ROTATION

KW000611

LED Source
3W COB LED+1PC purple COB LED

Luemens
300lm

Run Time
5h

Battery Type
3AAA Battery

Distance
50M

Size
125(L)x50(W)x23(H)mm

Material
Aluminium

3AAA | PURPLE COB | HANDHELD | WORKING LIGHT



MULTIFUNCTIONAL

USING DIFFERENT SCENARIOS
180 DEGREE ROTATION

IPX4  1M SHOCKPROOF



DUAL LIGHT SOURCE

WORKLIGHT

Make it easy to work in the dark
This is a multifunctional lamp which is a good partner in your work and a good helper in your daily life.

1000 LUMENS



KW000501

LED Source
2PCS COB LED+1PC LED

Luemens
1000lm

Run Time
4h

Battery Type
3.7V 4000mAh Li-ion Battery

Size
45(L)x53(W)x212(H)mm

Material
Nylon



MULTIFUNCTIONAL

USING DIFFERENT SCENARIOS





WORKINGLIGHT

MW020201

LED Source
COB LED

Luemens
500lm

Material
ABS

Battery Type
3.7V 4000mAh Li-ion Battery

Size
122(L)x99(W)x205(H)mm



·TYPE-C Input ·Magnet ·Clip ·Fan ·Rotatable

MW018201

LED Source
COB LED

Luemens
2000lm

Material
ABS

Battery Type
3.7V 4500mAh Li-ion Battery

Size
122(L)x99(W)x205(H)mm



·TYPE-C Input ·Magnet ·Clip ·Rotatable

MW030602

LED Source
20W COB LED

Luemens
1500lm

Material
Plastic+PC

Battery Type
3.7V 4000mAh Li-ion Battery

Size
234(L)x145(W)x95(H)mm



·TYPE-C Input ·USB Output ·Magnet ·Clip ·Rotatable

MW027901

LED Source
SMD LED

Luemens
2000lm

Material
ABS

Battery Type
3.7V 6000mAh Li-ion Battery

Size
210(L)x170(W)x26(H)mm

Run Time
4h



·TYPE-C Input ·USB Output ·Magnet ·Hook
·Battery Indicator ·Rotatable



MW028001

LED Source
SMD LED

Luemens
70lm

Battery Type
3.7V 3600mAh Li-ion Battery

Size
172(L)x235(W)x69(H)mm

Material
ABS + PS

Run Time
4h

·TYPE-C Input
·USB Output
·Magnet
·Hook
·Battery Indicator
·Rotatable



MW020101

LED Source
5W COB LED

Luemens
500lm

Material
Plastic+ABS+Aluminum

Battery Type
3.7V 1200mAh Li-ion

Size
90(L)x85(W)x37(H)mm



·TYPE-C Input ·Magnet ·Rotatable

MW020501

LED Source
COB LED+LED

Luemens
1000lm

Material
Plastic+TPR

Battery Type
3.7V 4400mAh Li-ion

Size
100(L)x165(W)x56(H)mm



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW030201

LED Source
10W COB LED

Luemens
1000lm

Run Time
2h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
40M

Size
100(L)x45(W)x100(H)mm

Material
Plastic+Aluminium



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator

MW030301

LED Source
28PCS SMD LED

Luemens
2000lm

Run Time
2h

Battery Type
3.7V 4000mAh Li-ion Battery

Distance
80M

Size
116(L)x116(W)x45(H)mm

Material
Plastic+Aluminium



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW000301 1M SHOCKPROOF

LED Source
10W COB LED

Luemens
500lm

Material
Plastic

Battery Type
3.7V 500mAh Li-ion Battery

Size
61(L)x33(W)x16(H)mm

Run Time
1h



MW031601

LED Source
5W COB LED+5W Warm COB LED
+Red COB LED+5W LED

Luemens
900lm

Material
Plastic+PA+Aluminum

Battery Type
3.7V 2000mAh Li-ion

Size
117(L)x51(W)x43(H)mm



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW031901

LED Source
10W COB LED+5W Warm COB LED
+Red COB LED+1PC LED

Luemens
1500lm

Battery Type
3.7V 1200mAh Li-ion

Size
112(L)x105(W)x44(H)mm

Material
Plastic+PA+Aluminum



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW031801

LED Source
20W COB LED+Red COB LED
+Blue COB LED

Luemens
2000lm

Battery Type
3.7V 4000mAh Li-ion

Size
112(L)x105(W)x44(H)mm

Material
Plastic+PA+Aluminum



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW000601

LED Source
10W COB LED+5W LED

Luemens
1000lm

Run Time
6h

Battery Type
3.7V 4000mAh Li-ion Battery

Distance
80M

Size
105(L)x85(W)x40(H)mm

Material
Plastic



·TYPE-C Input ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW001701

LED Source
2PCS COB LED

Luemens
1200lm

Run Time
2.5h

Battery Type
3.7V 2000mAh Li-ion Battery

Distance
40M

Size
106(L)x95(W)x42(H)mm

Material
Plastic



·TYPE-C Input ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW032001

LED Source
10W COB LED

Luemens
1000lm

Run Time
1h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
40M

Size
149(L)x106(W)x39(H)mm

Material
Aluminium+Plastic



·TYPE-C Input ·USB Output ·Magnet ·Rotatable ·Battery Indicator



MW011801

LED Source
2pcs COB LED

Luemens
350lm

Battery Type
3AAA Battery

Size
40(L)x17(W)x167(H)mm

Material
Plastic

·Hook



MW013301

LED Source
5W COB LED+1W LED

Luemens
350lm

Run Time
11h

Battery Type
3AA Battery

Distance
30M

Size
50(L)x35(W)x195(H)mm

Material
Plastic

1M SHOCKPROOF



MW013401

LED Source
5W COB LED+3W LED

Luemens
350lm

Run Time
4.5h

Battery Type
3.7V 2000mAh Li-ion Battery

Distance
30M

Size
54(L)x35(W)x166(H)mm

Material
Plastic

1M SHOCKPROOF



MW010201

LED Source
2PCS LED

Luemens
500lm

Run Time
2.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
120M

Size
195(L)x50(L)x45(W)mm

Material
Plastic+Rubber



MW030401

LED Source
1PC LED

Luemens
920lm

Run Time
2.5h

Battery Type
3.7V 2600mAh Li-ion Battery

Distance
120M

Size
60(L)x31(W)x190(h)mm

Material
ABS



MW030501

LED Source
1PC LED+COB LED+Laser

Luemens
280lm

Run Time
2.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
50M

Size
30(L)x21(W)x195(h)mm

Material
Aluminium+PC

·TYPE-C Input ·Magnet ·Clip



MW030501

LED Source
1PC LED+COB LED+Laser

Luemens
280lm

Run Time
2.5h


Battery Type
3.7V 1200mAh Li-ion Battery

Distance
50M

Size
30(L)x21(W)x195(h)mm

Material
Aluminium+PC

·TYPE-C Input ·Magnet ·Clip



MW015701

LED Source
5W LED+ COB LED

Luemens
420lm

Run Time
1.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
35M

Size
195(L)x56.5(W)x34.5(H)mm

Material
Plastic



MW031901

LED Source
5W COB LED+3W LED

Luemens
500lm

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
80M

Size
44(L)x53(W)x165(H)mm

Material
Plastic

·TYPE-C Input
·Magnet
·Rotatable
·Battery Indicator



MW019201

LED Source
5W COB LED+3W LED

Luemens
500lm

Run Time
5h

Battery Type
3.7V 1800mAh Li-ion Battery

Distance
40M

Size
174(L)x61(W)x38(H)mm

Material
Plastic



MW019201

LED Source
10W COB LED+3W LED

Luemens
1000lm

Run Time
4.5h

Battery Type
3.7V 4400mAh Li-ion Battery

Distance
40M

Size
210(L)x55(W)x40(H)mm

Material
Plastic



MW031301

LED Source
3W LED+5W COB LED

Luemens
300lm

Material
Plastic+TPR+Aluminum

Battery Type
3.7V 2000mAh Li-ion

Size
150(L)x38(W)x30(H)mm



Battery Removable

MW031201

LED Source
5W COB LED+2PCS 3W LED

Luemens
300lm

Material
Plastic+TPR+Aluminum

Battery Type
3.7V 2000mAh Li-ion

Size
150(L)x48(W)x39(H)mm



Battery Removable

MW006201

LED Source
20W LED+5W COB LED

Luemens
1300lm

Material
Plastic

Battery Type
3.7V 4400mAh Li-ion Battery

Size
145(L)x170(W)x85(H)mm

Run Time
1h



MW006701

LED Source
10W LED

Luemens
1000lm

Material
Plastic

Battery Type
3.7V 4400mAh Li-ion Battery

Size
150(L)x160(W)x80(H)mm

Run Time
6h



MW030001 Hybrid Power

LED Source
1PC OSRAM LED+SMD LED

Luemens
1000lm

Material
Plastic+PA+TPR

Battery Type
3.7V 2200mAh Li-ion Battery or 6AA Battery

Size
165(L)x170(W)x90(H)mm

Run Time
3h





WORKINGLIGHT

MW032001



LED Source
2PCS 5W COB LED

Luemens
500lm

Material
Plastic

Battery Type
3.7V 2000mAh Li-ion Battery

Size
696(L)x50(W)x50(H)mm



MW032101

LED Source
SMD LED

Luemens
1000lm

Material
Plastic+ABS

Battery Type
3.7V 4400mAh Li-ion Battery

Size
125(L)x56(W)x177(H)mm





SPORT LIGHT



SAFETY LIGHT



KF901001

LED SOURCE
35MD LED+3RED SMD LED

LUEMENS
30lm

RUN TIME
4h

BATTERY TYPE
3.7V 200mAh Li-ion Battery

DISTANCE
20M

SIZE
135(L)x45(W)x16(H)mm

IPX4 1M SHOCKPROOF



KF900301

LED SOURCE
RGBW LED

LUEMENS
4lm

RUN TIME
20h

BATTERY TYPE
3.7V 200mAh Li-ion Battery

DISTANCE
100M

SIZE
40(L)x40(W)x17+14+17(H)mm

Material
Plastic

IPX4 1M SHOCKPROOF



SPORTS WARNING LIGHT

KF900401

LED SOURCE
4 PCS WHITE LED+2PCS RED LED

LUEMENS
25lm

RUN TIME
1.5h

BATTERY TYPE
2PCS CR2032 Battery

DISTANCE
15M

SIZE
49.5(L)x46(W)x21.5(H)mm

Material
Plastic


IPX4 1M SHOCKPROOF




Eco-friendly packaging



4PCS MAGNETS



LINE DRAWING



NITRO SERIES

NEVER GO BACK TO THE DARKNESS

ILLUMINATING LIFE


Brightness & Multi-functional & Compact & Popular
Perfect for pocket carry.

1200LM \ IPX4 \ 1M Drop \ TYPE-C \ LCD Display

AN EDC LIGHT \ WORKING LIGHT \ HEADLAMP \ POCKET LIGHT



EXPLODED VIEW



KF000201 IPX4 1M SHOCKPROOF

LED Source
2PCS CREE LED

Luemens
1200lm

Battery Type
3.7V 1500mAh Li-ion Battery

Size
118(L)X31(W)X18(H)mm

Material
Plastic+Aluminium



PEN-SIZED FLASHLIGHT

IPX4 1M SHOCKPROOF

9M Anti-Drop Flashlight



KF000601

LED SOURCE
1PC LED

LUEMENS
150lm

RUN TIME
1h

BATTERY TYPE
2AAA Battery

DISTANCE
50M

SIZE
140(L)x15(D)mm

Material
Aluminium



KF000701

LED SOURCE
1PC LED

LUEMENS
120lm

RUN TIME
1h

BATTERY TYPE
2AAA Battery

DISTANCE
50M

SIZE
129.5(L)x15(D)mm

Material
Aluminium



KF900121

LED SOURCE
1PC OSRAM LED+2PCS SMD LED

LUEMENS
700lm

RUN TIME
5h

BATTERY TYPE
3.7V 2000mAh Li-ion Battery&4AAA Battery

DISTANCE
100M

SIZE
162(L)x48(D)x39(d)mm

Material
Nylon

IPX4 9M SHOCKPROOF



KF900221

LED SOURCE
3PCS OSRAM LED

LUEMENS
1200lm

RUN TIME
8h

BATTERY TYPE
3.7V 4000mAh Li-ion Battery&6AA Battery

DISTANCE
200M

SIZE
229(L)x60(D)x48.5(d)mm

Material
Nylon

IPX4 9M SHOCKPROOF



KF900121

LED SOURCE
1PC OSRAM LED+2PCS SMD LED

LUEMENS
700lm

RUN TIME
5h

BATTERY TYPE
3.7V 2000mAh Li-ion Battery&4AAA Battery

DISTANCE
100M

SIZE
181(L)x46(D)x34(d)mm

Material
Aluminium

IPX4 3M SHOCKPROOF



KF004221

LED SOURCE
3PCS OSRAM LED

LUEMENS
1200lm

RUN TIME
8h

BATTERY TYPE
3.7V 4000mAh Li-ion Battery&6AA Battery

DISTANCE
200M

SIZE
229(L)x60(D)x48.5(d)mm

Material
Aluminium

IPX4 3M SHOCKPROOF



MEEKO DESIGN DRY BATTERY FLASHLIGHT

KF003211

LED Source
COB LED

Luemens
2000 lm

Battery Type
6AA Battery

SIZE
48(D)x200(H)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF003011

LED Source
CREE LED

Luemens
800lm

Battery Type
4AAA Battery

SIZE
38(D)x128(H)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF002811

LED Source
P8 LED

Luemens
400lm

Battery Type
3AAA Battery

SIZE
33(D)x127(H)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF003111

LED Source
CREE LED

Luemens
1200lm

Battery Type
4AA Battery

SIZE
44(D)x172(H)mm

Material
Aluminium


IPX4 1M SHOCKPROOF



Flood



Spot



KF005421

Hybrid Power Flashlight

LED SOURCE
1PC COB LED

LUEMENS
2500lm

BATTERY TYPE
3.7V 2500mAh Li-ion Battery&4AAA Battery

SIZE
180(L)x45(D)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF005521

Hybrid Power Flashlight

LED SOURCE
1PC COB LED

LUEMENS
3000lm

BATTERY TYPE
3.7V 4000mAh Li-ion Battery&6AA Battery

SIZE
223(L)x52(D)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF004501

TYPE-C Input

LED SOURCE
CREE LED

LUEMENS
650lm

BATTERY TYPE
3.7V 2200mAh Li-ion Battery

SIZE
157(L)x37(D)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF004601

TYPE-C Input

LED SOURCE
CREE LED

LUEMENS
900lm

BATTERY TYPE
3.7V 4000mAh Li-ion Battery

SIZE
165(L)x41(D)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF004811

LED SOURCE
CREE LED

LUEMENS
150lm

BATTERY TYPE
AA Battery

SIZE
76(L)x34(D)mm

Material
Aluminium



KS902101

LED SOURCE
CREE LED

LUEMENS
500lm

RUN TIME
5h

BATTERY TYPE
3AAA Battery

DISTANCE
150M

SIZE
146mm



KS902201

LED SOURCE
CREE LED

LUEMENS
500lm

RUN TIME
5h

BATTERY TYPE
2AA Battery

DISTANCE
100M

SIZE
163.5mm



KS902501

LED SOURCE
CREE LED

LUEMENS
500lm

RUN TIME
8h

BATTERY TYPE
3.7V 2600mAh Li-ion Battery

DISTANCE
600M

SIZE
165.5mm



KS902601

LED SOURCE
CREE LED

LUEMENS
1800lm

RUN TIME
5h


BATTERY TYPE
3.7V 4000mAh Li-ion Battery

DISTANCE
700M

SIZE
168.5mm



Adjustable Convex Lens
Bulls-eye Spot Beam&Ultra View Flood Beam
Rubber Non-slip Grip Design For Manipulating Ease And Comfort G
Aluminum Lamp Body Provides Excellent Fall Crush,And Impact Res



KF004701


LED SOURCE
7PCS LED + 1PC COB LED

LUEMENS
4000lm

BATTERY TYPE
3.7V 4000mAh Li-ion Battery

SIZE
153(L)x54(D)mm

Material
Aluminium



MF002501

LED SOURCE
CREE LED

LUEMENS
2000lm

RUN TIME
2h

BATTERY TYPE
7.4V 5000mAh Li-ion Battery

SIZE
30(D)x25(d)x145(H)mm

Material
Aluminium

 1M SHOCKPROOF



MF012101

LED SOURCE
CREE LED

LUEMENS
600lm

RUN TIME
6h

BATTERY TYPE
7.4V 2600mAh Li-ion Battery

SIZE
40(D)x27(d)x157.5(H)mm

Material
Aluminium

 1M SHOCKPROOF



MF010601

LED SOURCE
LED

LUEMENS
1000lm

RUN TIME
1h

BATTERY TYPE
3.7V 2200mAh Li-ion Battery

SIZE
36.5(D)x29.5(d)x160(H)mm

Material
Aluminium



MF010701

LED SOURCE
CREE LED

LUEMENS
2000lm

RUN TIME
2h

BATTERY TYPE
3.7V 4400mAh Li-ion Battery

SIZE
51(D)x36.5(d)x165(H)mm

Material
Aluminium



MF010801

LED SOURCE
CREE LED

LUEMENS
3000lm

RUN TIME
3.5h

BATTERY TYPE
3.7V 8800mAh Li-ion Battery

SIZE
51(D)x36.5(d)x235(H)mm


Material
Aluminium



Flood



Spot



MF015001

LED Source
China P50

Luemens
2000 lm

Run Time
2h

Battery Type
7.4V 2000mAh Li-ion Battery

Distance
100M

Material
Aluminium



MF015101

LED Source
COB-50W

Luemens
5000 lm

Run Time
1.2h

Battery Type
7.4V 2500mAh Li-ion Battery

Distance
100M

Size
54(D)x30(d)x265.5(H)mm

Material
Aluminium

5000lm



MF016601

LED Source
COB-80W

Luemens
8000 lm

Run Time
1h

Battery Type
7.4V 2600mAh Li-ion Battery

Distance
100M

Size
54(D)x30(d)x265.5(H)mm

Material
Aluminium

8000lm



MF015201

LED Source
COB-100W

Luemens
10000 lm

Run Time
2.5h

Battery Type
7.4V 4000mAh Li-ion Battery

Distance
100M

Size
58(D)x33(d)x267(H)mm

Material
Aluminium

10000lm



MF015301

LED Source
COB-150W

Luemens
15000 lm

Run Time
2h

Battery Type
7.4V 5000mAh Li-ion Battery

Distance
100M

Size
58(D)x33(d)x267(H)mm

Material
Aluminium


15000lm



Flood



Spot





MF008201

LED Source
CREE LED

Luemens
450 lm

Battery Type
3.7V 750mAh Li-ion Battery

SIZE
148(L)x21(D)x18(d)mm

Material
Aluminium



MF008301

LED Source
20W LED

Luemens
2000 lm

Battery Type
7.4V 2000mAh Li-ion Battery

SIZE
166(L)x36(D)x28(d)mm

Material
Aluminium



MF004401

LED SOURCE
5W LED

LUEMENS
350lm

RUN TIME
3.5h

BATTERY TYPE
3.7V 650mAh Li-ion Battery

DISTANCE
160M

SIZE
90(L)x20(D)mm

Material
Aluminium



MF004501

LED SOURCE
20W LED

LUEMENS
1600lm

RUN TIME
1h

BATTERY TYPE
3.7V 2000mAh Li-ion Battery

DISTANCE
200M

SIZE
150(L)x35(W)x25(H)mm

Material
Aluminium



MF004601

LED SOURCE
30W LED

LUEMENS
3000lm

RUN TIME
2.5h

BATTERY TYPE
3.7V 4500mAh Li-ion Battery

DISTANCE
260M

SIZE
175(L)x45(W)x35(H)mm

Material
Aluminium



MF008401

LED Source
20W LED+8W COB LED+RED COB LED

Luemens
2000 lm

Battery Type
3.7V 2000mAh Li-ion Battery

SIZE
182(L)x45(D)x40(d)mm

Material
Aluminium



MF003301

LED Source
2PCS OSRAM P8 LED+5W COB LED+RED COB LED

Luemens
950 lm

Run Time
2.5h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
200M

Size
125(L)x50(W)x21(H)mm

Material
Aluminium



MF004201

LED Source
1PC OSRAM LED+5W COB LED+RED COB LED

Luemens
600 lm

Run Time
2h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
170M

Size
125(L)x25(W)x25(H)mm

Material
Aluminium



MF024601

LED Source
1PC LED+12PCS SMD LED

Luemens
1200 lm

Run Time
1.5h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
600M

Size
47(D)x38(d)x174(h)mm

Material
Aluminium



MF017601

LED Source
3PCS LED


Luemens
2500 lm

Battery Type
3.7V 2600mAh Li-ion Battery

Size
27(d)x36(D)x150(L)mm

Material
Aluminium





White laser flashlight

MF024901

White laser flashlight

LED Source
10W LED

Luemens
650 lm

Run Time
4h

Battery Type
3.7V 3000mAh Li-ion Battery (26650)
or 3AAA Battery

Distance
420M

Size
42(D)x33(d)x165(H)mm

Material
Aluminium



MF022701

LED Source
6PCS LED + COB

Luemens
4000 lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
153(L)x54(W)x32(H)mm

Material
Aluminium



MF025301

LED Source
6PCS CREE LED + 1PC LED+COB LED

Luemens
1000 lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
153(L)x54(W)x32(H)mm

Material
Aluminium



MF004001

LED Source
1PC White Laser LED+5W COB LED

Luemens
1000 lm

Run Time
3h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
600M

Size
175(L)x40(W)x25(H)mm

Material
Aluminium



MF024801

White laser flashlight
LCD DISPLAY

LED Source
10W LED

Luemens
700 lm

Run Time
4h

Battery Type
3.7V 3000mAh Li-ion Battery (26650)
or 3AAA Battery

Distance
450M

Size
50(D)x32(d)x175(H)mm

Material
Aluminium



MF025701

LED Source
1PC LED

Luemens
300 lm

Run Time
3h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
100M

Size
26(D)x127(h)mm

Material
Aluminium



MF024601

LED Source
CREE LED

Luemens
600 lm

Battery Type
3.7V 2200mAh Li-ion Battery

Size
34(L)x30(W)x173(H)mm

Material
Aluminium



MF003901

LED Source
1PC White Laser LED

Luemens
1000 lm

Run Time
2h

Battery Type
3.7V 4000mAh Li-ion Battery

Distance
800M

Size
195(L)x50(W)x35(H)mm

Material
Aluminium





MF911401

LED Source
2PCS LED

Luemens
300 lm

Run Time
1.5h

Battery Type
3.7V 350mAh Li-ion Battery

Distance
35M

Size
67(L)x30(W)x17(H)mm

Material
Aluminium+ABS



MF019201

LED Source
3PCS LED

Luemens
800 lm

Battery Type
3.7V 900mAh Li-ion Battery

Size
75(L)x25(D)x25(d)mm

Material
Aluminium



MF015801

LED Source
3PCS LED

Luemens
400 lm

Battery Type
3.7V 1200mAh Li-ion Battery

Size
29(L)x27(W)x80(H)mm

Material
Aluminium



MF017101

LED SOURCE
5W LED

LUEMENS
350lm

RUN TIME
2.5h

BATTERY TYPE
3.7V 1500mAh Li-ion Battery

SIZE
32(D)x25(d)x125(H)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



MF023101

LED Source
Osram P8 LED

Luemens
400 lm

Run Time
3h

Battery Type
3.7V 1500mAh Li-ion Battery

Distance
150M

Size
30(D)x25(d)x130(H)mm

Material
Aluminium



MF019301

LED Source
7PCS LED

Luemens
2000 lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
133(L)x40.5(D)mm

Material
Aluminium



KF005111

IPX4 1M SHOCKPROOF

LED SOURCE
1PC LED

LUEMENS
80lm

BATTERY TYPE
1AAA Battery

SIZE
100(L)x20(D)x15(d)mm

Material
Aluminium



KF005211

IPX4 1M SHOCKPROOF

LED SOURCE
1PC OSRAM P8 LED

LUEMENS
150lm

BATTERY TYPE
2AAA Battery

SIZE
150(L)x20(D)x15(d)mm

Material
Aluminium



KF005301

IPX4 1M SHOCKPROOF

LED SOURCE
1PC OSRAM P8 LED

LUEMENS
400lm

BATTERY TYPE
3.7V 700mAh Li-ion Battery

SIZE
150(L)x20(D)x15(d)mm

Material
Aluminium



MF018901

IPX4 1M SHOCKPROOF

LED SOURCE
1PC UV LED

LUEMENS
370nm-375nm

RUN TIME
1h

BATTERY TYPE
2AAA Battery

DISTANCE
35M

SIZE
150(L)x20(D)x15(d)mm

Material
Aluminium





KL000211

LED Source
1PC SMD LED + 1PC Red SMD LED

Luemens
100lm

Material
Plastic

Battery Type
3AAA Battery

Size
49(H)x68(D)mm



ML007601

LED Source
XTE+ SMD LED +10M RGB LIGHTS STRING

Luemens
250lm

Battery Type
3.7V 2000mAh Li-ion Battery

Size
108(D)x37(H)mm

Run Time
3h

Material
ABS + PC



ML019201

LED Source
RGB LED+SMD LED+LED

Luemens
220lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
105(D)x230(H)mm

Material
PC+ABS



ML020001

LED Source
65PCS SMD LED+XTE LED

Luemens
220lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
128(L)x121(W)x86(H)mm

Material
ABS



ML001101

LED Source
3PCS COB LED+9PCS SMD LED

Luemens
200lm

Run Time
3.5h

Battery Type
3.7V 3000mAh Li-ion Battery

Distance
10M

Size
180(L)x110(W)x110(H)mm



ML025201

LED Source
3W LED+SMD LED

Luemens
200lm

Battery Type
3.7V 1200mAh Li-ion Battery

Size
48(L)x48(W)x173(H)mm

Material
Plastic



ML026001

LED Source
3W LED+ 40PCS SMD

Luemens
300lm

Run Time
5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
10M

Size
39(L)x39(W)x190(H)mm



ML012501

LED Source
SMD LED+WARM SMD LED+CREE LED

Luemens
280lm

Run Time
3h

Battery Type
3.7V 1800mAh Li-ion Battery

Distance
30M

Size
90(W)x120(H)mm



ML025301

LED Source
3W LED+SMD LED

Luemens
300lm

Battery Type
3.7V 2000mAh Li-ion Battery

Size
70(L)x70(W)x120(H)mm

Material
Plastic



ML010501

LED Source
5W LED+60PCS SMD LED+60PCS WARM SMD LED+32PCS RED SMD LED

Luemens
900lm

Run Time
2.5h

Battery Type
3.7V 4400mAh Li-ion Battery

Distance
30M

Size
210(L)x60(W)x60(H)mm



ML005501

LED Source
1W COB LED

Luemens
120lm

Battery Type
3.7V 800mAh Li-ion Battery

Size
95(L)x35(D)mm

Material
Plastic



ML001601

LED Source
6PCS Warm SMD LED+6PCS SMD LED

Luemens
350lm

Run Time
4.5h

Battery Type
3.7V 2000mAh Li-ion Battery

Distance
30M

Size
105(L)x105(W)x117(H)mm



ML001401

LED Source
3W COB LED+WARM COB LED+3W LED

Luemens
230lm

Battery Type
3.7V 1500mAh Li-ion Battery

Size
115(L)x61(D)x57(d)mm

Material
Plastic



ML028301

LED Source
1W LED+8PCS White SMD LED
+4PCS Warm SMD LED

Luemens
80lm

Battery Type
3AAA Battery

Size
160(L)x45(D)mm

Material
Plastic



ML018801

LED Source
3W COB LED

Luemens
400lm

Run Time
3h

Battery Type
3AA Battery

Distance
40M

Size
130(L)x85(D)mm



ML018101

LED Source
3W COB LED+9PCS SMD LED

Luemens
200lm

Run Time
1.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
15M

Size
120(L)x100(W)x100(H)mm



ML026301

LED Source
18PCS LED

Luemens
280lm

Run Time
10h

Battery Type
3.7V 4000mAh Li-ion Battery

Size
240(L)x118(W)x52(H)mm



ML002201

LED Source
2PCS COB LED

Luemens
400lm

Battery Type
3.7V 1200mAh Li-ion Battery

Size
140(L)x85(W)x85(H)mm

Material
Plastic



ML019101

LED Source
COB LED

Luemens
3000lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
108(L)x108(W)x228.6(H)mm

Material
Plastic



OUTDOOR AMBIENT CAMP LIGHT

- Infinitely dimmable
- Solar charging
- Type-C Charging
- Tricolour light source



ML000501

LED Source
18PCS WARM SMD+10PCS SMD LED

Luemens
100lm

Run Time
1.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
15M

Size
110(L)x110(L)x150(H)mm



ML000401

LED Source
18PCS WARM SMD+10PCS SMD LED

Luemens
100lm

Run Time
1.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
15M

Size
110(L)x110(L)x140(H)mm



ML003501

LED Source
3PCS COB LED

Luemens
200lm

Run Time
3.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
10M

Size
175(L)x105(W)x105(H)mm



USB output
Emergency power bank

ML018401

LED Source
SMD LED+WARM SMD LED+RED SMD LED

Luemens
1000lm

Run Time

Battery Type
3.7V 4400mAh Li-ion Battery

Distance
30M

Size
195(L)x105(W)x105(H)mm



ML028101

LED Source
1PC COB LED+1PC LED

Luemens
1000lm

Run Time
4h

Battery Type
3.7V 4000mAh Li-ion Battery

Distance
200M

Size
48(D)x203(H)mm



ML002601

LED Source
3PCS COB LED

Luemens
200lm

Run Time
2h

Battery Type
3.7V 2000mAh Li-ion Battery

Distance
10M

Size
100(L)x100(W)x175(H)mm

1M SHOCKPROOF





ML028101

LED Source
1PC COB LED+1PC LED

Lumens
1000lm

Run Time
4h

Battery Type
3.7V 4000mAh Li-ion Battery

Distance
200M

Size
48(D)x203(H)mm



ML028601

LED Source
1PC COB LED

Lumens
2000lm

Run Time
2.5h

Battery Type
3.7V 6000mAh Li-ion Battery

Size
137(D)x96(d)x686(H)-2500(H)mm

Material
Plastic+Aluminium



ML028501

LED Source
SMD LED+5W LED

Lumens
4000lm

Material
Plastic+PC+Aluminium

Battery Type
3.7V 9000mAh Li-ion Battery

Size
98(L)x98(W)x218(H)mm

Run Time
2h



ML028701

LED Source
150PCS SMD LED

Lumens
600lm

Battery Type
3.7V 3600mAh Li-ion Battery

Material
Plastic+Aluminium



ML028801

LED Source
1PC COB LED+RGB LED

Lumens
1000lm

Material
Plastic+PC+Aluminium

Battery Type
3.7V 6000mAh Li-ion Battery

Size
70(D)x308(H)-1135(H)mm

Run Time
5h

