

CATALOGUE

- 01 Work light
- 39 Spot light
- 49 Flashlight
- 55 Camping lantern
- 61 Headlamp



WORK LIGHT

Work Light

MX-G1001 Series



ITEM NO.								
MX-G1001	18W SMD	2000LM	18650 7.4V 6600mAh	2H	5H	180*180*980	> 75	IP44/IK06
MX-G1002	24W SMD	2800LM	18650 7.4V 10000mAh	4.5H	6.5-7H	180*180*1180	> 75	IP44/IK06
MX-G1005	36W SMD	5000LM	18650 14.8V 11000mAh	4.5H	7H	180*180*1450	> 75	IP44/IK06
MX-G1001AC	25W SMD	2000LM	AC110-240V	-	-	180*180*980	> 75	IP44/IK06
MX-G1002AC	35W SMD	2800LM	AC110-240V	-	-	180*180*1180	> 75	IP44/IK06
MX-G1005AC	88W SMD	8000LM	AC110-240V	-	-	180*180*1450	> 75	IP44/IK06

Work Light

MX-G1008/ 1009



ITEM NO.								
MX-G1008	20W COB	3000LM	18650 7.4V 4400mAh	1H	6H	130*125*730	> 75	IP54/IK06
MX-G1009	20W COB	2000LM	18650 7.4V 4400mAh	2H	6H	130*125*730	> 75	IP54/IK06

Work Light

MX-5085/-02



ITEM NO.								
MX-5085	124W SMD	8000LM	18650 7.4V 4400mAh	2.5H	5-6H	660*600*1620	> 75	IP65/IK08
MX-5085-02	124W SMD	7000LM	18650 7.4V 4400mAh	2.5H	5-6H	660*600*2080	> 75	IP65/IK08

Work Light

MX-G1010



ITEM NO.								
MX-G1010	35W SMD	SMD 3000LM COB 1000LM	18650 7.4V 4400mAh	SMD 3H COB 9H	6H	126*126*405	> 75	IP54/IK06

Work Light

MX-5103



ITEM NO.		LUMEN				Size:mm	CRI	IP/IK
MX-5103	44-52W SMD	3800LM	220-240VAC/50HZ	/	/	204*140*70	>80	IP54/IK08

Work Light

MX-5108



ITEM NO.		LUMEN				Size:mm	CRI	IP/IK
MX-5108	80W SMD	6000LM	21700 3.7V 2500mAh*2 3.7V 900mAh*2	2H	6-7H	180*233*271.5	>75	IP65/IK08

Work Light


MX-5073



ITEM NO.		LUMEN				Size:mm	CRI	IP/IK
MX-5073	20W COB	1500LM	18650 3.7V 4400mAh	3.5H	4-5H	202*144*346	> 75	IK08

Work Light

MX-5080



ITEM NO.		LUMEN				Size:mm	CRI	IP/IK
MX-5080	28W COB*2	5000LM	18650 14.8V 4400mAh	2H	6H	510*370*180	> 75	IK08

Work Light

MX-5075A/B



ITEM NO.								
MX-5075A	30W COB	3000LM	18650 7.4V 4400mAh	2H	6H	99*125*471	> 75	IK08
MX-5075B	20W COB	1500LM	18650 3.7V 4400mAh	5H	4-5H	79*102*350	> 75	IK08

Work Light

MX-5072A/B



ITEM NO.								
MX-5072A	20W COB	1500LM	18650 3.7V 4400mAh	2.5H	4H	150*363*144	> 75	IP65/IK08
MX-5072B	20W COB	1500LM	18650 3.7V 4400mAh	2.5H	4H	150*363*144	> 75	IP65/IK08

Work Light

MX-5059/5068 Series



ITEM NO.							CRI	IP/IK
MX-5059A	20W COB	1500LM	18650 3.7V 4400mAh	4H	7-8H	243*230*35	> 75	IP65/IK08
MX-5059C	20W COB	1500LM	18650 3.7V 4400mAh	3.5H	7-8H	243*230*35	> 75	IP65/IK08
MX-5068A	10W COB	800LM	18650 3.7V 2200mAh	2H	3.5H	215*180*35	> 75	IP65/IK08
MX-5068C	10W COB	800LM	4*AA	.	.	215*180*35	> 75	IP54/IK08

Work Light

MX-5069/5070 Series




ITEM NO.							CRI	IP/IK
MX-5069A	10W COB	800LM	18650 3.7V 2200mAh	2H	3.5H	220*150*100	> 75	IP65/IK08
MX-5070A	20W COB	1500LM	18650 3.7V 4400mAh	3.5H	7-8H	235*187*100	> 75	IP65/IK08
MX-5069B	10W SMD	800LM	18650 3.7V 2200mAh	2H	3.5H	220*150*100	> 75	IP65/IK08
MX-5070B	20W SMD	1500LM	18650 3.7V 4400mAh	3.5H	7-8H	235*187*100	> 75	IP54/IK08

Work Light

MX-5071A



MX-5071



ITEM NO.								
MX-5071A	10W COB	XPG 500LM COB 800LM	18650 3.7V 2200mAh	XPG 8H COB 6H	3-4H	78*101*45	> 75	IP65/IK08
MX-5071	10W COB	800LM	18650 3.7V 2200mAh	3H	3-4H	116*38*109	> 75	IP65/IK08

Work Light


MX-5116



ITEM NO.								
MX-5116	P50+SMD	3000LM+3000LM	18650 7.4V 4400mAh	2.5H	5H	163*126*228	> 75	IP54

Work Light

MX-5092



ITEM NO.	COB/SMD	LUMEN	BATTERY	RUN TIME	CHARGE TIME	DIMENSIONS (mm)	CRI	IP/K
MX-5092	10W COB 1W SMD	600LM	Li-polymer 3.7V 800mAh	2H 10H	3.5H	100*47*31.5	> 75	IP65/IK08

Work Light

MX-5065



ITEM NO.	COB/SMD	LUMEN	BATTERY	RUN TIME	CHARGE TIME	DIMENSIONS (mm)	CRI	IP/K
MX-5065	5W XPG	500LM	Li-polymer 3.7V 2000mAh	3H	3.5H	62*46*156	> 75	IK08

Work Light

MX-5086 / 5086-02



ITEM NO.								
MX-5086	20W COB	4000LM	18650 7.4V 4400mAh	5H	5.5H	250*133*133	> 75	IP54/IK06
MX-5086-02	20W COB	2000LM	18650 3.7V 4400mAh	2.5H	4.5H	250*133*133	> 75	IP54/IK06

Work Light

MX-5100



ITEM NO.								
MX-5100	15W COB	1000LM	18650 3.7V 2200mAh	3H	3.5H	175*106*118	>75	IP64/IK08

Work Light

MX-5097



ITEM NO.	Light Type	LUMEN	Battery	Runtime	Runtime	Size (mm)	CRI	IP/IK
MX-5097	COB	2000LM	Li-polymer 3.7V 5000mAh	3H	5H	38*161.6*126.5	> 75	IPX4/IK06

Work Light

MX-5115



ITEM NO.	Light Type	LUMEN	Battery	Runtime	Runtime	Size (mm)	CRI	IP/IK
MX-5115	15W SMD	1500LM	18650 3.7V 2000mAh	1.5H	3-3.5H	183*73*165	>75	IP64/IK08

Work Light

MX-5081A/B



ITEM NO.							CRI	IP/IK
MX-5081A	20W COB	2500LM	18650 3.7V 4400mAh	2.5H	4-5H	85*57*274	> 75	IP65/IK08
MX-5081B	20W COB	2100LM	18650 3.7V 4400mAh	2.5H	4-5H	85*57*274	> 75	IP65/IK08

Work Light

MX-5082A/B



ITEM NO.							CRI	IP/IK
MX-5082A	20W COB	2000LM	18650 3.7V 4400mAh	3H	4-5H	56*57*307	> 75	IP65/IK08
MX-5082B	20W COB 5W XPG	2000LM 500LM	18650 3.7V 4400mAh	2.5H 10H	4-5H	56*57*307	> 75	IP65/IK08

Work Light

MX-BD29/-02



ITEM NO.								
MX-BD29	SMD+XPG	1500LM 500LM	18650 3.7V 4400mAh	SMD 3H XPG 3H	4-5H	60*60*285	> 75	IP44/IK08
MX-BD29-02	SMD+XPG	2000LM 500LM	18650 3.7V 4400mAh	SMD 2H XPG 3H	4-5H	60*60*390	> 75	IP44/IK08

Work Light

MX-BD30/-02



ITEM NO.								
MX-BD30	20W COB+1LED	1600LM	18650 3.7V 4400mAh	1H 20mins	4H	60*60*385	> 75	IPX4/IK08
MX-BD30-02	10W COB+1LED	1100LM	18650 3.7V 3000mAh	2H	2.5H	60*60*435	> 75	IPX4/IK08

Work Light

MX-5118



ITEM NO.							CRI	IP/IK
MX-5118	10W COB	800LM	18650 3.7V 2000mAh	3H	3H	61*33*200	> 75	IP44/IK08

Work Light

MX-5093 / 5090



ITEM NO.							CRI	IP/IK
MX-5093	10W XPL+COB	1000LM 800LM	21700 3.7V 4000mAh	4.5H	4.5H	174.5*54*36	> 75	/
MX-5090	5W COB+SMD	350LM 40LM	14650 3.7V 1100mAh	2H	3H	308*25*20	> 75	IP44/IK08

Work Light

MX-5067



ITEM NO.								
MX-5067	10W COB	1000LM	18650 3.7V 4400mAh/ 4*AA	3H	4H	120*100*225	> 75	IP65/IK08

Work Light

MX-5060



ITEM NO.								
MX-5060	15W LED	800LM	18650 3.7V 4400mAh	4.5H	7.5H	125*256*90	> 75	IK08

Work Light

MX-5057/5058 Series



ITEM NO.								
MX-5057	10W COB	1100LM	18650 3.7V 4400mAh	4.5H	6H	170*42*127	> 75	IP54/IK08
MX-5057-AA	10W COB	600LM	4*AA	3H	.	170*42*127	> 75	IP54/IK08
MX-5058	10W COB	1100LM	18650 3.7V 4400mAh	4.5H	6H	170*42*127	> 75	IP54/IK08
MX-5058-AA	10W COB	600LM	4*AA	3H	.	170*42*127	> 75	IP54/IK08

Work Light


MX-5063/B/C



ITEM NO.								
MX-5063	5W COB	500LM	4*AA	3H	.	136*37*101	> 75	IP54/IK08
MX-5063B	5W COB	500LM	18650 3.7V 2200mAh	3H	3.5H	136*37*101	> 75	IP54/IK08
MX-5063C	5W COB	500LM	18650 3.7V 2200mAh	3H	3.5H	136*37*101	> 75	IK08

Work Light

MX-5087 / 5087-01



ITEM NO.								
MX-5087	25W SMD	2300LM	18650 3.7V 6000mAh	2-4H	6-6.5H	1389.5*73*170.5	> 75	IP65/IK08
MX-5087-01	50W SMD	3000LM	18650 3.7V 5200mAh	2.5-5H	5-6H	2080*83*103	> 75	IP65/IK08

Work Light

MX-5078B



ITEM NO.								
MX-5078B	10W SMD	1000LM	18650 3.7V 2200mAh	4H	3H	70*70*1060	> 75	IP65/IK08

Work Light

MX-S1068 / S1069



ITEM NO.								
MX-S1068	18W P8	1000LM	103450 3.7V 2000 mAh	2H	3-3.5H	129*50*29	180m	IPX64/IK07
MX-S1069	18W P8	1000LM	18650 3.7V 2200mAh	2H	3-3.5H	195*34*31	150m	IPX64/IK07

Work Light

MX-BD25/26/27



MX-BD25/BD26

MX-BD27



ITEM NO.								
MX-BD25	3W COB+3W LED	200LM	18650 3.7V 2200mAh	3H	2-3H	85*45*218	> 75	IPX4/IK07
MX-BD26	3W COB+3W LED	200LM	3*AA	3H	.	85*45*218	> 75	IPX4/IK07
MX-BD27	5W COB+3W LED	300LM	18650 3.7V 2200mAh	3H	2-3H	85*45*265	> 75	IPX4/IK07

Work Light

MX-5056/5055 Series



ITEM NO.							CRI	IP/IK
MX-5056	20W COB	2000LM	18650 11.1V 4400mAh	3.5H	5-6H	240*80*210	> 75	IP65/IK08
MX-5056A	30W COB	2500LM	18650 11.1V 5200mAh	3H	7-8H	240*80*210	> 75	IP65/IK08
MX-5056B	20W COB	2000LM	.	.	.	240*80*210	> 75	IP65/IK08
MX-5056C	30W COB	2500LM	.	.	.	240*80*210	> 75	IP65/IK08
MX-5055	10W COB	1000LM	18650 3.7V 4400mAh	3.5H	5-6H	225*80*200	> 75	IP65/IK08
MX-5055A	10W COB	1000LM	.	.	.	225*80*200	> 75	IP65/IK08

Work Light

MX-5051/52/53-C 52-D



MX-5053-C

MX-5051-C

MX-5052-C

MX-5052-D

ITEM NO.							CRI	IP/IK
MX-5053-C	10W COB	850LM	.	.	.	90*90*170	> 75	IP65/IK08
MX-5051-C	10W COB	850LM	18650 3.7V 2200mAh	2.5H	5H	115*100*190	> 75	IP65/IK08
MX-5052-C	10W COB	850LM	18650 3.7V 2200mAh	2.5H	5H	85*35*370	> 75	IP65/IK08
MX-5052-D	15W LED	800LM	.	.	.	85*35*370	> 75	IP65/IK08

Work Light

MX-5110



ITEM NO.							CRI	IP/IK
MX-5110	45-50W SMD	3800LM	AC 220-240V/50HZ	/	/	180*290*195	>75	IP54/IK08

Work Light

MX-BD35/ 5091



ITEM NO.							CRI	IP/IK
MX-BD35	20W XHP50	600LM	18650 3.7V 2200mAh	2H	3.5H	164*164*29	> 75	IK08
MX-5091	1W * 2 SMD	200LM	14500 500mAh	2H	2H	153*32*210	> 75	IP20/IK08



SPOT LIGHT

Spot Light

MX-6008A/B



ITEM NO.								
MX-6008A	18W XHP50	1800LM	18650 3.7V 4400mAh	XHP50 5H	4H	216*105*143	500M	IP65/IK08
	10W SMD	1000LM		SMD 4H				
MX-6008B	30W XHP70	2500LM	18650 3.7V 4400mAh	XHP70 3H	4H	216*105*143	550M	IP65/IK08
	10W SMD	1000LM		SMD 4H				

Spot Light

MX-6006/6007



ITEM NO.								
MX-6006A	18W XHP50	1500LM	18650 3.7V 4400mAh	3H	4-5H	168*89*185	440M	IP67/IK08
	15W COB	1300LM		3.5H				
MX-6006B	30W XHP70	2500LM	18650 3.7V 4400mAh	2H	4-5H	168*89*185	500M	IP67/IK08
	15W COB	1300LM		3.5H				
MX-6007A	18W XHP50	1500LM	18650 3.7V 4400mAh	3H	4-5H	168*89*136	440M	IP67/IK08
	15W COB	1200LM		3.5H				
MX-6007B	30W XHP70	2500LM	18650 3.7V 4400mAh	2H	4-5H	168*89*136	500M	IP67/IK08
	15W COB	1200LM		3.5H				

Spot Light

MX-6006 Series



ITEM NO.								
MX-6006C	80W XHP110	6000LM	18650 7.4V 4400mAh	2H	5-6H	168*89*185	550M	IP67/IK08
MX-6006D	40W WHITE LASER	1600LM	18650 3.7V 4400mAh	2.5H	4-5H	173*89*185	650M	IP67/IK08

Spot Light

MX-6009A/B



ITEM NO.								
MX-6009A	18W XHP50	1500LM	18650 3.7V 2200mAh	2H	3-4H	92*140*169	400M	IP67/IK08
	5W COB	400LM		3H				
MX-6009B	30W XHP70	2000LM	18650 3.7V 2200mAh	1.5H	3-4H	92*140*169	400M	IP67/IK08
	5W COB	400LM		3H				

Spot Light

MX-6010



ITEM NO.								
MX-6010	40W WHITE LASER	1000LM	18650 3.7V 2200mAh	2H	3-4H	150.5*166.1*86	700M	IP44/IK08

Spot Light

MX-6011



ITEM NO.		LUMEN				Size:mm		IP/IK
MX-6011	25W XHP70	2000LM	18650 3.7V 4400mAh	3H	4.5-5H	190.8*151*86.4	400M	IP65/IK08

Spot Light

MX-6012



ITEM NO.		LUMEN				Size:mm		IP/IK
MX-6012	20W White Laser	1400LM	21700 3.7V 4000mAh	3H	3.5H	64*134*183	823M	/

Spot Light

MX-6001 Series



ITEM NO.								
MX-6001-B	5W XPG	300LM	4*AA	3H	-	147*75*160	100M	IP67/IK08
MX-6001-C	5W XPG	500LM	18650 3.7V 2200mAh	4.5H	6H	147*75*160	200M	IP67/IK08
MX-6001-F	18W XHP50	1000LM	18650 3.7V 2200mAh	1.5H	3.5H	147*75*160	280M	IP67/IK08

Spot Light

MX-6005 Series



ITEM NO.								
MX-6005-C	18W XHP50	800LM	3*D	4H	-	170*90*185	200M	IP67/IK08
MX-6005-D	18W XHP50	1500LM	18650 3.7V 4400mAh	4H	5H	170*90*185	405M	IP67/IK08
MX-6005-E	30W XHP70	1800LM	18650 3.7V 4400mAh	2.5H	5H	170*90*185	405M	IP67/IK08



FLASHLIGHT

Flash Light

MX-S1028 / S1021-COB



ITEM NO.		 LUMEN				 Size:mm		
MX-S1028	120W COB	12000LM	26650 7.4V 5000mAh	3H	7H	63*63*287	400M	IPX4/IK07
MX-S1021-COB	80W COB 6W COB	6000LM 500LM	26650 7.4V 4000mAh	3H	6.5H	60*60*305	188M	IPX4/IK07

MX-S1032 / S1030



ITEM NO.	Light Source	LUMEN	Battery	Runtime	Beam Distance	Dimensions	Beam Diameter	IP/IK
MX-S1032	10W P8 / COB	1000LM 400LM	18650 3.7V 2200mAh	4H	3-4H	50*29*125.8	300M	IPX4/IK07
MX-S1030	5W COB / P8	500LM	18650 3.7V 2200mAh	4H	3-4H	25.6*23.5*124	150M	IPX4/IK07

MX-S1023-1 / S1072



ITEM NO.	Light Source	LUMEN	Battery	Runtime	Beam Distance	Dimensions	Beam Diameter	IP/IK
MX-S1023-1	5W P8	600LM	16340 3.7V 700mAh	2H	2-3H	D22*H95	150M	IPX4/IK07
MX-S1072	5W P8	500LM	18650 3.7V 2000mAh	4H	2.5H	φ26*135	120M	IPX4/IK08

MX-S1076 / M007



Body push on-push off button

ITEM NO.	Light Source	LUMEN	Battery	Runtime	Beam Distance	Dimensions	Beam Diameter	IP/IK
MX-S1076	10W LED+UV	1000LM	102060 3.7V 1200mAh	2H	2-2.5H	117*25.5*31	83M	IP64/IK08
MX-M007	LED XTE	100LM	16340 3.7V 700mAh	1.5H	2H	470*φ24.5		IPX4/IK07

MX-M001 / M005



ITEM NO.	Light Source	LUMEN	Battery	Runtime	Beam Distance	Dimensions	Beam Diameter	IP/IK
MX-M001	5W P8 / COB	700LM	Li-polymer 3.7V 450mAh	1.5H	1-2H	47*67*24.5	30M	IPX4/IK07
MX-M005	1W SMD	30LM	Polymer 3.7V 200 mAh	2H	1.5H	110*60*18.1	5M	IPX4/IK08

MX-S1081 / S1086



ITEM NO.								
MX-S1081	5W XPG	450LM	10840 3.7V 700mAh	4H	1.5-2H	164*φ18	72M	IPX7/IK08
MX-S1086	10W White Laser	1000LM	26800 4000mAh	3H	6-7H	φ47.5*179	700M	IK08

MX-S1087 / S1040



ITEM NO.								
MX-S1087	6W P8	300LM	10840 500mAh/2*AA	2.3H	2H	159*φ21.5	85M	IPX4/IK08
MX-S1040	5W P8	400LM	10850 3.7V 750mAh	2H	2H	D20*146	135M	IPX4/IK07

MX-S1088 / S1052



ITEM NO.								
MX-S1088	15W XHP50	1500LM	21700 3.7V 5000mAh	2.5H	5H	155*φ56	850M	IPX3/IK08
	White Laser	800LM						
	COB	1000LM						
MX-S1052	P70	4000LM	21700 3.7V 4800mAh	1.5H	4H	D41*165.8	339M	IPX8/IK07

MX-S1053 / S2005-A



ITEM NO.								
MX-S1053	5W P50	500LM	16340 3.7V 700mAh	2H	3H	D22*H79	200M	IPX4/IK07
MX-S2005-A	10W L2	700LM	18650 3.7V 2200mAh	2H	2-3H	D31*H116	65M	IPX4/IK07

Camping Lantern

MX-5089



ITEM NO.							CRI	IP/IK
MX-5089	10W COB	500LM	18650 3.7V 2200mAh	Light 2.5H Fan 4H	3.5H	200*110*80	> 75	IK08

Camping Lantern

MX-Y80



ITEM NO.							CRI	IP/IK
MX-Y80	COB	2500LM	18650 3.7V 4400mAh	2.5H	5H	203.5*116*115.6	> 75	IP54/IK07

Camping Lantern

MX-Y81 / Y86



ITEM NO.							CRI	IP/IK
MX-Y81	25W COB	2000LM	18650 3.7V 8800mAh	6H	7.5H	106*106*211	>75	IPX7/IK08
	5W COB	300LM						
MX-Y86	10W SMD	1000LM	18650 3.7V 4000mAh	3.5H	5-6H	100*100*193	>75	IP44/IK06

Camping Lantern

MX-Y85 / Y82



ITEM NO.							CRI	IP/IK
MX-Y85	3W SMD	300LM	4*AA	4-6H	/	105*99.5*172.5	>75	IP64/IK06
MX-Y82	20W COB	2000LM	4*D	7H	/	128*138*238	>75	IP44/IK08

Camping Lantern

MX-5109



ITEM NO.							CRI	IP/IK
MX-5109	12W SMD	600LM	18650 3.7V 2400mAh	4H	4-4.5H	68*60*238	>75	IP20/IK08

MX-Y77 / Y7




ITEM NO.							CRI	IP/IK
MX-Y77	3 SMD	100LM	3*AAA	6H	-	70*70*38	> 75	IPX4/IK07
MX-Y7	7 LED	20LM	4*AA	-	-	110*110*170	> 75	IPX4/IK07

MX-Y67 / Y71



ITEM NO.							CRI	IP/IK
MX-Y67	4 COB+6 LED	300LM	3*D / 6*AAA	7H	-	92*100*180	> 75	IPX4/IK07
MX-Y71	15 SMD+6 LED	210LM	3* AA	4H	-	100*100*130	> 75	IP22/IK07

MX-D127 / D128



ITEM NO.								
MX-D127	8W COB	500LM	Li-polymer 3.7V 1200mAh	2.5H	3.5H	70*38*44	28M	IP65/IK07
MX-D128	7W COB 5W P8	700LM	Li-polymer 3.7V 1200mAh	1.5H	2.5-3.5H	70*38*44	60M	IP65/IK07

MX-D129 / D130



ITEM NO.								
MX-D129	8W XPL 1W COB	XPL 1000LM COB 100LM	Li-polymer 3.7V 1200mAh	1.5H 10H	2.5H	64.5*43.3*40	132M	IPX6/IK07
MX-D130	P8 LED	600LM	Li-polymer 3.7V 1200mAh	2H	3-4H	64.5*43.3*52	87.5M	IP65/IK07

MX-D135 / D136



ITEM NO.								
MX-D135	40W SMD	700LM	Li-polymer 3.7V 4000mAh	2.5H	4H	232*27*12.5	40M	IPX5/IK07
MX-D136	39W SMD	1000LM	Li-polymer 3.7V 4000mAh	4H	4-4.5H	232*27*12.5	50M	IP65/IK08

MX-D126B / D126



ITEM NO.								
MX-D126B	XPG COB	600LM 300LM	Li-polymer 3.7V 2000mAh	3.5H	2.5H	70*43.7*37.8	120M	IPX5/IK07
MX-D126	4 XPG LED XHP 50	2000LM	Li-polymer 3.7V 4000mAh	3.5H	4.5H	70*43.7*37.8	165M	IPX5/IK07

MX-D119 / D113



ITEM NO.								
MX-D119	18W XHP 50	1150LM	18650 3.7V 4400mAh 4*AA	7H	6.5H	85*11*80	150M	IPX5/IK07
MX-D113	10W L2	1000LM	18650 3.7V 2200mAh	2H	3.5H	65*44*45	110M	IPX8/IK07

MX-Q1-17 / Q1-18



ITEM NO.								
MX-Q1-17	5W XPG	400LM	4*AA	1.5H	.	75*80*55	150M	IP54/IK07
MX-Q1-18	10W T6	400LM	18650 3.7V 4400mAh	6H	5H	75*80*55	500M	IPX4/IK07

MX-D117 / D121



ITEM NO.								
MX-D117	XHP 50	1500LM	18650 3.7V 2200mAh	1.5H	3-4H	86.5*47*44.3	150M	IP54/IK07
MX-D121	CREE XPG3	350LM	3*AAA	2H	.	55*65*47	164M	IPX4/IK07

MX-D116 / D131



ITEM NO.								
MX-D116	3W XPE	150LM	Li-polymer 1200mAh	2H	2H	75*55*45	50M	IPX4/IK07
MX-D131	XPE+COB	300LM	Li-polymer 3.7V 1200mAh	3H	4H	32*31		IPX4/IK07

